





SLE 24-002 Electric Motor & Gear Drive Sale






SLE 24-002 Electric Motor & Gear Drive Sale






SLE 24-002 Electric Motor & Gear Drive Sale





SLE 24-002 Electric Motor & Gear Drive Sale





SIEMENS
 PE 21 PLUS™ PREMIUM EFFICIENCY
 TYPE: RGZESD
 HP: 25
 kW: 18,75
 FRAME: 284 TC
 VOLTS: 460
 AMPS: 29,0
 R.P.M: 3525 Hz: 60
 NEMA NOM EFF: 91,7 %
 SH. END BRG: 50BC08 T3
 OP. END BRG: 50BC08 P3

DUTY: CONT. 3 PH
 GLASS INSUL: F S.F.: 1,15
 S.F. AMPS: 33,5
 AMB. TEMP.: 40 °C
 TEMP. RISE: Class B
 NEMA DESIGN: B
 KVA CODE: G
 PART No: 1A07W2542
 SPECIAL No: 1A07W2542 12

CONNECTION
 (1) (2) (3)
 LINE

MILL. AND CHEMICAL DUTY QUALITY INDUCTION MOTOR
 Made in Mexico by SIEMENS



TECU 3 PHASE INDUCTION MOTOR
 7.5 HP
 VOLTS: 230/460
 AMP'S: 31/10,5
 RPM: 550
 RATING: CONT.
 BEARINGS: 6309ZZ / 6307ZZ
 SER. NO.: 66H165430022

TYPE: A/EA
 NEMA DESIGN: B
 Hz: 60
 S.F.: 1,15
 AMB: 40°C
 CODE: G

CONNECTION
 90 90 10 10 10
 80 50 70 50 0 0 7
 20 0 10 20 0 3 0 1
 230V LINE 460V LINE

USABLE ON 208V NETWORKS AT 22 AMP

TECU ELECTRIC (MALAYSIA) SDN. BHD.
 MADE IN MALAYSIA

REF. NO.: 910-9D222E



SLE 24-002 Electric Motor & Gear Drive Sale



BALDOR • RELIANCE® INDUSTRIAL MOTOR	
CAT. NO.	NP 1 OF 2
SPEC.	77H129W094G1
HP	7.5HP//4.5KW
VOLTS	230/460//190/380
AMPS	24.6/12.3//24/12
R.P.M.	850//715
FRAME	215T HZ 60//50 PH 3
SER. F.	1.15 CODE H DES B CLASS H
NEMA NOM. EFF.	81.5 % P.F. 61 %
RATING	50C AMB-CONT
CC	USABLE AT 208V A
BEARINGS	DE 6307 ODE 6307
ENCL.	TEAO SN F1303146479 IP44
BALDOR ELECTRIC CO. FT. SMITH, AR. MFG. IN U.S.A. NP1372L	





BALDOR • RELIANCE® SuperE SEVERE DUTY 841XL	
Complies with IEEE Std 841-2009	
SPEC.	07K629X813
ABMA DE BRG	358005X30X
ABMA ODE BRG	358005X30X
GREASE	POLYREX EN
MOTOR WEIGHT	231 LBS. ROTOR BARS 28 STATOR BARS 30
MAX R.P.M.	2700 MAX KVAR 1.33
1.0 S.F. ON PWM INVERTER POWER INVERTER TEMP CODE: TEMP= 160 °C	
CHP	60 TO 90 HZ
CT	1.3 TO 90 HZ
VT	0 TO 90 HZ
SPACE HEATERS	
VOLTS	AMPS
WATTS	MAX. SPACE HEATER TEMP
TIE LIKE LEADS TOGETHER LEADS H-H	
BALDOR ELECTRIC CO. FT. SMITH, AR. MFG. IN U.S.A. 2 OF 2 NP3186	

BALDOR • RELIANCE® SuperE SEVERE DUTY 841XL	
Complies with IEEE Std 841-2009	
CAT. NO.	ECP03774T-4
SPEC.	07K629X813
HP	10 TE
VOLTS	460
AMPS	12.2
R.P.M.	1760
FRAME	215T HZ 60 PH 3
SER. F.	1.15 CODE H DES B CLASS F
RATING	30C AMB-CONT
SN	11510203880
BEARINGS	DE 6307 ODE 6307
NEMA NOM. EFF.	91.7 P.F. 85 %
GUAR. MIN. EFF.	90.2 CC 0101
T.CODE	730 TEMP= 160 °C
CLASS I DIV. 2	CLASS I ZONE 2
GROUPS A, B, C, D	GROUPS IIA, IIB, IIC
BALDOR ELECTRIC CO. FT. SMITH, AR. MFG. IN U.S.A. 1 OF 2 NP3235	




SLE 24-002 Electric Motor & Gear Drive Sale





SLE 24-002 Electric Motor & Gear Drive Sale





SLE 24-002 Electric Motor & Gear Drive Sale






SLE 24-002 Electric Motor & Gear Drive Sale






SLE 24-002 Electric Motor & Gear Drive Sale






SLE 24-002 Electric Motor & Gear Drive Sale





SLE 24-002 Electric Motor & Gear Drive Sale






SLE 24-002 Electric Motor & Gear Drive Sale





SLE 24-002 Electric Motor & Gear Drive Sale



★★★★★		SERVAX Landert Motoren AG CH-8180 Bülach-Zürich www.servax.com info@servax.com Refer to manual on www.servax.com/manuals	
Nr.	334443	Typ	200M60-VFA4A
3~	S1 37		kW
F400	1460/1760		min ⁻¹
IP 22S	Isol.-Kl.F		°C
Art. Nr. 94.8002.371.3 TROPENIS			
50	190-200 ΔΔ	/380-400 Δ	V
	144-140/72-70		A
Hz	cosΦ 0.88-0.85		
60	220-230 ΔΔ	/440-460 Δ	V
	120-116/60-58		A
Hz	cosΦ 0.87-0.84		
			CE



BALDOR • RELIANCE		Special SEVERE DUTY XEX	
SPEC. NO.	P21G4877	CAT. NO.	EM7670T-1
HP	10	VOLTS	230/460
RPM	1765	AMPS	24 9/12 3'
DRIVE END BEARING	40BC02J30X	PHASE	3
OPP. D.E. BEARING	30BC02J30X	DESIGN	B
SER. NO.	A1507060005	HZ	60
		AMB	40 °C
		TEFC	CLASS F
		ENGL	TEFC
		POWER FACTOR	83
		MAX CORR KVAR	02.9
		NEMA NOM EFFICIENCY	91.7
		GUARANTEED EFFICIENCY	90.2
		NEMA NOM/CSA QUOTED EFF AT 100% LOAD	
		MOTOR WEIGHT	241.1 LB
		BALDOR ELECTRIC CO. FT. SMITH, AR. MFG. IN U.S.A.	
		NP2443	

UL LISTED	E 10822
ELECTRIC MOTOR FOR HAZARDOUS LOCATIONS	
CLASS I GROUP	NO. A 48059733
CLASS II GROUP	
OPERATING TEMPERATURE CODE	



SLE 24-002 Electric Motor & Gear Drive Sale

