



SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale





SLE 23-002 Electrical, Instrumentation & More Sale



COOPER Crouse-Hinds **EXPLOSIONPROOF AND DUST-IGNITION PROOF RAIN-TIGHT ENCLOSURE** **CLASSIFIED** **UL** **114Y**

EBMC SERIES TYPE 3R CLASSIFIED BY UNDERWRITERS LABORATORIES, INC. AS TO EXPLOSION AND FIRE HAZARD ONLY. ENCLOSURE FOR USE IN HAZARDOUS LOCATIONS.

CL. I, GR. B,C,D CL. II, GR. E,F,G CL. III

ENCLOSURE NO. EBML

CATALOG NO. EBMCF

SIZE MFR. STARTER OR CONTACTOR NOMENCLATURE

4 EATON EVNR COMBINATION STARTER

VOLTS A.C. LINE CONTROL POLY PH. 1 PH.

480 120 120


MAXIMUM H.P. RATINGS 240

HZ 60 480/600 100

MFR. TYPE V.A.C. TRIP MAG. TRIP RANGE

EATON HMCP 600 150 A 750-2500 A

PILOT LAMP MAX. VOLTS WATTS PER LAMP





SLE 23-002 Electrical, Instrumentation & More Sale

