







SLE 18-033 Electric Motor Sale



SLE 18-033 Electric Motor Sale



SLE 18-033 Electric Motor Sale



SLE 18-033 Electric Motor Sale



TEXP HE		EXPLOSION PROOF	
		HIGH EFFICIENCY	
TYPE	4EHXU	CAT. NO.	X1002
OUTPUT	100 HP 75 kW	FRAME	405TS TEFC-XP
POLES	2	INS.	F
Hz	60	AMB.	40 °C
VOLTS	230/460	RATING	CONT.
AMPS	213/106.5	NEMA NOM. EFF.	95.4
RPM	3560	NEMA MIN. EFF.	94.5
S.F.	1.15	BEARINGS	6313C3 6313C3
CODE	G	SERIAL NO.	EV0105851001
CERTIFIED FOR PWM INVERTER DUTY			
MAXIMUM	100 HP	VAR. TORQUE	3-60 Hz
S. F.	1.0	CON. TORQUE	15-60 Hz
TEMPERATURE-LIMITING		DEVICE CONNECTION	
TYPE 9700K-75-215			
<b>TECO</b> <b>Westinghouse</b> MOTOR COMPANY ROUND ROCK, TEXAS			



RELIANCE				
DUTY MASTER A-C. MOTOR				
FRAME	TYPE	INS. CLASS	IDENTIFICATION NO.	
4F	S	B	P44624	G L Y
HP.	RPM.	VOLTS	AMPS.	Hz
100	1770	460	230	60
DESIGN		CODE	F	PHASE 3
DRIVE END BEARING		X 90BC03XPP3M		
OPP. DRIVE END BEARING		65BC02XPP3M		
AMB		40 C		
RELIANCE ELECTRIC COMPANY / CLEVELAND, OHIO 44117				

SLE 18-033 Electric Motor Sale




LCP9





LCP10




SLE 18-033 Electric Motor Sale



SLE 18-033 Electric Motor Sale




SLE 18-033 Electric Motor Sale






SLE 18-033 Electric Motor Sale



SLE 18-033 Electric Motor Sale







VAM18



NEMA <sup>®</sup> Premium		SIEMENS		NEMA PREMIUM <sup>®</sup> EFFICIENCY		51-774-164	
ORD. NO.	3006744886-1	FRAME	256TC	3 PH		CONNECTION	
TYPE	S D100 TFF F	SERVICE FACTOR	1.15			① ② ③	
H.P.	20	VOLTS	460			LINE	
AMPS	22.5	HERTZ	60				
R.P.M.	3515	WEIGHT	328 LBS				
DUTY	CONT	40°C AMB	DATE CODE	J17			
CLASS INSUL	F	NEMA DESIGN	B	KVA CODE	G	NEMA NOM. EFF.	95.0
DRIVE END BEARING	45B C0 3JP3		OPP D.E. BEARING		45B C0 3JP3		
I EEE-841-2009							
Made in Mexico by SIEMENS    							






VAM18

NEMA <sup>®</sup> Premium		SIEMENS		NEMA PREMIUM <sup>®</sup> EFFICIENCY		51-774-164	
ORD. NO.	3006744886-2	FRAME	256TC	3 PH		CONNECTION	
TYPE	S D100 IEE E	SERVICE FACTOR	1.15			① ② ③	
H.P.	20	VOLTS	460			LINE	
AMPS	22.5	HERTZ	60				
R.P.M.	3515	WEIGHT	345 LBS				
DUTY	CONT	40°C AMB	DATE CODE	J17			
CLASS INSUL	F	NEMA DESIGN	B	KVA CODE	G	NEMA NOM. EFF.	95.0
DRIVE END BEARING	45B C0 3JP3		OPP D.E. BEARING		45B C0 3JP3		
I EEE-841-2009							
Made in Mexico by SIEMENS    							

SLE 18-033 Electric Motor Sale



SLE 18-033 Electric Motor Sale



SLE 18-033 Electric Motor Sale

