






SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale





BALDOR • RELIANCE			
SuperE SEVERE DUTY 841XL			
BALDOR ELECTRIC CO • FT SMITH, AR. MFG. IN U.S.A.			
CAT NO.	FCP01100T-1	SPEC NO.	P206463
HP	100	AMPS	192
VOLTS	480	DESIGN	B
FRAME SIZE	405T	RPM	1735
HZ	60	AMB	40°C SF 1.15
D.E. BRG DATA	6313	PH 3	DUTY CONT
O.D.E. BRG DATA	6313	TYPE P	ENCL TEFC
POWER FACTOR	87.4	NEMA NOM EFFICIENCY	95.4
MAX CORR KVAR	18.0	GUARANTEED EFFICIENCY	95.0
3/4 LOAD EFF.	95.7	NEMA NOM/CSA QUOTED EFF @ 100% LOAD	
SER. NO.	A1208102057	MOTOR WEIGHT	1337/LBS.
Complies with IEEE Std 841-2009			PLANT 12







BALDOR • RELIANCE			
SuperE SEVERE DUTY 841XL			
BALDOR ELECTRIC CO • FT SMITH, AR. MFG. IN U.S.A.			
CAT NO.	FCP01101T-4	SPEC NO.	P2895223
HP	75	AMPS	80.7
VOLTS	480	DESIGN	B
FRAME SIZE	265TS	RPM	3555
HZ	60	AMB	40°C SF 1.15
D.E. BRG DATA	6313	PH 3	DUTY CONT
O.D.E. BRG DATA	6313	TYPE P	ENCL TEFC
POWER FACTOR	92	NEMA NOM EFFICIENCY	94.5
MAX CORR KVAR	5	GUARANTEED EFFICIENCY	93.6
3/4 LOAD EFF.	95.4	NEMA NOM/CSA QUOTED EFF @ 100% LOAD	
CL. 1 DIV. 2 GROUP ABCD	T3	CL. 1 ZONE 2 GROUP	IIA IIB IIC T-20
INVERTER DUTY @ 1.0 S.F.	CHP= 60-90	HZ CT=	15-60
INVERTER T. CODE	T3	PWM INVERTER WITH 2KHz MINIMUM CARRIER FREQUENCY	
SER. NO.	A14110282038	MOTOR WEIGHT	976
Complies with IEEE STD 841-2009			PLANT 12






SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



MODEL	5KS256XAB308		SN	ABP6044HL04A				
CAT#	N9432	HP	10	RPM	1170			
VOLTS	460		AMPS	13.1				
FRAME	256T		TYPE	KS	PHASE	3	NEMA ENCL	TEFC
HZ	60	NEMA DESIGN	B	TIME RATING	CONT	INS CLASS	F	
CODE	H	MAX KVAR	4.0	POWER FACTOR	78.5	MAX WEIGHT	350LB	
	40	DEG C MAX AMB @	1.15 SF	ALT DEG C MAX AMB @		ALT SF		
REPLACEMENT ODE BEARING	6809ZC3		45BC03XP3					
REPLACEMENT DE BEARING	6809ZC3		45BC03XP3					
NEMA NOM EFF	91	GUAR MIN EFF	90.2	3/4 LOAD EFF	91.6			
PRECISION BALANCE	0.04 IPS		TEMP CODE	POLYUREA GREASE				
ALT RAT INVERTER DUTY 1.0SF 40C AMB								
SUIT FOR PWM INV 15-60HZ CONST TORQ								
Energy Saver [®]								
XSD ULTRA™ IEEE 45								
EXTRA SEVERE DUTY AC MOTOR								
NP278376P019 REV. 14								





BALDOR • RELIANCE	
SuperE SEVERE DUTY 841XL	
CLASS 1 - DIV 2 - GROUPS A,B,C,D CLASS 1 - ZONE 2 - GROUPS BA,B,C	
CAT. NO.	ECP6877AT-4
SPEC.	UTK629X913
HP	10
VOLTS	460
AMPS	12.2
R.P.M.	1760
FRAME	45
SER. F.	CODE DES. CLASS
NEMA NOM. EFF.	EFF.
GUAR. MIN. EFF.	% DS
RATING	
BEARINGS	DE 6807 209 6800
ENCL	TEFC SN F1310066913




Complies with IEEE Std 841-2009





SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale




SLE 18-039 Electric Motor Sale



BALDOR • RELIANCE					
SuperE SEVERE DUTY 661XL					
BALDOR ELECTRIC CO • FT SMITH, AR MFG IN USA					
CAT. NO. ECP64103TR-1		CUST. P/N		ENCL TFC	
SPEC 10J448225561		CC0101	FRAME 284T	SER. NO. C1509000822	
HP 25	CLASS F	HZ 60	ODE BRG 6511	DE BRG N6511	
R.P.M. 1770	MAX R.P.M. 2700	PH. 3	DES. B	ABMA DE BRG 55B005X50X	
VOLTS 460		CODE 6		ABMA ODE BRG 55B005X50X	
AMPS 50		MOTOR WT. 425	LBS.	GREASE MOBILITH SHC220	
RATING 400 AMB-20VT		MAX KVAR 5.9			
NEMA NOM. EFF. 93.6 %		NO. OF ROTOR BARS 40	SER. F. 1.15		
GUAR. MIN. EFF. 92.4 %		NO. OF STATOR BARS 48	R.F. 85	1.0 S.F. ON INVERTER POWER	
CLASS 1 DIV. 2 GROUPS A,B,C,D			TEMP CODE T50	INVERTER TEMP CODE: TEMP= 90°C	
CLASS 1 ZONE 2 GROUPS IIA,IIB,IIC			TEMP= 130 °C	CHP 60	TO 90 HZ
SPACE HEATERS		LEADS H1-H2	TIE LIKE NUMBERS TOGETHER		CT 1.5 TO 60 HZ
VOLTS	AMPS	WATTS	MAX. SPACE HEATER TEMP °C	VT 0 TO 60 HZ	

NP3201


Complies with IEEE Std 841-2009





NEMA Premium		SIEMENS		NEMA PREMIUM EFFICIENCY		51-774-164
ORD. NO.	3005994363-1	FRAME	286T			
TYPE	SD661	SERVICE FACTOR	1.15	3 PH		CONNECTION
H.P.	30	VOLTS	460			① ② ③
AMPS	35.0	HERTZ	60			LINE
R.P.M.	1775	WEIGHT	4.65 LBS			
DUTY	CONT	4 °C AMB	DATE CODE	F16		
CLASS INSUL	F	NEMA DESIGN	B	KVA CODE	G	NEMA NOM. EFF. 93.6
DRIVE END BEARING	50RU03M0	DPP D.E. BEARING	50BC03JP3			
50 0389300		IEEE-841-2009		API = 661		
Made in Mexico by SIEMENS		Energy Verified	CE	CSA		



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale





FRAME		TYPE	DESIGN	IDENTIFICATION NO.		MODEL NO.	
364T		P	B	HAW732018A7107			
HP	40	VOLTS	480	HZ	60	PHASE	3
RPM	1190	AMPS	49.4	S.F. 1.15	AMB	40 °C	INSUL CLASS
ENCL	TEFC	DUTY	CONT	POWER FACTOR	80.5	MOTOR WEIGHT	865 LBS
NEMA NOM. EFFICIENCY	94.1	GUARANTEED EFFICIENCY	96	MAX. CORR. KVAR	1.2		
DRIVE END BEARING	65BC03J30X		OPP. DIE. BEARING	65BC03J30X			
RELIANCE ELECTRIC COMPANY CLEVELAND, OHIO 44117				PLANT 041 (GP)-UL FILE NO. E54825 MADE IN U.S.A.			




BALDOR • RELIANCE							
SuperE SEVERE DUTY 661XL							
BALDOR ELECTRIC CO • FT SMITH, AR • MFG IN USA							
CAT. NO.	607211512-4			CUST. P/N			ENCL
SPEC	300V/3/75		CC	FRAME	364T	SER. NO.	3110141452
HP	50	CLASS	7	HZ	60	ODE BRG	60312
R.P.M.	1770	MAX R.P.M.	2700	PH.	3	DES.	3
VOLTS	480	CODE	5	ABMA DE BRG	602000N30X		
AMPS	57	MOTOR WT.	700 LBS.	ABMA ODE BRG	608000N30X		
RATING	400 AMB-CONT		MAX KVAR	9.4			
NEMA NOM. EFF.	94.5 %	NO. OF ROTOR BARS	30	SER.F.	3.25		
GUAR. MIN. EFF.	95.5 %	NO. OF STATOR BARS	48	P.F.	87 %	1.0 S.F. ON INVERTER POWER	
CLASS 1 DIV. 2 GROUPS A,B,C,D				TEMP CODE		75	
CLASS 1 ZONE 2 GROUPS IIA,IIB,IIC				TEMP=		200 °C	
SPACE HEATERS		LEADS H1-H2	TIE LIKE NUMBERS TOGETHER		CT	1.0	TO 60 HZ
VOLTS	AMPS	WATTS	MAX. SPACE HEATER TEMP.		°C	VT	0 TO 60 HZ
Complies with IEEE Std 841-2009							



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



RELIANCE®		841XL			
DUTY MASTER®		SEVERE DUTY AC MOTORS			
FRAME	TYPE	DESIGN	IDENTIFICATION NO.	MODEL NO.	
256T	P	B	HAW732023A6107		
HP	20	VOLTS	460	HZ	60
PHASE	3	CODE	G		
RPM	1765	AMPS	24	S.F.	1.15
AMB	40 °C		INSUL CLASS		
ENCL	TEFC	DUTY	CONT	POWER FACTOR	MOTOR WEIGHT
NEMA NOM. EFFICIENCY		93.0	GUARANTEED EFFICIENCY	2.4	MAX. CORR. KVAR
DRIVE END BEARING	50BC03J30X		OPP. DIE BEARING	45BC03J60X	
RELIANCE ELECTRIC COMPANY CLEVELAND, OHIO 44117			PLANT 041 (GP)-UL FILE NO. E54825 MADE IN U.S.A.		




BALDOR • RELIANCE		SuperE SEVERE DUTY 841XL			
CLASS 1 - DIV 2 - CLASS 1 - ZONE 2		BALDOR ELECTRIC CO. FT. SMITH, AR. MFG. IN U.S.A.			
CAT. NO. 20P34103T-4		CUST. P/N		ENCL. TEFC	
SPEC 109197X31281		CC0101	FRAME 256T	SER. NO. C1207240677	
HP	25	CLASS	HZ 60	BEARING SIZE	
R.P.M.	1770	T-CODE	PH. 3	DES. 3	OPP. END 6311
VOLTS	480	CODE 3		DRIVE END 6311	
AMPS	30	MOTOR WT. 415 LBS		GREASE POLYTEX 27	
RATING 300 AMP-CONT		MAX. KVAR 4.4		THERMOSTAT LEAD (WHEN PROVIDED)	
NEMA NOM. EFF.	93.6%	NO. OF ROTOR BARS	40	SER. F.	1.15
GUAR. MIN. EFF.	92.4%	NO. OF STATOR BARS	48	F.F.	84%
SPACE HEATERS		MAX SPACE HEATER TEMP.		TIE LIKE NUMBERS TOGETHER	
LEADS H1-H2	VOLTS	AMPS	°C		
Complies with IEEE Std 841-2009					



SLE 18-039 Electric Motor Sale




SLE 18-039 Electric Motor Sale




SLE 18-039 Electric Motor Sale






VME37




VME38



SLE 18-039 Electric Motor Sale




SLE 18-039 Electric Motor Sale




SLE 18-039 Electric Motor Sale






BALDOR-RELIANCE				
<i>Super-E</i> SEVERE DUTY 841XL				
BALDOR ELECTRIC CO • FT SMITH, AR. MFG. IN U.S.A.				
NEMA Premium	CAT NO.	502311021-4	SPEC NO.	2406462
	HP	100	AMPS	110
	VOLTS		480	
	DI SIGN	B		
	FRAME SIZE	40573	RPM	3555
	HZ	60		
	AMB	50		
	INSUL CLASS	F		
	D.E. BRG	658C03J30X		
	PH	3		
DUTY	CONT			
INSUL CLASS	F			
O.D.E. BRG	658C03J30X			
TYPE P	ENCL T2FC			
CODE	F			
D.E. BRG. DATA	6313		POWER FACTOR	90
NEMA NOM EFFICIENCY	95			
O.D.E. BRG. DATA	6313		MAX CORR KVAR	10.0
GUARANTEED EFFICIENCY	94.5			
3/4 LOAD EFF.	95.2		NEMA NOM/CSA QUOTED EFF @ 100% LOAD	
SER NO.	1211032007		MOTOR WEIGHT	1330 LBS
Complies with IEEE Std 841-2009				PLANT





SLE 18-039 Electric Motor Sale




SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



NEMA [®] Premium		SIEMENS	
NEMA PREMIUM [®] EFFICIENCY			
ORD. NO.	8 005994363-27	FRAME	215 T
TYPE	SD661	S.F. WGE FACTOR	1.15 3 PH
H.P.	10	VOLTS	460
AMPS	12.5	HERTZ	60
R.P.M.	1755	WEIGHT	180 LBS
DUTY	CONT	40°C AMB	
CLASS INSUL	F	NEMA DESIGN	B
DRIVE END BEARING	40RU02 MD	KVA COOL	H
	IEE-841-2009	NEMA NDM EFF	91.7
	S70-0390320	OPP. DIE. BEARING	40BC02JP3
		API-661	
Made in Mexico by SIEMENS			



RELIANCE [®]		DUTY MASTER [®]	
841XL SEVERE DUTY AC MOTORS			
FRAME	TYPE	DESIGN	IDENTIFICATION NO.
213T	P		
HP	7.5	VOLTS	460
RPM	1765	AMPS	12.5
ENCL	TEFC	DUTY	CONT
NEMA NOM. EFFICIENCY	91.7	GUARANTEED EFFICIENCY	
DRIVE END BEARING	35-BC02J30X	OPP. DIE. BEARING	
		POWER FACTOR	1.15
		MAX. CORR. KVAR	
RELIANCE ELECTRIC COMPANY CLEVELAND, OHIO 44117			
PLANT 041 (GPJ-UL FILE NO. E54825) MADE IN U.S.A.			



SLE 18-039 Electric Motor Sale



RELIANCE®		841XL		
DUTY MASTER®		SEVERE DUTY AC MOTORS		
FRAME	TYPE	DESIGN	IDENTIFICATION NO.	MODEL NO.
184T	P	B	HAW732012A41207	
HP 5	VOLTS 460	HZ 60	PHASE 3	CODE J
RPM 1750	AMPS 6.6	S.F.I. 1.5	AMB 40°C	INSUL CLASS F
ENCL TEFC	DUTY	CONT	POWER FACTOR 79.7	MOTOR WEIGHT 15 LBS
NEMA NOM. EFFICIENCY 89.5	GUARANTEED EFFICIENCY 7.5	MAX. CORR. KVAR 1.8		
DRIVE END BEARING 30BC02J30X	OPP. DIE. BEARING 25BC02J30X			
RELIANCE ELECTRIC COMPANY CLEVELAND, OHIO 44117		PLANT 041 (GP)-UL FILE NO. E54825 MADE IN U.S.A.		




MODEL	5KS256XAB108		SN	TYP4242KL06C	
CAT#	H9438	HP	20	RPM	3550
VOLTS	460		AMPS	22.6	
FRAME	256T		TYPE	K8	PHASE 3
HZ	60	NEMA DESIGN	B	TIME RATING	CONT
CODE	6	MAX KVAR	2.5	POWER FACTOR	89.5
	40	DEG C MAX AMB @	1.15	SF	ALT DEG C MAX AMB @
					350LB
					ALT SF
		REPLACEMENT ODE BEARING	63097C3	45BC03XP3	
		REPLACEMENT DE BEARING	63097C3	45BC03XP3	
NEMA NOM. EFF	92.4	GUAR. MIN EFF	91.7	3/4 LOAD EFF	93.4
PRECISION BALANCE	0.04 IPS		TEMP CODE	POLYUREA GREASE	
ALT RAT INVERTER DUTY 1.0SF 40C AMB					
SUIT FOR PVM INV 16-60HZ CONST TORQ					
Energy Saver®					
XSD ULTRA™					
EXTRA SEVERE DUTY AC MOTOR					
NP278376P010 REV. 13					




SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale



SLE 18-039 Electric Motor Sale

