





## SLE 22-038 Electrical Sale







## SLE 22-038 Electrical Sale



**SQUARE D COMPANY** MB2

**SORGEL® SINGLE PHASE GENERAL PURPOSE TRANSFORMER**

CAT NO: EE37S3H KVA: 37.5

H.V.: 480/240 H.V. AMPS: 78/156 Hz: 60 %IZ: 5.6

L.V.: 240/120 L.V. AMPS: 156/312 WT: 335 CLASS: AA

220 DEGREE C INS SYSTEM, 150 DEGREE C RISE TYPE S

STYLE NO: 13551-12212-027 SERIAL NO: 1120413284

DATE CODE: 1349 ENCL: 18H TYPE 2 EFF: 98.2 @ 35% 75°C

SERIES CONNECTION		PARALLEL CONNECTION	
TAP	VOLTS	TAP	VOLTS
1 & 8	503	1 & 8	251
1 & 7	491	2 & 7	240
2 & 8	480	3 & 8	229
2 & 6	469	4 & 8	214
3 & 6	457		
3 & 5	443		
4 & 5	429		

**UL US LISTED**  
POWER TRANSFORMER 127 M

24PDG220-1  
"Made in Mexico"

024EE00375480R240R1A-001

MEETS FINAL RULE U.S. 10 CFR 431 MAR 2011

**⚠ DANGER**  
HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH

**⚠ PELIGRO**  
PELIGRO DE DESCARGA ELÉCTRICA, EXPLOSIÓN O DESTELLO POR ARQUEO

**⚠ DANGER**  
RISQUE D'ÉLECTROCUTION, D'EXPLOSION OU D'ÉCLAIR D'ARC

TO BE IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE, ARTICLE 450.9 AND UL 1561, THE TRANSFORMER VENTILATION OPENINGS MUST HAVE A MINIMUM CLEARANCE OF 3 INCHES TO WALL OR OTHER OBSTRUCTIONS.


TYPE 3 & 3R, WHEN PROVIDED WITH HOOD CATALOG NO. WS363.

43006-198-02

43006-197-01
















## SLE 22-038 Electrical Sale












































## SLE 22-038 Electrical Sale

