



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 22-026
Electrical Equipment Sale
Allen-Bradley, Eaton Crouse-Hinds,
ABB, GE, Hoffman & More!

Sealed Bid Sale

Bidder Information

Company: _____

(Signature)	(Printed Name)	(Date)	(Phone Number)
Inspected Surplus	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
	(Check One)		

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

Bid Close: Thursday, July 7th @ NOON 12:00 PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 3:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

******PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS******

Please visit our web site www.slevysurplus.com for more available equipment.



SLE 22-026 Electrical Sale

Company: _____
 Bidder: _____
 Phone: _____

LOT	QTY	PART#	Description	Lot Bid
IIP 01	1	AR100	APC Netshelter WX Wall mount enclosure	\$
	1	AP9922S	Battery Manager Expansion Module	
	1	AP9922	Battery Manager Expansion Module	
	1	AP9920CS	Battery Management System Current Sensor	
	2	AP8105BLK	Fixed Shelf	
	4	AP9927	Battery Management Field Fit Harness 100Ft	
	4	870-8183A-001	Hardware	
IIP 02	1	SG3N0025LE0CB	Hammond XFMR 25KVA, 1-ph, high efficiency, type doe2016, 240x480v pri, 120/240vac sec, 60hz, copper windings, (2)-2-1/2% taps above, (4)-2-1/2% taps below, ul. 26.7"h x 22.3"w x 23.8"d, weight 230lbs, ventilated n3r enclosure	\$
IIP 03	1	SG3A0030KK0C	Hammond XFMR 30KVA, 3-ph, high efficiency, type doe2016, 480 pri, 277/480vac sec, 60hz, 150 deg c rise, copper windings, ul. 28.8"h x 25.8"w x 23.8"d, weight 355lbs, ventilated n3r enclosure	\$
IIP 04	18	402540K04	38KV pri disc bush 2000a	\$
IIP 05	20	238671-03-00-1A	Lot of 48 VDC pocket plate nicad battery system Cell Type SBM 231-2	\$
IIP 06	2	Siemens	Siemens Panels (1) pc. With 300 AMP Breaker Cat: JXD22B300 (1) pc. With 600 AMP Breaker Cat: LD62F600	\$
IIP 07	1	244406-02-00-10A	Hydraulic Platform 1000 lb. lift for battery installation M:2MPT5	\$
IIP 08	1	241956-13-00-4A	Solaris Battery (1) P4600 F3ph charger (2 chargers fit in one cabinet)	\$
IIP 09	1	PDRSS232UNVEB81U	Light,non hazardous,indoor,interior fluor light, cooper lighting- metalux, 120-277	\$
IIP 10	5	1734-FPD	A&B Universal field voltage distribution modular stack	\$
	6	1734-OX2	A&B Output relay module, 2 form c isolated contacts	
	4	1734-IA4	120vac 4 channel input module	
	1	87C1260G10	Main contactor latched 400a 7.2kv eaton c-h	
	2	1492-D2C100	Allen-Bradley, 2-pole dc circuit breakers, 10a	
	1	700DC-P400Z1	A&B 600VDC 5 amp max industrial relay, ab	
	12	700DC-R220Z24	A&B Relay, a-b bulletin 700-r, dc-operated	

IIP 11	56	011409-00	Stego Thermostat, din rail mounted, 32- 140 deg f, 1 n.c. contact, opens on rise at set point, 2a inductive @ 120vac, dc 30 w	\$
	400	10-12 AWG	Burndy Lug Yaevio	
	8	PS-5362-GRY	Pass & Seymour Receptacle	
	198	YAEV8C-L	Burndy insulated ring lug	
	12	012-75AA-NLNL-C7-B3	Crompton Meter,single function,analog,0-30a scale, self-contained, 2-1/2 case size, saxon panel type, 50/60 hz, true rms reading, 3 stud config.	
	2	BR2C40UC	Weidmuller Miniature 40a two pole, branch circuit breaker ul 489, din rail mounted, 240vac and 125vdc 10ka, c curve, ul listed e359964	
	2	007-05FA-LSSN-C7	Crompton Meter,single function,analog,0-800a, 0-5a rms input, 50/60hz, ansi c39.1, class 1 accuracy, 240deg long scale	
	4	007-05GA-RSWC-C7	Crompton Meter,single function,analog, 0-15kv, 240 degree scale voltmeter, 0-250v rms input,	
	15	30CT06	Concentric Devices shunt block 6pt, 30a ac/dc, 600v ac/dc, wire range #10-#18, crimp ring lug or spade lug. 35mm din rail mount or panel mount. ul rec.	
	16	M-25004	States Terminal block,control cable, type nt terminal block, m - white marker strip with black center for engraving, 250 - sliding link/with stainless steel screw, 04 - 4-pole, front-connected potential, 50a/600v ratings for 250 series.	
	14	M-25006	States Terminal block,control cable,type nt terminal block, m - white marker strip with black center for engraving, 250 - sliding link/with stainless steel screw, 06 - 6-pole, front-connected potential, 50a/600v ratings for 250 series.	
	11	M-25012	States Terminal block,control cable, type nt terminal block, m - white marker strip with black center for engraving, 250 - sliding link/with stainless steel screw, 12 - 12-pole, front-connected potential, 50a/600v ratings for 250 series.	
	1	449D431H21	Eaton 120vac/125vdc Charging Motor	
	1	38G647	D&D Spring hinge with holes, black matte finish, square corners, 4 3/4 in x 3 1/8 in	
	11	012-75AA-LALA-C7-B3	2.5" Saxon Panel AC ammeter, 0-1 amp ac input, 0-1 amp ac scale, ansi c39.1 ul	
	1	300-C16N22ZC	C3 Controls 4-pole iec mini-contactor, miniature control relay , 2no and 2nc , 24v dc coil	
	8	G3R-OD201SN	State Solid Relay/omron, 5-24vdc	
	6	SPH-01P	Corning Housing wall mount single panel anixter #313351	
	24	3030226	Phoenix plug-in bridge, fbs 20-6, number of positions 20, color red	

IIP 12	30	FT-049	ITI Switch/pushbutton,ac switch, type ft test switch, 10 pole, 4 potential, 4 current, handles - 8 blk	\$
	12	FT-082	ITI ft-1 test switch	
	14	FT-098	ITI type ft test switch	
	45	FT-066	ITI Switch/pushbutton,test, type ft test switch	
IIP 13	4	9253C03H06	Eaton Neutral sensor/c-h 800a	\$
	1	PVM13L3TWR3/UNV1	Eaton Crouse-Hinds champ PRO pvm led luminaires, model pvm13l, 13,226 lumens, 130w, cool white (5000k), 1" wall mount, type iii optic, no guard, 120-277 vac, 50/60 hz, 108-250 vdc, 50/60hz, ul/cul listed,	
	1	C320KGS1	Eaton AUX. cont/ch,1no,sd,1-2	
	4	D15CR33AB	Eaton Relay/cutler-hammer, control,	
IIP 14	4	102108LP	Breaker auxiliary switch 5no/4nc	\$
	7	74202AAX	Shallco Switch/electroswitch,	
	4	7605D125VDCDXB	Shallco Series 76 lockout relay, 5 decks, 125vdc/120vac cont. voltage v=125vdc/120vac white "coil healthy" light amber "tripped" light	
	6	24PD57LE	Electroswitch series, control sw,	
	3	24210YJ	Electroswitch double	
	15	2458D	Electgroswitch Switch/pushbutton,control,series 24, breaker control switch, 6 contact decks, spring return to pos 3, pull-to-lock in pos 1,	
	15	74203AAR	Electroswitch Switch	

IIP 15	2	FT4A14T00CN4981	ABB Test switch, ft-14, clear cover as same as part# ft4a14t00cn4063 with orange handles	\$
	5	FT4A14T08CN4984	ABB Test switch, ft-14 style, 14 poles, (6c/8p), 6 current poles handles orange, 4 potential poles handles black, 4 potential poles handles red, clear cover, standard depth (rear connected), standard screw terminals,	
	1	FT4A14T10CN4982	ABB Test switch, ft-14 style, 14 poles, (4c/10p), 4 current poles handles orange, 6 potential poles handles black, 4 potential poles handles red, clear cover, standard depth (rear connected), standard screw terminals,	
	4	FT4A14T06CN4983	ABB Test switch, abb, ft-14 style, 14 poles, (8c/6p), control poles handles orange, potential poles handles black, clear cover, standard depth (rear connected), standard screw terminals, code 4983.	
	2	FT4A14T08CN4980	ABB ft Switch	
	4	FT4A14T14CN4080	ABB Test switch, ft-14,	
	1	FT4A14T14CN4001	ABB Test switch, ft-14 style, 14 potential poles, clear cover,	
	5	FT4A14T08CN5417	ABB ft Switch	
	7	FT4A14T08CN5418	ABB ft Switch	
	1	FT4A14T08CN5419	ABB ft Switch	
IIP 16	1	FR3G014014145	ABB ft-19r Test switch assembly, 3ru-centered, pos a-r129a514g01, pos b-r129a514g01, pos c-r716b562g26, full length clear cover	\$
	3	CT372-101	Amran current transformer 600v, 100:5a ratio, 10kv bil, class c20	
	1	CT355-601	Amran current transformer 600v, 600:5a ratio, 10kv bil, class c20	
	1	P21878	SNC Transformer P21878	
	3	785-201	ITI Transformer, current, single phase, model 785, single ratio, 200:5a, relay class c50, frequency 50-400hz, insulation level 0.6kv, bil 10kv, 6.5" window type,	
	4	190X0100	ITI aux ct ; 5:0.100	
	3	781-601MR	ITI ct 600/5 multi-ratio	
1	PT104-400	Amran Transformer, potential, 600v rated, ratio 4:1, 400v primary, 120v secondary, 150va@30c (unfused)		
IIP 17	1	GE400B1P3W4222T	GE 400B1P3W4222T	\$
	1	GE100MBDC4010T	GE Panelboard, type AE	

IIP 18	6	245282-08-00-212	ABB Switch, test, flexitest order by arrangement, type ft-1 , clear cover, screw terminals, 0 current 10 potential	\$
	229	11543812	ABB Entrelec screw clamp terminal block, disconnect with blade with test socket, type: m4/6. snbt, color: gray.	
	46	165113.16	ABB Entrelec Terminal block, type m4/6.p; for ground wires, green/yellow body with rail contact.	
	48	115224.13	ABB Entrelec Terminal block, type m4/6.t ; grey.	
	7	FR3G001001001B	ABB ft-19r Test switch assembly, 3ru-centered, pos a-r129a501g01, pos b-r129a501g01, pos c-r129a501g01, individual black cover	
	2	FT4A14T08CN4302	ABB Switch/pushbutton,test,testswitch	
	4	837A665G01	ABB Flexitest sw, 10p c-c p p p p p p p p	
	3	C670B197G36	ABB Flexitest switch, 10- potential, black pot handles, red trip handles, clear cover, screw terminals, a-j=t p p p p p p p t	
	4	C498A010G01	ABB Test switch, ft-1	
IIP 19	1	GEK-113064A	GE High impedance differential module	\$
	6	HAA16B2F	GE Trans sudden prs rly	
	9	CR104PSL21M11S2	GE Switch	
IIP 20	5	112-101	ITI Current Transformer 100/5a 25-400hz	\$
	1	CT101-202	Arman Current Transfrormer 2000:5a	
	15	ct101-101	Amran model ct101 single ratio current transformer, 6.5" window diameter, single phase, 600v, 100:5a ratio, 10kv bil, frequency 50-400hz, relay class c10, approximate weight 30lbs.	
IIP 21	298	217-9102	Dirak Subassembly,mechanical,door hinge	\$
	1	CD20A-1	Fire extinguisher/ansul	

IIP 22	1	C273A-036	SEL Cable,commun/data/voice,copper,for connecting 300/400/500/700 series products (except sel-321) to sel communications processors (data and irig-b). 36ft long.	\$
	40	MDB9-TB10+	Winford Adapter, male db-9 to 10-position terminal	
	1	C80404S06XX	SEL c804 arc flash detection sensor	
	15	C80403S16XX	SEL Cable,commun/data/voice,fiber,multimode fiber optic afd sensor, jacketed fiber length - 3m, bare fiber length - 16m, splice, st connector	
	1	C273A-005	SEL Cable,commun/data/voice,copper,for connecting sel-300/400/500/700 series products (except sel-321)(data and irig-b). 5ft long.	
	4	C953-040	SEL Cable,commun/data/voice,copper,400 series products or sel information processors to sel satellite-synchronized clocks (bnc to bnc connector). 40ft	
	3	C953-020	SEL Cable,commun/data/voice,copper,rg-58 cable with bnc male connectors on each end, 20ft long.	
	4	C953-035	SEL Cable,commun/data/voice,copper,400 series products or sel information processors to sel satellite-synchronized clocks (bnc to bnc connector). 35ft	
	3	C292A-001	SEL Cable,commun/data/voice,copper,electrical data cable	
	2	C814CSS004	SEL Cable,commun/data/voice,fiber,c814 arc flash detection cable	
	2	C245A-005	SEL Cable,commun/data/voice,copper,schweitzer connector,	
	17	C953-005	SEL Cable,commun/data/voice,copper,rg-58 cable with bnc male connectors on each end, 5ft long.	
	980	CF1/2W5/75	Wesco Resistor, 75 ohms, 1/2	
	9	C273A-028	SELCable,commun/data/voice,copper,for connecting 300/400/500/700 series products (except sel-321) to sel communications processors (data and irig-b). 28ft long.	
	4	C273A-070	SEL Cable,commun/data/voice,copper,communication cable, serial rs232,	
	1	C273A-030	SEL Cable,commun/data/voice,copper,for connecting 300/400/500/700 series products (except sel-321) to sel communications processors (data and irig-b). 30ft long.	

IIP 23	4	A480R5R-1	Mersen Fuse clf 4.8kv 5r 150a	\$
	9	5BHLE-80E	Eaton Fuse hle-80e 5.5kv bolt-in type, c-h	
	3	5ACLS-3R	Eaton Fuse/clf-3r,c-h,5kv,100a,	
	3	5ACLS-9R	Eaton Fuse/clf-9r,c-h,5kv,200a, size d,3"dia,15.91"length 50ka sym int.	
	1	5ACLS-24R	Eaton Fuse/clf-24r,c-h,5kv,450a	
	48	ATM2	Mersen Fuse,low voltage,amp-trap fast-acting midget fuse, 600vac/dc, 2a ratings, 100ka ir, ul listed file e33925, csa no. 248.14	
	8	ATM5	Mersen Fuse, low voltage,amp-trap fast-acting midget fuse, 600vac/500vdc, 5a ratings, 100ka ir, ul listed file e33925, csa no. 248.14	
	4	USCC3	Mersen Fuse holder, gould	
	1	FRS-R-400	Bussmann/cooper fuse, 400a, 600v, dual element, time-delay	
IIP 24	1	A48H3616SSLP	Hoffman Enclosure Stainless Steel Nema 4X 48" x 36" x 16"	\$
IIP 25	1	A48H3616SSLP	Hoffman Enclosure Stainless Steel Nema 4X 48" x 36" x 16"	\$
Take all Bid Lots IIP01 - IIP25				\$
INPL 27	6	TB125-M	Appleton 1-1/4" Mall Iron Form	\$
	1	C150-M	Appleton 1-1/2" Mall Iron Form	
	1	TB150-M	Appleton 1-1/2" Mall Iron Form	
INPL 28	1	SLS-24-036	Sola Power Supply	\$
	2	THFK236F000	GE Circuit Breaker	
INPL 29	3	7022AH	Agastat Timing Relay	\$
INPL 30	2	700-R220A48	Allen-Bradley AC Control Relay	\$
	2	77D152	Allen-Bradley	
	2	700-CRT5	Allen-Bradley Contact Cartridge	
	4	700-CRT6	Allen-Bradley Contact Cartridge	
Take all Bid Lots INPL 27 - INPL 30				\$

VSC 31	6	CHMMI	Crouse-Hinds Cover Adapter	\$
	2	APM2	Crouse-Hinds Pendant Mount Cover	
	2	VMV5L/UNVI	Crouse-Hinds LED	
VSC 32	2	369	GE Multilin 369 Management Relay	\$
VSC 33	1	349970	Kinney Electrical Mfg. Electrical Panel with Encloser 240/120 Volts 1 PH AMP 100	\$
VSC 34	10	71A5390-001D	Philips Advance Core & Coil Ballast Kit	\$
VSC 35	1	3RS150MB-20	Ametek Solid state Controls KVA Remote Manual Bypass Switch	\$
VSC 36	1	TS OL 1CC	GE True Sense Integrated Control Center	\$
VSC 37	1		Eaton Flashgard Isolator MCC Bucket size 1 Starter	\$
VSC 38	1	Pt3-2-45-242FF	Flex-core Potential Transformer 2400V Ratio 20:1	\$
VSC39A	12	FH84	Eaton	\$
	8	J11	Eaton Type J Axuiliary	
VSC39B	1	RF97 AD4/ZR	Sew Eurodrive	\$
Take all Bid Lots VSC 31 - VSC 39B				\$
MCC40	6	KT37/TDRS71S4	Sew-Eurodrive with Parts	\$
	1	KT37/TDRE90M4	Sew-Eurodrive HP 150 with Parts	
MCC 41	1	RX107 AM254/256	Sew-Eurodrive	\$
MCC 42	1	DRE180LC4BE30	Sew-Eurodrive DRE180LC4BE30/FG/TH/EG7C/DA	\$
MCC 43	2	C4/5125P	Ensival-Moret 6" x 4" x 12" Type C4 3/16 with 30 HP 1765 RPM	\$
Take all Bid Lots MCC40 - MCC43				\$
SMM 26	Lot		Bussman/Fusetron Fuses	\$