



**Steven Levy Enterprises, Inc.**  
**1412 Pennsylvania**  
**South Houston, Texas 77587**  
**Phone: (713) 910-4337 Fax: (713) 910-2039**

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

**SLE 23-010**

**Pipeline Equipment Sale**

**Balon, PBV, Orbit, Kimray,**  
**Wellmark and much more!**

**Sealed Bid Sale**

**Bidder Information**

Company: \_\_\_\_\_

---

(Signature)	(Printed Name)	(Date)	(Phone Number)
Inspected Surplus	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
	(Check One)		

Subject material to be sold on "AS IS / WHERE IS" basis.  
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

**BID DUE: Thursday, March 30<sup>th</sup>, @ NOON 12:00 PM**

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337  
 Inspection Time 7:30 - 2:00 M-F  
 Available for inspection Immediately thru Bid Close  
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

**\*\*\*PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS\*\*\***

Please visit our web site [www.slevysurplus.com](http://www.slevysurplus.com) for more available equipment.



## SLE 23-010 Pipeline Equipment Sale

**Company:** \_\_\_\_\_  
**Bidder:** \_\_\_\_\_  
**Phone:** \_\_\_\_\_

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
OJ 1	7	3	600	Balon	RF Flange CheckValve	WCB/SS		Unused	\$
OJ 2	1	6	150	Balon	RF Flange CheckValve	WCB/SS		Unused	\$
OJ 3	1	2	600	Balon	RF Flange CheckValve	WCB/SS		Unused	\$
OJ 4	1	2	90	Flowsolve	RF Plug Valve	WCC	Fig. K2345	Unused	\$
OJ 5	1	4	150	Cycle	Stop Valve	CI		Unused	\$
OJ 6	1	2	600	Cameron	RF Piston Check Valve	WCC		Unused	\$
OJ 7	1	2	600	Cameron	RF Ball Valve	WCC		Unused	\$
OJ 8	5	6	200	Clow	Fire Main Gate Valve	PVC		Unused	\$
OJ 9	2			KimRay	Parts	CS	812 TO-D, 408500	Unused	\$
OJ 10	7		500 WP	Texas Valve	2" Tee with 1" Outlet	Steel		Unused	\$
OJ 11	1	3	302 WP	KimRay	Level Operated Liquid Valve	DI		Unused	\$
OJ 12	2	8	500 WP	KimRay	Mechanical Level Controls	DI		Unused	\$
OJ 13	3				Pilots with Accessories	CS		Unused	\$
OJ 14	8	1-1/4	3000 WOG	Apollo	FP Ball Valve	CS	Thrd.	Unused	\$
	1	1	3000 WOG	Apollo	FP Ball Valve	CS	Thrd.	Unused	
	1	1-1/2	1500 WOG	Apollo	Ball Valve	WCB	Thrd.	Unused	
	2	1	2000 WOG	Apollo	Ball Valve	WCB	Thrd.	Unused	
OJ 15	14	1/2	600 WOG	Apollo	FP Ball Valve	Brass	Thrd.	Unused	\$
	7	3/4	600 WOG	Apollo	FP Ball Valve	Brass	Thrd.	Unused	
OJ 16	6	2		Fresno Valve	Air Vent	Aluminum		Unused	\$
OJ 17	2	1-1/8	30000 PSI	Pascal Controls	Needle Valve	316		Unused	\$
	1	1	5000 PSI	Invalco	Float Indicator	SS		Unused	
	1	1-1/8	30000 PSI	HI	Needle Valve	316		Unused	
	2	1	2500 PSI	Wellmark	Safety Relief Valve	CS		Unused	
	1	1/4		Hex	Needle Valve	CS	H-1190-H	Unused	
	1	1	3500 PSI	Taylor	Relief Valve	CS	82D8341312	Unused	
OJ 18	2	2	150	PBV	Ball Valve	WCB		No Handles / Unused	\$
OJ 19	1	2		Apco	Air Relief Valve		200A/400	Unused	\$

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
OJ 20	3	1/2 x 1-1/2		Ruelco	Electrical Pressure Switch	SS	4E02N0B00S	Unused	\$
	1	2	4000 PSI	Sur-Flow	Paddle Meter	SS	SF1015-H-S-2.0-160-ST	Unused	
OJ 21	2	3/4		Universal Flow Monitors	Universal Flow Rate Indicator		W20GM-6L-ONR	Unused	\$
	1			Rosemount	Explosion Proof Viberating Fork Level Switch		2120	Unused	
	1			Invalco	Diaphragm Operated Pilot Valve		CADM-3801-B1	Unused	
	1			FMC	Electrical Junction Box	Aluminum	CX-645-400-BFP	Unused	
	1			Wellmark	Throttle Head Assembly			Unused	
OJ 22	1	2 x 2	M x F Thrd.	BF	Spring Check Valve	DI	91982157	Unused	\$
	1	1	300	KF	Check Valve	Brass		Unused	
	1	1	2000 WOG	WNS	Swing Check Valve	DI		Unused	
OJ 23	6	3/8	150 PSI	AT Controls	Ball Valve with Actuator	SS		Unused	\$
OJ 24	3	1/2 x 3/4		Wellmark	Tank Gauge with Cok		W20T16 - 1 Section	Unused	\$
	1	1/2 x 3/4		Wellmark	Tank Gauge with Cok		W20R15 - 2 Section	Unused	
OJ 25	1	1/2		Wellmark	Tank Gauge		W20R13 - 2 Section	Unused	\$
	1	1/2		QTS	Tank Gauge		71R1 - 1 Section	Unused	
	1	1/2		Inferno	Tank Gauge		2240 - 1 section	Unused	
	2	Tube Ends		Kenco	Environmental Protection Gauges			Unused	
OJ 26	8	1/2		Wellmark	Tank Gauge		W20-15RA - 1 Section	Unused	\$
OJ 27	7	1/2 x 1/2	3000 PSI	Inferno	Gauge Valve	Forged Steel	15A	Unused	\$
OJ 28	2	12		TD Williamson	Quick Actuating Closure	CS	19-4712-0900-54	Unused	\$
OJ 29	1	14 x 12 x 6		Allen Bradley	Enclouser with Pressure Controls		Bulletin 836	Unused	\$
OJ 30	1	1/4 NPT		US Gauge	1/4" NPT 8-1/2" Pressure Gauge		0-600 8-1/2 AD 8903	Unused	\$
OJ 31	1	6			Stabbing Guide	SS		Unused	\$
	1			Nelson	Big Gun Irrigation Sprinkler Full Circle		F100 24	Unused	
OJ 32	1	2	150 PSI	Bermad	Hydraulic Control Valve	DI	400S	Unused	\$
OJ 33	5			Denloc	RTJ Gaskets	CS	R54	Unused	\$
OJ 34	Lot			Burner	Burner, Supplies and Accessories			Unused	\$
OJ 35	1			Profire	Burner Mamagement System		PF2100, IPS21-E0000	Unused	\$
	1			Emerson			CPU ROC800	Unused	
OJ 36	Lot			Rig Tool	Die Replacement Kits			Unused	\$
OJ 37	25	2		Hunter	Valve with Solenoid & PVC Fittings			Unused	\$
OJ 38	Lot			RAH	Valve Assembly Kits, Valve Seat & Valve Open			Unused	\$

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
OJ 39	7			Hunter	Wireless Valve Controller		WVC-100	Unused	\$
	1			Hunter	Wireless Valve Programmer		N10675	Unused	
OJ 40	3			General Signal	Equipment, Strobe Light		2ERPI	Unused	\$
OJ 41	6			Alwitco	Auto Muffler, Male, NPT Kit			Unused	\$
OJ 42	4	1/2		Apollo	Water Gauge with Ball Checks	Brass	20-250-03	Unused	\$
OJ 43	1			Blancett	Digital Flow Monitor		B3000	Unused	\$
OJ 44	2	1/2 x 1/2		Watson McDaniel	Steam Trap		AE1833R-N	Unused	\$
	1	1/2	400 PSI	Watson McDaniel	Steam Trap	SS		Unused	
OJ 45	1	1		Belgas	Regulator		P62708040008010	Unused	\$
OJ 46	6		6000 PAIG	Parker	Manifold		P3M5S8FFLCSVD	Unused	\$
OJ 47	Lot	1 - 2-1/2			XXH Nipples	CS	362 lbs.	Unused	\$
OJ 48	Lot	1 - 3			Swedges & Couplings	CS	446 lbs.	Unused	\$
OJ 49	Lot	1 - 5	STD		Thermal Coated Nipples, Swedges and Unions	CS	306 lbs.	Unused	\$
OJ 50	Lot	1 - 4			Forged Steel Fitting w/Thermal Coating	A105	470 lbs.	Unused	\$
OJ 51	Lot	1-1/2 - 4		Oteco	XXH BW Fitting (45s, Tee, 90s)	WCC	1162 lbs.	Unused	\$
OJ 52	2	6-5/8 x 4			Thrd. Pipeline Fitting			Unused	\$
OJ 53	Lot	2 - 8			Hammer Union, Clamp & Caps	CS		Unused	\$
OJ 54	Lot				Moisture Traps	CS		Unused	\$
OJ 55	Lot	2		Jayco	Leveling Saddles	Aluminum		Unused	\$
OJ 56	Lot	2			Leveling Saddles	CS		Unused	\$
OJ 57	Lot				Valve Handles			Unused	\$
OJ 58	Lot	3 - 6		Harco	Pipe Fittings Tee's and 90S	DI		Unused	\$
OJ 59	Lot	3 - 6		Harco	Pipe Fittings Couplings and Tee's	DI		Unused	\$
OJ 60	Lot	3 - 6		Harco	Pipe Fittings Tee's	DI		Unused	\$
ETC 61	1	6	150	KTM	RF FP Ball Valve with Actuator	WCB		Unused	\$
ETC 62	1	4	600	PBV	RF FP Ball Valve with Actuator	WCB		Unused	\$
ETC 63	1	4	600	PBV	RF FP Ball Valve with Actuator	WCB		Unused	\$
SDI 64	6			Sandelius	Explosion Proof Thermocuple	316	1016PSEM	Unused	\$
	2				Explosion Proof Thermocuple	Aluminum		Unused	
SDI 65	1			Parker	Lever Operated Directional Control Valve			Unused	\$
SDI 66	2	1/2	0-2500 Psi	Ashcroft	8" Pressure Gauges			Unused	\$

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
SDI 67	4	1		Shand Jurs	Tank Blanketing Vapor Guard Valve	SS	94270 08030110	Unused	\$
SDI 68	1	1	Thrd.	KLS Valve	Vapor Saver with Emerson Actuator	SS		Unused	\$
SDI 69	1	1	150	Valve Concepts	Vacu-Guard Blanketing Valve	316	PIH751DXK3DA	Used	\$
VTC 70	12				Glo Pressure Gauges			Unused	\$
CPT 71	2	12	150	PBV	Trunnion Ball Valve	WCB /WCC /316	Gear Operated	Used	\$
PTR 72	Lot	1-1/2 - 4			DP, DC Fittings	CS	2 Pallets	Unused	\$
PTR 73	Lot	4			A, B, C, F Fittings	CS	4 Pallets	Unused	\$
PTR 74	Lot	1-1/2 - 3			A, B, D, F Fittings	CS	4 Pallets	Unused	\$
PTR 75	Lot	1-1/2 - 3			C, E Fittings	CS	2 Pallets	Unused	\$
PTR 76	Lot	4			KC Nip Fittings	CS	2 Pallets	Unused	\$
PTR 77	Lot	2-1/2 - 4			Strainers	CS	3 Pallets	Unused	\$
CPT 78	1			Flowserve	43 x 8 Seal Pot	CS		Used	\$
CPT 79	1			Flowserve	43 x 8 Seal Pot	CS		Used	\$
CPT 80	1			Flowserve	35 x 8 Seal Pot	CS		Used	\$
SHTC 81	1	3 x 1		Price Pump	Baldor Motor	SS 316	XJ150SS-650-21211-1000-36	Used	\$
SHTC 82	1	2		Barazapan	Heat Exchanger		BP-422-100	Used	\$
SHTC 83	2	2		Barazapan	Heat Exchanger		BP-422-040	Used	\$
SHTC 84	1	3/4	300	Sarco	Control Valve with Actuator		EL7-2138-SE	Unused	\$
SHTC 85	2	2 x 2	150	Berma	Pilot Relief Valve RF		WW-730-00-00-S	Unused	\$
	1	2 x 2	150	Berma	Pilot Relief Valve RF		WW-730-00-00-NS	Unused	
RPC 86	1	16		Mader	Control Damper w/Flow Actuator Round Butterfly		21-0500-10	Unused	\$
RPC 87	1	16		Mader	Control Damper w/Flow Actuator Round Butterfly		21-0500-10	Unused	\$
RPC 88	2	3	150	Maxon	RF Flange Series 800	CS	300C8013-BA22-J4801	Unused/Have Been Bolted	\$
RPC 89	2	1	200 PSI	Maxon	Thrd. Series 8000	CS	100S8113-AA11-J4801	Unused/Have Been Bolted	\$
RPC 90	3	1-1/2	200 PSI	Maxon	Thrd. Series 8000	CS	150S8113-AA11-J4B01	Unused/Have Been Bolted	\$
RPC 91	2	1	300	Warren	Control Valve with Actuator	316	58N-40100FGESFTS49RH00000F U/FC	Unused/Have Been Bolted	\$
RPC 92	1	1-1/2	300	Warren	Control Valve with Actuator	WCB	58V-40150WGE7FT849DL00000 FU/FC	Unused/Have Been Bolted	\$
RPC 93	1	2	6 -10 PSI	Invensys	Regulator	Iron	Type: STD	Unused/Have Been Bolted	\$
RPC 94	1	1-1/2	300	Fisher	Pressure Regulator	WCB	95HT	Unused/Have Been Bolted	\$

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
RPC 95	1	1-1/2		Sensus	Regulator	CS	243-12	Unused/Have Been Bolted	\$
RPC 96	1	1/2		Fisher	Regulator		67D-202/C4	Unused	\$
RPC 97	1	2	300	DynaFlow	Control Valve with Actuator	WCC	DFR Size: 026	Unused/Have Been Bolted	\$
RPC 98	1	1-1/2	300	Sharpe	Ball Valve with Actuator	316		Unused/Have Been Bolted	\$
RPC 99	2	1-1/2	150	Sharpe	Ball Valve with Actuator	316		Unused/Have Been Bolted	\$
RPC 100	1	2	5 PSI	Eclipse	Thrd. Butterfly Valve	CS	108 BV-B	Unused	\$
RPC 101	Lot			Dwyer	Instruments & Flowmeters			Unused	\$
RPC 102	Lot			Magnehelic	Water Gauges			Unused	\$
RPC 103	Lot			Ashcroft	Pressure Gauges and Instruments			Unused	\$
RPC 104	7	1/2 NPT	100 PSI	Wika	Pressure Gauges w/Diaphragm Seal			Unused	\$
RPC 105	7	1/2 NPT	160 PSI	Wika	Pressure Gauges			Unused	\$
RPC 106	7		0 - 60 PSI	Midwest Gauges	Flanged Differential Pressure Gauges	316 SS	W71542SSS, DSXMCI, DSFSGLY	Unused	\$
RPC 107	3	1-1/2 x 18			Oxyfire High Temperature Oxygen Sensors			Unused	\$
RPC 108	2	18 - 24			Thermo Couples			Unused	\$
	8	1 x 24		Precision Inst.	Thermo Couples			Unused	
SDI 109	1			GE	Electric Motor	10 HP, 3520 RPM, 215TC Frame, 460 Volts		Unused	\$
SDI 110	1			GE	Electric Motor	10 HP, 3520 RPM, 215TC Frame, 460 Volts		Unused	\$
RPC 111	1	12		Semco	Rotary Valve	304	Adjustable Blades	Used/Clean	\$
SHTC 112	1	2 x 2		Wemco	Torque Flow Pump with Motor	A532	Model C, 15 HP, 1765 RPM, 254T Frame, 230/460 Volts	Used	\$
SHTC 113	1	2 x 2		Wemco	Torque Flow Pump with Motor	A532	Model C, 15 HP, 1765 RPM, 254T Frame, 230/460 Volts	Used	\$
SHTC 114	1	2 x 2		Wemco	Torque Flow Pump	A532	Model C	Used	\$
POL 115	1	4	150	Orbit	Ball Valve	WCB	Fig. 1133	Unused	\$