



**Steven Levy Enterprises, Inc.**  
**1412 Pennsylvania**  
**South Houston, Texas 77587**  
**Phone: (713) 910-4337 Fax: (713) 910-2039**

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

**SLE 23-028**

**Pipeline Valve &  
Equipment Sale**

**Fisher, KF, WKM, Mallard, Norriseal, Kemper  
Control Valves, Ball Valves, Relief Valves, Regulators,  
Gauges, Fittings & Much More!**

**Sealed Bid Sale**

**Bidder Information**

Company: \_\_\_\_\_

\_\_\_\_\_  
 (Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes  No   
 (Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.  
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

**BID DUE: Thursday, August 31<sup>th</sup>, @ NOON 12:00 PM**

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337  
 Inspection Time 7:30 - 2:00 M-F  
 Available for inspection Immediately thru Bid Close  
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

**\*\*\*PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS\*\*\***

Please visit our web site [www.slevysurplus.com](http://www.slevysurplus.com) for more available equipment.



## SLE 23-028 Pipeline Valve & Equipment Sale

**Company:** \_\_\_\_\_  
**Bidder:** \_\_\_\_\_  
**Phone:** \_\_\_\_\_

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
SMM1	7	2" x 2"	150#	KF	Ball Valve	WCB		Unused / No Handle	\$
SMM2	1	3" x 3"	300#	KF	Ball Valve	WCB		Unused / No Handle	\$
SMM3	1	2" x 2"	600#	KF	Ball Valve	WCB		Unused / Bare Stem	\$
SMM4	3	1-1/2" x 1-1/5"	600#	KF	Ball Valve	WCB		Unused / No Handle	\$
	1	1" x 1"	600#	KF	Ball Valve	WCB		Unused / No Handle	
SMM5	7	4" X 4"	150#	KF	Ball Valve	WCB		Unused / (1) No Handle	\$
SMM6	7	4" X 4"	150#	KF	Ball Valve	WCB		Unused / No Handle	\$
SMM7	19	3"	750 WP	Balon	Ball Valve	CS/Nace	3R-S32N	Unused / Groove In	\$
SMM8	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM9	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM10	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM11	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM12	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM13	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM14	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM15	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM16	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM17	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM18	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM19	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM20	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM21	19	3"	750 WP	Balon	Grooved Ball Valve	CS/Nace	3R-S32N	Unused / No Handle	\$
SMM22	10	2" x 2"	600#	KF	FP Ball Valve	WCB		Unused	\$
SMM23	10	2" x 2"	600#	KF	FP Ball Valve	WCB		Unused	\$
SMM24	5	3" x 3"	150#	WKM	FP Ball Valve	WCC		Unused	\$
SMM25	4	3" x 3"	150#	WKM	FP Ball Valve	WCC		Unused	\$
SMM26	5	3" x 3"	150#	WKM	FP Ball Valve	WCC		Unused	\$
SMM27	3	3"	300#	KF	Swing Check	WCB		Unused	\$
SMM28	1	3"	150#	Force	FP Ball Valve	WCB		Unused / No Handle	\$
SMM29	1	3"	150#	FPV	FP Ball Valve	WCB/316		Unused / No Handle	\$
SMM30	3	2"	2000#	KF	FP Ball Valve	A105		Unused	\$
SMM31	5	2" x 2"	1500#	KF	Trunnion FP Ball Valve	A105/Nace	Fire Safe	Unused / (1) No Handle	\$
SMM32	2	3"	750 WP	Balon	Grooved Swing Check	DI/Nace		Unused	\$
SMM33	3	4"	750 WP	Balon	Grooved Swing Check	DI/Nace		Unused	\$
SMM34	13	2"	750 WP	Balon	Grooved Swing Check	DI/Nace		Unused	\$
SMM35	13	2"	750 WP	Balon	Grooved Swing Check	DI/Nace		Unused	\$
SMM36	5	2"	150#	Titan	RF Y Strainer	CS		Unused	\$
SMM37	5	2"	150#	Keckley	RF Y Strainer	WCB		Unused	\$

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
SMM38	2	4"	300 PSI	Victaulic	Grooved Check Valve	DI	Style 721	Unused	\$
SMM39	2	4"	150#	Titan	Wafer Check	CF8M		Unused	\$
SMM40	11	3R	3000#	Vintrol	RP Ball Valve	WCB/SS		Unused / (3) No Handle	\$
SMM41	2	2"	150#	Keckley	Thrd. Simplec Strainer	WCB	Style SD	Unused	\$
SMM42	3	4"	150#	Vintrol	RF Check Valve	WCB/316		Unused	\$
SMM43	4	1"	2160#	Cameron Wheatley	Thrd. Swing Check	CS/CF8M/Nace		Unused	\$
	2	1/2"	1440#	Wheatley	Thrd. Swing Check	CS/CF8M/Nace		Unused	
SMM44	2	2"		Baird	NPT Back Pressure Regulator	CS	772-2-T-25-P	Unused	\$
	4	1"		Baird	NPT Relief Valve	A105	715-7150-1000-A	Unused	
	1	2"		Baird	NPT Back Pressure Regulator	CS	732-7100-2-G-125-Z	Unused	
SMM45	28	1"		Kingston	NPT Relief Valve	Brass	Fig. 119	Unused	\$
	40	1/4"	125 PSI	Dickson	NPT Pop Up Valve	Brass	KSVI0-175	Unused	
SMM46	2	2"		Taylor	NPT Back Pressure Regulator	LCC	7722-210137	Unused	\$
	1	1"		Taylor	Thrd. Relief Valve	WCC	B2E3351311	Unused	
	1	1"		Hydraseal	Thrd. Relief Valve	WCC	14BE3MOV00/CO	Unused	
SMM47	1	2"		Merser	Thrd. Relief Valve	WCB	8128821125	Unused	\$
	4	1/2"		Merser	Thrd. Relief Valve	WCB	91-06D51T09L9CX	Unused	
SMM48	11	1" x 1"		Wellmark	Thrd. Relief Valve	WCB	W2601-EV1-311-500	Unused	\$
	2	1" x 1"		Wellmark	Thrd. Relief Valve	WCB	W2601-EV1-311-150	Unused	
	1	2" x 2"		Wellmark	Thrd. Relief Valve	WCB	W2602-FV1-711-209	Unused	
SMM49	6	1"	4000 CWP	KF	SW Ball Valve	WCB/SS	1115K	Unused	\$
	2	3/4"	4000 CWP	KF	SW Ball Valve	WCB/SS	1115K	Unused	
	7	1"	4000 CWP	KF	SW Ball Valve	WCB/SS	1236K	Unused	
	5	1/2"	4000 CWP	KF	SW Ball Valve	WCB/SS	1236K	Unused	
	1	1"	5000 CWP	KF	Thrd. Ball Valve	CS		Unused	
	1	3/4"	4000 CWP	KF	Thrd. Ball Valve	CF8M		Unused	
SMM50	10	1-1/4"	200 WOG	Various	Thrd. Gate	Brass		Unused	\$
	48	1/2"	150 WOG	Various	Thrd. Gate	Brass		Unused	
	3	1/2"	300 WOG	Various	Swing Check	Brass		Unused	
	2	1/4"	200 WOG	Various	Thrd. Gate	Brass		Unused	
SMM51A	1	2"	3600 PSI	Anderson Greenwood	Thrd. Needle Valve	CS		Unused	\$
	11	1/4"	10000 PSI	KF	Thrd. Needle Valve	CS		Unused	
	2	1/4"	6000 PSI	Anderson Greenwood	M x F Needle Valve	CS		Unused	
	2	1/4"		HAWE	Thrd. Needle Valve	CS		Unused	
SMM51B	1	3/4"	1500#		Thrd. Vertical Spring Swing Check	CF8M	(Inline)	Unused	\$
	1	2"	200#	Stratoflow	Thrd. Vertical Spring Check Valve	Brass	(Inline)	Unused	
SMM52	30	2-1/2" x 1/4"	NPT Brass		Gauges - Lower Mount	SS		Unused	\$
	5	2-1/2" x 1/4"	NPT Brass		Gauges - Back Mount	SS		Unused	
	32	4" x 1/2"	NPT Brass		Gauges - Lower Mount	SS		Unused	
SMM53	12	8" x 4"		Victaulic	Conc. Reducer	CI	No. 50	Unused	\$
SMM54	4	2-1/2"	1000 CWP	Kemper	Thrd. Hammer union	CS		Unused	\$
	6	2"	1000 CWP	Hart	SW Hammer union	A105		Unused	
SMM55	6	2-1/16"	10,000 CWP	XXH	RTJ	A105		Unused	\$
	2	2-1/16"	5K	SCH 160	RTJ-R24	A105		Unused	
SMM56	4	2-1/16"	5K	McAfee	Throdle Valve	CS	MN-60 / R24	Unused	\$
SMM57	10	3"	1500 CWP	Kemper	48" Long Hammer Union	CS		Unused	\$

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
SMM58	2	1" - 12"		Smith Blair	Repair Clamps		Style 226	Unused	\$
	2	12" - 14"		Smith Blair	Repair Clamps		Style 227	Unused	
	1	8"		Smith Blair	Repair Clamps			Unused	
	1	2" x 12" L		Power Seal	Repair Clamps			Unused	
	5	1-1/2"		Remco	Repair Clamps			Unused	
	3	3" x 9" L		Baird	Repair Clamps			Unused	
	1	1" x 3" L		Baird	Repair Clamps			Unused	
SMM59	6	12"		Smith Blair	Repair Clamps		Style 225	Unused	\$
SMM60	Lot	1/2" - 4"	XXH		Thrd. Nipples	A105	317 lbs.	Unused	\$
SMM61	Lot	1/2" - 3"	2M / 3M		Thrd. /SW Fitting	A105	425 lbs.	Unused	\$
SMM62	Lot	1/2" - 12"	3M		Weld-O-Lets	A105	248 lbs.	Unused	\$
SMM63A	Lot				Swages, Pull Plugs, Couplings & More	CS	190 lbs.	Unused	\$
SMM63B	13				MMI Chokes	CS	12DI 44/64	Unused	\$
SMM64	Lot	1-1/2" - 14"			Pipe Hangers	CS	454 lbs.	Unused	\$
SMM65	Lot	1/4" - 1-1/2"			Thrd. Fittings	Brass	56 lbs.	Unused	\$
SMM66	Lot	2" - 4"			Quick Connects	Brass	57 lbs.	Unused	\$
SMM67	1			Limitorque	Actuator w/ 2" 150# Gate Valve	WCB	MX-05-7	Unused	\$
SMM68	1	3" x 3"	600#	KF	Ball Valve w/Actuator	WCB/SS		Unused	\$
SMM69	Lot	3"	XXH	Kemper	BW Oil Field Unions w/SLRNG	CS	Fig.1502	Unused	\$
SMM70	3			Viton	Drum Gauge	CS		Unused	\$
SMM71	7			Wellmark	Pressure Regulators	Aluminum	GFAVO	Unused	\$
SMM72	Lot			Belgas/Kinko	Floats & Oil Indicators			Unused	\$
SMM73	Lot	2"		Jayco	Thrd. Leveling Saddles	Aluminum		Unused	\$
SMM74	Lot	1/2"		Parker	Bleeder Grease Fittings	CS		Unused	\$
PRBB75	12	1/2" NPT		McDaniel	Pressure Gauge 0-600	SS		Unused	\$
	2	1/2" NPT		Ametek	Pressure Gauge 0-200 w/ Diaphragm	SS		Unused	
NRN76A	Lot	1/2" x 1/2"			Thrd. Thermo Welds	304		Unused	\$
NRN76B	Lot	3/4" x 1/2"			Thrd. Thermo Welds	316		Unused	\$
ARB77	1	1/2"		Fisher	Thrd. Regulator	WCB	95L-104	Unused	\$
	1	1/2"		Fisher	Thrd. Regulator	WCB	95L	Unused	
PBAA78	Lot	2" - 24"	150 - 600#		Spiral Wound Gaskets		(2) pallets/85 pcs.	Unused	\$
PRRB79	2	2"	600#	Mallard	Control Valve	LCC	5450-2F3-G73DB-13Q	Unused	\$
	2	2"	600#	Mallard	Control Valve	LCC	5450-2F6-G73DB-13Q	Unused	
PRRB80	6	1/2" x 10-1/2"		Mallard	Transparent Tank Gauge	CS	3520-171B10-S	Unused	\$
PRRB81	1	1/4"		Kimray	High Pressure Pilot Valve	DI	30HPG-D	Unused	\$
PRRB82	2	1"		Mallard	Thrd. Regulator	DI	5600	Unused	\$
PRRB83	1	1"		Belgas	Thrd. Regulator	DI	P630	Unused	\$
PRRB84	2	1"		Mallard	Thrd. Regulator	DI	5646B	Unused	\$
PBBT85	4	1/2"		Precision Inst.	Manifolds	316	S3/TTLXX-F-Q	Unused	\$
PRRB86	5	1"		Mallard	Thrd. Regulator	DI	5600	Unused	\$
NRN87	Lot			QTS	Tank gauges w/ cocks	CS		Unused	\$
CBT88	1	6"	150#	Fisher	ET / Actuator 657	WCB	Size 50	Used / Badly Pitted Face/Port	\$
CBT89	1	6"	150#	Fisher	ET / Actuator 658	WCB	Size 70	Used / Badly Pitted Body	\$

LOT	QTY	SIZE (in.)	RATING	MFG	TYPE	MATERIAL	MODEL/PART NO.	NOTES	LOT BID
<b>PBAA90</b>	2			Fisher	Actuator 65R-A w/ Masoneilan SVI-II		Size 46	Recon .	\$
<b>CBT91</b>	1			Valvetek	Actuator		CV27.00	Used	\$
	1			Valvetek	Actuator		CV6.4	Used	
	1	1"		Masoneilan	NPT	CF3M	CV.35	Used	
<b>PBBT92</b>	1	1-1/2"	150#	Flowserve	Tek-Check	Hastelloy-C 276		Unused	\$
<b>CBT93</b>	1	1"	300#	Fisher	EZ / Actuator 667	WCC	Size 34	Used	\$
<b>CBT94</b>	1	1"	150#	Fisher	V150 / Actuator 1052	WCC	Size 30	Used / Badly Pitted Body	\$
<b>CBT95</b>	1			Rosemont	Transmitter w/ 3" 150# Flange		3051 CA1A2	Used	\$
	1			Rosemont	Transmitter w/ 3" 150# Flange		3051 L3AE0	Used	
	2			Rosemont	Transmitter w/ 1-1/2" 150# Flange		3051 CG4A	Used	
	1			Rosemont	Transmitter w/ 2" 150# Flange		3051 CD2A	Used	
	1			Rosemont	Transmitter w/ 1/2" 150# Flange		3051 CG4A	Used	
	1			Rosemont	Transmitter		3051 CG5A	Used	
	1			Rosemont	Transmitter		3051 CG4A	Used	
	1			Rosemont	Transmitter		3051 SMV5M	Used / Missing Cover	
<b>JK96</b>	1				Tank w/Alemite Hose Reel and Hose			Used	\$