



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 23-032

Electrical Sale

**Transformers, Switch Gear, Fuses,
 Breakers & Controls, Fittings
 Appleton, GE, Eaton, Crouse Hinds,
 Mersen & More**

Sealed Bid Sale

Bidder Information

Company: _____

 (Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes No

(Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

BID DUE: Wednesday, September 27th, @ NOON 12:00 PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 2:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

*****PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS*****

Please visit our web site www.slevysurplus.com for more available equipment.



SLE 23-032 Electrical Sale

Company: _____
 Bidder: _____
 Phone: _____

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
IIP 01	1	249789-19-00-3	CPAR4-3903, SQD 8501XO40V06 RELAY 600VAC 10AMP, NEMA +OPTIONS	\$
	3	251373-01	MEGA POWER SYSTEM TEST SWITCH	
	1	7012PC	TIMING REL/AGASTAT	
	3	ECSH40A	CURRENT SENSING RELAY/LITTELFUSE, ECS SERIES OVERCURRENT SENSING, 120VAC INPUT, 0.5-5A TRIP POINT, SPECIFY 0.15-7 S TRIP DELAY, 0 S SENSING DELAY ON START UP.	
	37	CT40100	Test Switch, MPS, UTS14 Style, Clear Cover, Screw Terminals, Arrangement P P P P P P P P P P P P P P P P	
	1	7012AB	TIMING REL/AGASTAT	
	11	7022PF	TIMING REL/AGASTAT	
	9	FT-083	ITI TYPE FT TEST SWITCH	
	2	CT100	TEST SWITCH	
	2	CT100	TEST SWITCH	
IIP 02	3	WCH-12P	FIBER OPTIC PATCH PANEL	\$
	2	CCH-CP12-15T	FIBER OPTIC CONNECTOR,	
	54	CCH-CP12-AD	CLOSET CONNECTOR HOUSING PANEL / CORNING SHUTTERED ADAPTER, 12-F LC-DUP	
	2	BSG3.9KIT	BRITESPOTG3 KIT, 9 CHANNEL TEMP MONITORING MODULE W/ ENET IP COMMS	
IIP 03	2	7621-T-95	3M/5KV COLD SHRINK	\$
	1	24303B	ELECTROSWITCH PUSH BUTTON	
	2	CTD-5-120	INSTRUMENT TRANSFORMERS CAPACITOR TRIP DEVICE	
	2	007-05FA-LSRS-C7	TE CRAMPTON ANALOG METER	
	3	24203B	ELECTROSWITCH DOUBLE THROW SWITCH, 3 DECKS	
	4	2657D-125VDCABC	SHALLCO BREAKER CONTROL SW	
	1	007-05GA-PZUL-C7	METER,SINGLE FUNCTION,ANALOG,0-5250V, 0-150V RMS INPUT, 50/60HZ, ANSI C39.1, CLASS 1 ACCURACY, 240DEG LONG SCALE	
	2	24203B	ELECTROSWITCH DOUBLE THROW SWITCH, 3 DECKS	
	1	24209PE	SWITCH/PUSHBUTTON; ELECTROSWITCH SERIES 24 CONTROL SWITCH,	
	1	24306B	SWITCH/PUSHBUTTPN,CONTROL,ELECTROSWITCH	
	31	2638E-18324	BREAKER CONTROL SWITCH, TRIP AND CLOSE, 2-CONTACTS, REMOVABLE HANDLE	
	2	7806D	AUX RLY H-RST 125VDC 12NO	

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
	1	78PA05D-001	RELAY ELECTROSWITCH	
	1	007-05GA-PZWJ-C7	METER,SINGLE FUNCTION,ANALOG,0-45KV, 0-150V RMS INPUT, 50/60HZ, ANSI C39.1, CLASS 1 ACCURACY, 240DEG LONG SCALE-	
	3	26201B	CONTROL SWITCH	
IIP 04	21	D15CR42AB	EATON CONTROL RELAY/C-H	\$
	1	DT200NK	EATON 200A KIT	
	1	ECC03C1ABA-S3P23P25	EXTERIOR LIGHT, LIGHTING CONTACTOR, EATON, 30A, 12-POLE, 60HZ, 120VAC 60hz,COIL, ELECTRICALLY HELD, WITH H-O-A, RED RUN PILOT LIGHT, GREEN OFF PILOT LIGHT, NEMA 1 ENCLOSURE.	
	1	1025OT102-3	EATON PUSH BUTTON	
	9	10250T181LLP06	IND LT/CH,STANDARD LED, PLASTIC BLUE LENS, XFMR 120VAC - 6VAC/DC.	
	1	C320KGT14	AUX CONT/CH,3NO1NC, TOP,	
	3	E22LED120RN	120V AC/DC RED LED	
	1	C0150E5E	Eaton Type MTE industrial control transformer, pv: 200/220/440v, 208/230/460v, 240/480v, taps: none, sv: 23/110v, 24/115v, 25/120v, 55°c, 150 va	
	3	9253C03H08	1200:1 EXTERNAL GROUND FAULT SENSORS	
	2	9253C03H06	NEUTRAL SENSOR/C-H 800A	
	8	10250T181LRP06	IND LT/CH, RED, XFMR,	
	16	87C0576G03	CONTRACTOR MV	
	2	PDG23G0080TFFK	Eaton Power Defense molded case circuit breaker, Globally Rated, Frame 2, Three Pole, 80A, 35kA/480V, fixed thermal, line/load lugs	
	2	SPD250480Y3B	SURGE SUPPRESSOR,TVSS,,SURGE PROTECTIVE DEVICE, EATON, SPD SERIES, REMOTE DISPLAY	
IIP 05	6	ATMR10	PRIM.FU. 600V RATED 10A	\$
	3	FRS-R-300	BUSSMAN FUSE	
	4	OCMJ905	MERSEN EJ-1 FUSE, 0.5E, 25.8 KV, 35kA	
	2	TRS200R	SHAWMUT FUSE,600V,200A	
	9	A055F1D0R0-50E	FUSE CLF 5.5KV 50E 63KA	
	1	9F60CCB007	CLF/EJ1 2750V/60KAIC 7E	
	1	OTM5	Fuse, Low Voltage, Mersen Fast-Acting Midget Fuse, 250VAC, 5A Ratings, 10KA IR, UL Listed File E33925, CSA No. 248.14	
	4	FNQ-R-10	600V, 10A, CLASS CC FUSE	
	3	A051B1DHR0-9R	FUSE 9R, MERSEN, Bolt in, 5KV, 200A, 3" DIA, 1-BARREL, 15.88" LENGTH, 50KA SYM INT.	
	3	A480R6R-1	FUSE CLF 4.8KV 6R 170A	
	28	TRS100RID	SHAWMUT FUSE,600V,100A	
	7	OT10	FUSE	
	7	OT10	FUSE	
	3	9F62HCC025	GE/MODEL 9F62 POWER FUSE	
	1	9F60DNJ005	FUSE,GE,25.8KV,5E SIZE C	
	9	A051B1DHR0-2R	FUSE 2R, Bolt in, 5KV, 70A, 3" DIA, 1-BARREL, 15.88" LENGTH, 50KA SYM INT.	
6	CT375-202	AMRAN CURRENT TRANSFORMER 600V, 2000:5A RATIO, 10KV BIL, CLASS C200		

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
IIP 06	6	CT375-202	AMRAN CURRENT TRANSFORMER 600V, 2000:5A RATIO, 10KV BIL, CLASS C200	\$
	3	780-750	Transformer, Current, Single Phase, GE/ITI CT, Ratio 75:5A, Relay Class C10, Model 780, Window Diameter 6.5",	
	9	562-202	ITI CT 2000:5 RATIO	
IIP 07	3	BCLL11	C2000 AUX CONTACT BLK 1NO-1NC, SIDE MOUNTED	\$
	2	DFC-91	FERRAZ FUSE COVER	
	4	1612STD	MARATHON TERINAL BLOCK	
	10	1C5UL	ALTECH MOLDED CAS	
	1	R25030-1SR	EATON FUSE BLOCK	
	4	MPDB66263	MERSON TERMINAL BLOCK	
	1	20307	MERSEN FUSE BLOCK	
	16	1608800000	WEIDMULLER END PLATE, ZAP/TWP3	
	512	1608570000	TERMINAL BLOCK,WEIDMULLER, ZDU2.5/4AN	
	4	769-102	TERMINAL BLOCK.WAGO	
	1	0282A3506P003	ELECTRICAL COMPONENT,OTHER,,FUSE CLIP 9F61BWW460	
	1	0346A9457P011	P9ACFS5	
	4	2.7E+123	RELAY,DISCRETE,CONTROL,POTTER-BRUMFIELD	
	25	1201578	ADAPTER, UNIVERSAL DIN RAIL,M3 SCREWS	
	3	2-1419106-5	*Tyco Electronics 2-1419106-5 Tyco Electronics Relay Socket	
	10	9F61BWW460	FUSE.GENERAL ELECTRIC	
	1	PDB-24-500-3	600V,760A,3PT POWER DIST.	
	8	16-S1	SECONDARY CONTACT BLOCK/	
	6	RM25030-1SR	BUSSMANN/COOPER FUSE BLOCK, BUSSMAN,	
	2	561150	Eriflex SB80, Terminal Block, DIN Mounted, 85A #16-#4, 1000V UL XCFR2.E198301	
	172	IN5406	AXIAL LEAD RECTIFIER	
	4	R-SPP-24DC/FSP2/2X1/1X2-2986	RELAY,DISCRETE,COUPLING,RELAY/PHOENIX CONTACT,	
	1	USM1	Fuse Holder, Mersen UltraSafe Fuse Holder, 1P Midget Type, 30A Rating, 800VAC/1000VDC, No Visual Indicator,	
	2	27E892	RELAY, DISCRETE, CONTROL SOCKET, RELAY. P&B	
	7	33377	RELAY SOCKET/S-D,14 PIN	
	6	RM25030-1SR	BUSSMANN/COOPER FUSE	
	10	1504SC	MARATHON 4P SHUNT TB	
	11	16290-3	COOPER/BUSSMAN POWER DISTRIBUTION BLOCK, 600V, UP TO 200KA SCCR, (1) 1/4-20 x 3/4" STUD LINE & (1) 1/4-20 x 3/4" STUD LOAD, 175A.	
	30	DKU60C	Dinkle DKU60 Terminal Block End Cover	
	31	CGS162T200V3C	CAPACITOR,LOW VOLTAGE CONTROL CIRCUIT,,1600UF 200VDC MAX SURGE 250VDC, MALLORY, SUMMIT	
2	L520-R	HUBBELL RECEPTACLE LOCK		
98	211768-1	AMP PLUG		
32	RLU120LB-PLLBE	30MM INDUSTRIAL PILOT LIGHT RES TYPE INDICATING LIGHT120V AC/DC; BLUE LED; PILOT LIGHT LENS BLACK POLYSTER (TYPE 4X)		

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
IIP 08	1	RLU120LB-PLLBE	30MM INDUSTRIAL PILOT LIGHT RES TYPE INDICATING LIGHT120V AC/DC; BLUE LED; PILOT LIGHT LENS BLACK POLYSTER (TYPE 4X)	\$
	11	14282-18SG-300	conxall, Maxi-Con-X connector, panel mount, 18 contacts	
	6	RLU120LA-PLLAR	Indicating Light C3 Controls, 30MM Resistor Type Light, 24VDC LED High Threshold Bulb, Amber Lamp, Amber Lens, 120V AC/DC Operating Voltage.	
	9	RLU120LW-PLLWE	Indicating Light C3 Controls, 30MM Resistor Type Light, 24VDC LED High Threshold Bulb, White Lamp, White Lens, 120V AC/DC Operating Voltage.	
	30	CGS162T200V3C	CAPACITOR,LOW VOLTAGE CONTROL CIRCUIT,,1600UF 200VDC MAX SURGE 250VDC, MALLORY, SUMMIT	
	122	FVLU120LR-PLLRD	PILOT LIGHT/CONTROL	
	1	16F1770	POWER OUTLET	
	1	24B220	Schurter, fuse holder, 4305.0026 - KE KG SW 2P 6,3X32 KSF SCHU	
	2	69915K54	SUBASSEMBLY,MECHANICAL,,STRAIN RELIEF BUSHING	
IIP 09	1	BE1-59NA7EE1JC0N1F	BASLER/GROUND FAULT O/V	\$
	2	4600XP	EBMPAPST FAN PAMOTER	
	1	12HAA15A4F	ANN/TGT REL 0.2/2ADC	
	3	FTC-078	ITI TYPE FT TEST SWITCH	
	1	PS5R-VC24	IDEC POWER SUPPLY 24VDC/30w OUTPUT, 85-264VAC,100-370VDC INPUT	
	2	FMS-10SD	TEST SW/STATES TYPE FMS,	
	2	FMS-10FX	TEST SW/STATES TYPE FMS,	
	2	BQD260	CB-MC/SIEMENS BQD 2P 60A	
	3	262-DDTU-HGSU-A5-61	AMMETER/CROMPTON, DIGITAL	
	7	219XDXP-24VDC	RELAY, S-D 24VDC, 4PDT,	
	4	219XDXP-120VAC	AUX RLY, S & D, 120VAC,	
	3	61425	SWITCH/PUSHBUTTON,DC SWITCH,,EMERGENCY STOP/BANNER ENGINEERING CORP.	
	1	83367	SWITCH/PUSHBUTTON,CONTROL,,EMERGENCY STOP/BANNER ENGINEERING CORP.	
	6	HAA16B2F	TRANS SUDDEN PRS RLY	
2	UOA-125-DLA	RELAY-UNDERVOLTAGE 125VDC		
IIP 10	2	33077	NEUTRAL POST/GLOVER	\$
IIP 11	3	0177C3406G002	78002 INSUL *VMI*	\$
	1	OP121	SIEMENS CONVENTIONAL SMOKE DETECTOR	
	3	3VA4120-4ED14-0AA0	SIEMENS LOW VOLTAGE 3VA UL MOLDED CASE CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. 3VA41 FRAME WITH STANDARD (CLASS S) BREAKING CAPACITY. 20A 1-POLE (14KAIC AT 600Y/347) (25KAIC AT 277V)	
	2	YA312N	BURNDY CRIMP TERM FOR CU CABLE 350KCMIL/185SQMM	
	3	WP-AD520U-50B	MAXLIGHT 20W LED WALL PACK	
	1	XTOR2B	EATON OUTDOOR LIGHT	
	2	LV848182SP	NEUTRAL CT 4000/6300A MTZ3, SENSOR/SCHNEIDER SQ-D, 4-WIRE	

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
	1	225062-01-00-03	EMGERGENCY LIGHT WITH BATTERY BACK-UP/BIGBEAM, MODEL NUMBER: 2IQ6N21, PAR36 5W LED HEADS, NICAD BATTERY, 6VDC, 7.0AH, 120/277VAC OPEATATION. PER GEXPRO QUOTE.	
IIP 12	1	606B029A09	AUX. RLY/W TYPE-AR 125VDC	\$
	2	716B562G10	ABB TEST SWITCH	
	1	REA103-AA	ABB ARC FLASH PROTECTION/ALARM UNIT	
	2	FRXG065493440	SWITCH/PUSHBUTTON,TEST,,TEST SWITCH/ABB, FT19-R	
	2	FRXG065833V34	TEST SWITCH/ABB, FT19-R	
	1	FRXG137036493AX08	TEST SWITCH	
	2	FT4A14T06BN4690	ABB, FT-14 Test Switch, 8C/6P, Black Cover, Screw Terminals, Standard Depth, Black Handles,	
	1	C774B430G20	FLEXITEST ABB TEST SWITCH,10-POLE	
	1	C774B430G20	FLEXITEST ABB TEST SWITCH,10-POLE	
	1	C774B430G20	FLEXITEST ABB TEST SWITCH,10-POLE	
	1	C774B430G20	FLEXITEST ABB TEST SWITCH,10-POLE	
	4	C9689A15G01	TEST SWITCH, ABB, FT-1	
	4	TQD22150WL	GE/MC CB, TWO-POLE, 150A	
	3	FT4A14T14CN4173	FT-14, ABB, 14P, 6 BLK & 8 RED HANDLES	
IIP 13 con't	1	C272A-065	CABLE,COMMUN/DATA/VOICE,COPPER,CABLE KIT, SCHWEITZER ENG LAB, 65FT LENGTH, WITH 9-PIN MALE "D" CONNECTORS ON BOTH THE ENDS.	
	7	F2CSTSTMM-060	CABLE,COMMUN/DATA/VOICE,FIBER,FIBER OPTIC CABLE/ JAR INDUSTRIES, LLC, DUPLEX ZIPCORD, MULTI MODE PVC JACKET WITH ST CONNECTORS AT BOTH ENDS, 62.5/125 60FT LENGTH.	
	16	F2CLCLCMM-30	CABLE,COMMUN/DATA/VOICE,FIBER,FIBER OPTIC CABLE/ JAR INDUSTRIES, LLC	
	5	LU10031	RED LED	
	2	F2HDJ62.5LCLC-020	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 20 FEET LONG	
	1	F2HDJ62.5LCLC-015	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 15 FEET LONG	
	1	C962-001	CABLE,COMMUN/DATA/VOICE,COPPER,RG-58 1FT BNC CONNECTOR TO TINNED WIRES.	
	1	F2CSTSTMM-048	FIBER CABLE	
	8	F2CSTSTMM-095	FIBER CABLE	
	15	C80403XXXXX	CABLE, SEL-C804 MULTIMODE ARC-FLASH DETECTION (AFD) FIBER-OPTIC SENSOR, 3 METER POINT SENSOR FIBER LENGTH	
	2	F2HDJ62.5LCLC-010	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 10 FEET LONG	
	4	F2HDJ62.5LCLC-035	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 35 FEET LONG	
	4	C953-015	CABLE,CONTROL,SHIELDED,RG-58 15FT CABLE WITH BNC CONNECTORS AT BOTH ENDS	

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
IIP 13 con't	1	C962-010	CABLE,CONTROL,SHIELDED,SEL ACCESSORY CABLE RG-58 10FT BNC CONNECTOR TO TINNED WIRES	
	6	P6ST3	3 Meter Pigtail Cable Assembly – Includes (6) Bundled ST 900 µm Pigtails in Sleeving	
	1	C953-001	CABLE, COMMUN DATA SEL	
	1	C273A-042	CABLE,POWER MULTI CONNECTOR,600V,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 42FT LONG.	
	2	C273A-038	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 38FT LONG	
	2	C273A-042	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 35FT LONG	
	2	C292A-001	CABLE,COMMUN/DATA/VOICE,COPPER,ELECTRICAL DATA CABLE FOR CONNECTING SEL-200/300/400/500/700 SERIES PRODUCTS OR SEL COMMUNICATIONS PROCESSORS (9-PIN MALE SUBMINIATURE "D" CONNECTOR ON ONE END) TO SEL-2890 ETHERNET TRANSCEIVERS AND IRIG-B (DATA AND IRIG-B SEPARATED AT THE OTHER END), 1FT LONG.	
	2	F2HDJ62.5LCLC-030	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 30 FEET LONG Jar Industries LLC	
	2	F2HDJ62.5LCLC-035	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 35 FEET LONG Jar Industries LLC	
	3	F2HDJ62.5LCLC-015	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 15 FEET LONG Jar Industries LLC	
	2	C962-010	CABLE,CONTROL,SHIELDED,SEL ACCESSORY CABLE RG-58 10FT BNC CONNECTOR TO TINNED WIRES	
	4	C962-005	CABLE,CONTROL,SHIELDED,SEL ACCESSORY CABLE RG-58 5FT BNC CONNECTOR TO TINNED WIRES	
	4	C962-005	CABLE,CONTROL,SHIELDED,SEL ACCESSORY CABLE RG-58 5FT BNC CONNECTOR TO TINNED WIRES	
	1	C962-010	CABLE,CONTROL,SHIELDED,SEL ACCESSORY CABLE RG-58 10FT BNC CONNECTOR TO TINNED WIRES	
	1	F2HDJ62.5LCLC-055	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC CONNECTORS BOTH ENDS, 55 FEET LONG Jar Industries LLC	

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
IIP 13 con't	1	F2HDJ62.5LCST-030	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC/ST CONNECTORS B, 30 FEET LONG Jar Industries LLC	\$
	2	F2HDJ62.5LCST-040	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC/ST CONNECTORS B, 40 FEET LONG Jar Industries LLC	
	2	F2HDJ62.5LCST-045	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC/ST CONNECTORS B, 45 FEET LONG Jar Industries LLC	
	2	F2HDJ62.5LCST-035	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS LC/ST CONNECTORS B, 35 FEET LONG Jar Industries LLC	
	1	C960-010	CABLE,COMMUNICATION/DATA/VOICE,COPPER,SEL TYPT	
	1	C960-010	CABLE,COMMUNICATION/DATA/VOICE,COPPER,SEL TYPT	
	1	C960-010	CABLE,COMMUNICATION/DATA/VOICE,COPPER,SEL TYPT	
	1	C960-010	CABLE,COMMUNICATION/DATA/VOICE,COPPER,SEL TYPT	
	1	C960-010	CABLE,COMMUNICATION/DATA/VOICE,COPPER,SEL TYPT	
	1	C960-010	CABLE,COMMUNICATION/DATA/VOICE,COPPER,SEL TYPT	
	2	C256#F668	C256-050 CABLE RG 58A/U COAXIAL CABLE WIT	
	8	F2HDJ62.5STST-030	62.5/125 MICRON MULTIMODE FIBER OPTIC CABLE HEAVY DUTY JACKET 2FIBERS STST-30FT	
	9	SK791007-N	ABB SOCKET LEADS	
	3	SK791015-N	ABB SOCKET LEADS	
	1	IMRS120534-5	LENS TYPE ARC PROTECTION	
	2	C80403S21XX	FIBER CABLE	
	1	C273A-035	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 35FT LONG	
	1	C292A-001	CABLE,COMMUN/DATA/VOICE,COPPER,ELECTRICAL DATA CABLE FOR CONNECTING SEL-200/300/400/500/700 SERIES PRODUCTS OR SEL COMMUNICATIONS PROCESSORS (9-PIN MALE SUBMINIATURE "D" CONNECTOR ON ONE END) TO SEL-2890 ETHERNET TRANSCEIVERS AND IRIG-B (DATA AND IRIG-B SEPARATED AT THE OTHER END), 1FT LONG.	
	2	C273A-038	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 38FT LONG	
	1	C273A-010	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 38FT LONG	
2	C273A-038	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 38FT LONG		

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
IIP 13 con't	2	C953-006	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-400 SERIESPRODUCTS OR SEL INFORMATION PROCESSORS TO SEL SATELLITESYNCHRONIZED CABLE,INSTRUMENT,,COMMUNICATION CABLE/SEL, RG58 WITH BNC CONNECTORS ON BOTH ENDS	
	2	C953-006	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-400 SERIESPRODUCTS OR SEL INFORMATION PROCESSORS TO SEL SATELLITESYNCHRONIZED CABLE,INSTRUMENT,,COMMUNICATION CABLE/SEL, RG58 WITH BNC CONNECTORS ON BOTH ENDS	
	35	C804#6J7H	CABLE, SEL-C804 MULTIMODE ARC-FLASH DETECTION (AFD) FIBER-OPTIC SENSOR,8 METER POINT SENSOR FIBER LENGTH Old Style Part No. C80408XXXXX	
	8	C804#8K9M	CABLE, SEL-C804 MULTIMODE ARC-FLASH DETECTION (AFD) FIBER-OPTIC SENSOR,11 METER POINT SENSOR FIBER LENGTH Old Style Part No. C80411XXXXX	
	32	C804#0103	CABLE, SEL-C804 MULTIMODE ARC-FLASH DETECTION (AFD) FIBER-OPTIC SENSOR,6 METER POINT SENSOR FIBER LENGTH Old Style Part No. C80406XXXXX	
	2	C952-003	CABLE,COMMUN/DATA/VOICE,COPPER,SEL TYPE C953, 3FT LONG. CABLE,COMMUN/DATA/VOICE,COPPER,TYPE C962 FOR IRIG-B CLOCK SIGNAL. BNC MALE CONNECTOR ON ONE END AND FERRULES ON OTHER END. 3FT LONG.	
	1	F2HDJ62.5LCLC-005	62.5/125 MICRON MULTIMODE FIBER OPTIC CABLE HEAVY DUTY JACKET 2FIBERS LCLC-005FT	
	3	F2HDJ62.5STST-025	62.5/125 MICRON MULTIMODE FIBER OPTIC CABLE HEAVY DUTY JACKET 2FIBERS STST-25FT	
	6	F2HDJ62.5STST-020	62.5/125 MICRON MULTIMODE FIBER OPTIC CABLE HEAVY DUTY JACKET 2FIBERS STST-20FT	
	6	F2HDJ62.5STST-015	62.5/125 MICRON MULTIMODE FIBER OPTIC CABLE HEAVY DUTY JACKET 2FIBERS STST-15FT	
	1	83F8441	AC CONNECTOR	
	1	84K0214	Switch, Schurter, KG10.6101.151 - Power Entry Connector, KG Series, Plug, 250 VAC, 10 A, Flange Mount, Quick Connect	
	2	1318P02	VIEW WINDOW GASKET 34.000	
	33	1184246	BASEPLATE SUPPORT STRUCTURE	
1	L6-50P	HUBBEL PLUG		
16	1221	HUBBELL SWITCH		
96	5PA2	MICROSWITCH OVER		
14	62104P97	PUSH ROAD END.		
1	7815K72	McMaster Carr Bushing 1.625 I.D. 1" long bushing		
5	0282A3399P001	SPACER *VMI*		
1	11917G41-003	EMKA WING HANDLE ASSEMBLY, SPECIAL ND MG&T		

LOT	QTY	PART NUMBER	DESCRIPTION	LOT BID
IIP 14	12	17172P00000401	PIN LATCH DOOR	\$
	4	286A5443PR5	COLOR CAP FOR ET-16,RED	
	1	AS0094500	SURGE SUPPRESSOR,TVSS,,ARBITER SYSTEMS, INC.,	
	6	1320DCHKA	SUBASSEMBLY,MECHANICAL,,RIM CYLINDER BRUSHED	
	4	1320DCHKA	SUBASSEMBLY,MECHANICAL,,RIM CYLINDER BRUSHED	
	1	0209B4603P001	CHAN CAP C1	
	1	62CHENBOX	NUT, BURNDY, 5/8 INCH, SILICON BRONZE	
	1	62SWBOX	SPLIT LOCK WASHER, BURNDY, 5/8 INCH, SILICON BRONZE	
	5	1E72-S2-RP-626	BEST RIM CYLINDER SERIES	
	1	2030	NON METALLIC PART,PLASTIC / RUBBER,GROMMET,BUSHING	
	1	28F482	VINYL INSULATOR - RED	
	1	28F483	NON METALLIC PART,PLASTIC / RUBBER,PVC,VINYL INSULATOR - BLACK	
	3	28F516	HEAVY DUTY TEST CLIP	
IIP 15	26	CT372-500	AMRAN CURRENT TRANSFORMER 600V, 50:5A RATIO, 10KV BIL, CLASS C10	\$
IIP 16	10	PH221	FUSE HOLDER, BOLTSWITCH	\$
	1	2C50DL	ALTECH CIRCUIT BREAKER	
	31	PH121	FUSE HOLDER, BOLTSWITCH	
	16	PH321	FUSE HOLDER, BOLTSWITCH	
	5	219XDX69P-120VAC	24-140VDC LED VOLTAGE	
	1	219XDXP-125VDC	STRUTHERS DUNN RELAY	
	2	RH3B	IDEC RELAY	
	5	KUP-17A19-120	RELAY / POTTER-BRUMFIELD,	
	2	2800M1	FIBER-OPTIC TRANSCEIVER	
	13	KRPA-11DN-110	Potter & Brumfield aux relay, 2 form C (CO), DC coil input, AgCdO with indicator light, 110 coil voltage input.	
	3	KUEP-11D15-125	RELAY,DISCRETE,CONTROL,RELAY/P & B/TYCO,	
	3	SR3B05	IDEC SOCKET RELAY	
	2	P2CF-11	OMRON SOCKET	
	1	8897100000	WEIDMULLER RELAY	
	28	KRPA-11DG-24	RELAY,DISCRETE,CONTROL,RELAY.POTTER BRUMFIELD	
2	KRPA-11DG-125	RELAY,DISCRETE,CONTROL,RELAY, 8-PIN, 125VDC,		
7	219XDX69P-24VDC	RELAY, S-D 24VDC, 4PDT		
IIP 17	1	EBRH1034DS	APPLETON, EBRH RECEPTACLE, 100A, 3W, 4P WITH DISCONNECT SWITCH, WALL MOUNT CLASS 1, DIV 1&2, GOUPS B, C & D	\$
	2	TH3363	SAFETY SW 3PST 600VAC	
	1	ACP1034CD	APPLETON/EGS PLUG, POWERLITE	
IIP 18	18	110-302	CT/ITI 3000/5	\$
	9	780-601	Transformer, Current, Single Phase, GE/ITI CT, Ratio 600:5A, Relay Class C100, Model 780, Window Diameter 6.5",	
	21	780-151	ITI TYPE 150/5 CT, C20	

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
IIP 19	1	EB25B12	GE 12 PT TB W/O COVER	\$
	14	EB27B04S	GE 4 PT TB SHORTING-TYPE	
	4	8903L3L	SQ-D Lighting Contactor, Type L, 30A, 2 pole, 600 V, left side mount, UL Listed E78427	
	4	369-HI-R-M-F-E-0-E	PROT RELAY MULTILIN 369	
	20	EB25A08W	GE 8PT TB	
IIP 20A	3	5CLE-125E	CLE-1 5500V/50KAIC	\$
	3	15BHLE-200E	FUSE BHLE-200E 15.5KV BOLT-IN TYPE DOUBLE BARREL	
	9	5BHLE-250E	FUSE HLE-250E 5.5KV BOLT-IN TYPE, EATON C-H	
IIP 20B	7	5BCLS-12R	FUSE CLS-12R BOLT-IN TYPE, EATON C-H ,5KV, 230A,	\$
	14	5BCLS-9R	FUSE CLS-9R BOLT-IN TYPE, EATON C-H ,5KV, 200A,	
	3	5BCLS-2R	FUSE CLS-2R BOLT-IN TYPE, EATON C-H ,5KV, 70A,	
IIP 21	3	735VX10544CXXDXXX26101X	SEL-735 POWER QUALITY AND REVENUE METER	\$
	1	240700033	SEL SATELITE SYNCHRONIZEC CLOCK	
	2	035164C3E54XX1	PROTECTION RELAY	
	1	735VX10944GXXXXXX16202X	METER,REVENUE,,SEL-735	
	1	0735AX20944CXXXXXX16101XX	SEL735 RELAY	
IIP 22	1	N1P1220	ENCLOSURE,INDOOR,WALL MOUNT,WIEGMANN N1C SERIES - BACKPAN PAINTED FOR 20X12 ENCLOSURE	\$
	1	250265-01-00-2	EATON AC PANEL	
	1	N1C122006	ENCLOSURE,INDOOR,WALL MOUNT,WIEGMANN N1C SERIES - N1 HINGED 12X20X6	
IIP 23	2	95-1799-10	EATON FREEDOM ROTOTRAC ASSEMBLY, 150A	\$
	1	HFD3070	CB-MC/W SERIES C3P 70A	
	1	F200NCLED	FUSE LIVE PARTS/ CH CLE1	
	2	HFD2080	CB-MC/W SERIES C 2P 80A	
	1	87C0576G02	CONTRACTOR MV	
	1	87C0576G01	CONTRACTOR MV	
	3	UNS06040B0D0A1A	SURGE ARRESTOR DISTRIBUTION CLASS	
	16	10250T30B	PUCH BUTTON, CUTLER HAMMER	
	5	87C1260G85	Line Connector Bolted-On Type 400A 7.2kV Eaton C-H, NG-Ampgard For Non-Main W/O Iso-Sw Bolted-On Type SI Contactor.	
	5	87C1260G86	Load Connector Bolted-On Type 400A 7.2kV Eaton C-H, NG-Ampgard For Bolted-On Type SI Contactor.	
IIP 24	1	3CPT05-95-30-1382B	TRANSFORMER CONTROL POWER CAST COIL	\$
IIP 25	1	3CPT05-95-30-1382B	TRANSFORMER CONTROL POWER CAST COIL	\$
IIP 26	10	PH221	FUSE HOLDER, BOLTSWITCH	\$
	2	229592-01	FIRE AND GAS KIT GDS CORP	
	6	225278	ULTIMATE XE GAS MONITOR	
	1	2C50DL	ALTECH CIRCUIT BREAKER	

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
	31	PH121	FUSE HOLDER, BOLTSWITCH	
	16	PH321	FUSE HOLDER, BOLTSWITCH	
IIP 27	1	60900P02	HV COVER PLATE	\$
	5	0237C4219G501	POWL VAC -4 BREAKER TEST CABINET SINGLE TRIP COIL	
IIP 28	2	780-801	CURRENT TRANSFORMER SINGLE PHASE	\$
	2	450-480	INSTRUMENT TRANSFORMER 4:1	
	1	CT229-251	AMARAN, CURRENT TRANSFORMER 250:5A	
	4	21-601MR	INSTRUMENT TRANSFORMER 600:5A	
	12	CT104-502MR-01	CURRENT TRANSFORMER 5000:5	
IIP 29	30	751A51A1A0X71850221	SEL-751A, 110-230/250VAC/DC PWR SPLY, SLOT B EIA 232 10/100 Base; SLOT C: 4DI/4DO 125VDC, SLOT E 3-PH V I/P;SLOT Z 5A PH/N, CONF COAT.	\$
	3	751A51A1A0X72850221	SEL-751A, 110-230/250VAC/DC PWR SPLY, SLOT B EIA 232 10/100 Base; SLOT C: 4DI/4DO 125VDC, SLOT E 3-PH AC VOLTAGE, VSYNC, VBAT INPUT (SELECT 5 AVI): 300VAC MAXIMUM WITH MONITORING PACKAGE, SLOT Z: 4AC INPUT, 5A PH/N, CONF COAT.	
IIP 30	42	CT375-122MR	AMRAN CURRENT TRANSFORMER 12000:5A	\$
IIP 31	1	252205-01-00-7	HANMOND, 45KVA, TRANSFORMER, 3PH, 480V-220Y/127V 60HZ, HAMMOND PART #SG3A0045KV	\$
IIP 32	1	252205-01-00-7	HANMOND, 45KVA, TRANSFORMER, 3PH, 480V-220Y/127V 60HZ, HAMMOND PART #SG3A0045KV	\$
IIP 33	3	CPT-60-5-242A	TRANSFORMER, CONTROL POWER, CAST COIL, CONTROL POWER XFMR-ITI	\$
	2	CPT3-60-5-242A	TRANSFORMER, CONTROL POWER, CAST COIL, CONTROL POWER XFMR-ITI	
	1	CPT3-60-5-242A	TRANSFORMER, CONTROL POWER, CAST COIL, CONTROL POWER XFMR-ITI	
TAKE ALL OPTION LOTS IIP01 - IIP33				\$
VPA 34	1	1B131006EN	EATON VCP-W VACUUM CIRCUIT BREAKERS	\$
VPA 35	3	EPH-LS-08-0640L-BLK-S7-70-45-CD4-HEG-ST	COOPER LED LIGHT	\$
	4	S-55	APPLETON ELECTRIC LIGHTING FIXTURE FOR HAZARDOUS LOCATIONS LAMP TYPE HP SODIUM	
	3	EPH-LS-08-0640-NLK-HV-NC-LY-A00-ST	COOPER LED LIGHT	
VPA 36	16	GUR2 SA	EATON CROUS HINDS FITTINGS	\$
	6	TMCX1001SSL	EATON CROUS HINDS FITTINGS	
	1	GUAT26SA	EATON CROUS HINDS FITTINGS	
	8	BUB3	EATON CROUS HINDS FITTINGS	
	8	BG48	EATON CROUS HINDS FITTINGS	
	2	GRT150-A	APPLETON FITTINGS	
	2	GUAT59	APPLETON FITTINGS	

LOT	QTY	PART NUMBER	DESCRIPITON	LOT BID
VPA 37	4	GRC75-A	APPLETON FITTINGS	\$
	6	TMCX100A	APPLETON FITTINGS	
	5	800H	APPLETON FITTINGS	
	1	800T	APPLETON FITTINGS	
	LOT		SIEMENS, SQUARE D, EATON ELECTRICAL PARTS	
VPA 38	1	2-01DL0	SPOOL - 2 AWG DIESEL LOCOMOTIVE CABLE	\$
VPA 39	1	EBMC	EXPLOSION PROOF ENCLOSURE SIZE 2 TYPE 3R	\$
VPA 40	1	EBMB	EXPLOSION PROOF ENCLOSURE SIZE 2 TYPE 3R	\$
VPA 41	1	EBMC	EXPLOSION PROOF ENCLOSURE SIZE 2 TYPE 3R WITH PUSH SWITCH	\$
VPA 42	1	EBMC	EXPLOSION PROOF ENCLOSURE SIZE 2 TYPE 3R WITH PUSH SWITCH	\$
VPA 43	1	EBMC	EXPLOSION PROOF ENCLOSURE SIZE 3 TYPE 3R WITH PUSH SWITCH	\$
VPA 44	1	EBMC	EXPLOSION PROOF ENCLOSURE SIZE 3 TYPE 3R WITH PUSH SWITCH	\$
VPA 45	1	EBMC	EXPLOSION PROOF ENCLOSURE SIZE 2 TYPE 3R	\$
VPA 46	1	EBMB	EXPLOSION PROOF ENCLOSURE SIZE 2 TYPE 4	\$
VPA 47	32		HIGH VOLTAGE BRASS CLAMPS 163 LBS.	\$
VPA 48	3	5CLS-18R	EATON FUSE	\$
	3	5ACLS-6R	EATON FUSE	
	3	5CLS-18R	CUTLER HAMMER FUSE	
TAKE ALL OPTION LOTS VPA34 - VPA48				\$
PA 49	2		ENCLOSURES WITH YASKAWA G7 DRIVE	\$