



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 23-035

**Pipeline Valve &
Equipment Sale**

Fisher, WKM, Balon, Limitorque and Much More!
Sealed Bid Sale

Bidder Information

Company: _____

(Signature)	(Printed Name)	(Date)	(Phone Number)
Inspected Surplus	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
(Check One)			

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

BID DUE: Friday, November 3rd, @ NOON 12:00 PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 2:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

*****PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS*****

Please visit our web site www.slevysurplus.com for more available equipment.



SLE 23-035 Pipeline Valve Sale

Company: _____
Bidder: _____
Phone: _____

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	LOT BID
PSBM1	2	8"	900#	Neway	RF Trunnion Ball Valve	A105/316		Gear Operated / Painted	\$
PSBM2	1	3"	300#	M&J	Check	WCB/316	303-AB	Painted	\$
PSBM3	1	6"	600#	PBV	Check	WCB/316		Painted	\$
SCST4	3	8"	300#	Balon	2 Piece Ball Valve	WCB/Nace		Gear Operated / Unused	\$
SCST5	1	6"	600#	GMEC	RF Trunnion Ball Valve	WCB/316		Gear Operated / Unused	\$
SCST6	2	6" x 4"	300#	KF	2 Piece Ball Valve	WCB/SS		Unused	\$
SCST7	5	3"	600#	PBV	RF Trunnion Ball Valve	WCB		Unused	\$
SCST8	1	4"	300#	PBV	RF Trunnion Ball Valve	A105/LF2/CF8M		Gear Operated / Unused	\$
SCST9	2	3"	300#	PBV	RF Trunnion Ball Valve	WCC		Unused	\$
SCST10	4	3" x 3"	600#	Vintrol	2 Piece Ball Valve	LCC/SS		No Handle / Unused	\$
SCST11	1	3"	300#	ISV	RF Trunnion Ball Valve	A105/316		Unused	\$
SCST12	1	6"	150#	Vintrol	RF Check	WCC/316		Unused	\$
SCST13	1	4"	150#	Warren	RF Check	WCB/CF8M		Unused	\$
SCST14	18	2"	300#	Warren	RF Ball Valve	WCB/316		No Handle / Unused	\$
SCST15	14	2"	300#	Warren	RF Ball Valve	WCB/316		No Handle / Unused	\$
SCST16	25	2" x 2"	300#	TOP	RF Ball Valve	WCB/316		No Handle / Unused	\$
SCST17	20	2" x 2"	300#	TOP	RF Ball Valve	WCB/316		1) Has Been Bolted / No Handle	\$
SCST18	11	2"	150#	TOP	RF Check	WCB/Nace		Unused	\$
SCST19	11	2"	150#	TOP	RF Check	WCB/Nace		Unused	\$
SCST20	3	3" x 3"	600#	TOP	RF Check	WCB/316		No Handle / Unused	\$
SCST21	3	1"	150#	Various	RF Ball Valve	WCB		Has Been Bolted	\$
SCST22	1	3"	600#	ISV	RF Trunnion Ball Valve	A105/316		Has Been Bolted	\$
	1	3" x 3"	600#	Vintrol	RF Ball Valve	LCC		Has Been Bolted	
	1	3" x 3"	600#	TOP	RF Ball Valve	WCB/Nace		No Handle / Unused	
SCST23	2	6"	150#	GMEC	RF Ball Valve	WCB/316		Gear Operated / Has Been Bolted	\$
SCST24	1	6"	150#	FV	Plug with MX-10 Limitorque	WCB	D711	Gear Operated / Painted	\$
SCST25	1	4"	150#	FV	Plug with MX-10 Limitorque	WCB	D711	Gear Operated / Has Been Bolted / Painted	\$
SCST26	1	6"	150#	Warren	RF Gate with MX-20 Limitorque	WCB		Has Been Bolted	\$
SCST27	2	4"	150#	Warren	RF Trunnion Ball Valve with QX-3 Limitorque	WCC		Unused	\$
SCST28	4	3"	600#	PBV	RF Trunnion Ball Valve with QX-3 Limitorque	LF2/CF8M		Unused	\$
SCST29	3	3"	600#	PBV	RF Trunnion Ball Valve with QX-3 Limitorque	LF2/CF8M		Unused	\$
SCST30	5	3"	150#	Warren	RF Ball Valve with QX-1 Limitorque	WCB/316		Unused	\$

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	LOT BID
SCST31	5	3"	150#	Warren	RF Ball Valve with QX-1 Limitorque	WCB/316		Unused	\$
SCST32	5	3"	150#	Warren	RF Ball Valve with QX-1 Limitorque	WCB/316		Unused	\$
SCST33	5	3"	150#	Warren	RF Ball Valve with QX-1 Limitorque	WCB/316		Unused	\$
SCST34	1	2"	150#	Fisher	V-150 with QX-2 Limitorque	CG8M		Unused	\$
SCST35	1	3"	300#	Fisher	ET	WCB		Has Been Bolted	\$
SCST36	1	4"	300#	Fisher	ET	WCB		Has Been Bolted	\$
SCST37	2	3"	600#	Fisher	ET	WCB	Rotork CML-1500 FM	Unused	\$
SCST38	2			Fisher	Actuator		Size 45	Unused	\$
SCST39	3	2"	400 WOG	300#	RF Shut Off Valve	DI	ME825-2F	UL / Unused	\$
SCST40	1			Veeter	Meter Register		7889	Has Been Bolted	\$
	1			Smith	Meter		Assembly	Unused	
SCST41	2	3"	150#	Daniel	Control Valve	LCC		Has Been Bolted	\$
	1	2"	150#	Daniel	Control Valve	LCC		Has Been Bolted	
SCST42	4	3"	150#	Brodie	Control Valve	CS	BV 60	2) Painted	\$
SCST43	6	4"	150#	J-Flow	RF Trunnion Ball Valve	CF8M		Bare Stem / Unused	\$
SCST44	1	3"	150#	Titan	RF Strainer	WCB		Has Been Bolted	\$
	2	4"	150#	Titan	RF Strainer	WCB		Has Been Bolted	
SCST45	7	10"	150#	ABZ	Lug Butterfly	WCB/CF8M		Gear Operated / Painted	\$
SCST46	9	10"	150#	ABZ	Lug Butterfly	WCB/CF8M		Gear Operated / Painted	\$
SCST47	12	10"	150#	ABZ	Lug Butterfly	WCB/CF8M		Gear Operated / Painted	\$
SCST48	11			Tescom/AG	Needle Valves	SS		Unused	\$
SCST49	9				Manifold	SS		Unused	\$
SCST50	3			Welker	Instrument	SS	AWL-3	Unused	\$
SCST51	1	1"		Bahrd	Relief Valve	A105		Unused	\$
PA52	2			Fisher	Field Views			Used	\$
	6			Fisher	Regulators		67CFR	Used	
PCPS53	6			Reotemp	Dial Thermometer	SS	50-500 F	Unused	\$
	15			Reotemp	Dial Thermometer	SS	50-300F	Unused	
PCPS54	4	2-1/2" x 5"		Proco	Expansion Joint	EPDM		Unused	\$
VAM55	1	16" x 8"		Proco	Expansion Joint	EPDM		Unused	\$
PCPS56	1	1"		Mercer	Relief Valve	WCB	91-28D51V0912	Unused	\$
	1	1-1/2"		Taylor	Relief Valve	WCC	825F6561311	Unused	
PCPS57	11				Thermowells	304SS		Unused	\$
PCPS58	9				Thermocouples	316SS		Unused	\$
PCPS59	7				Thermowells	316SS		Unused	\$
PCPS60	24	1/2"	2000 WC	Apollo	Thrd. Ball Valve	A105/WCB		Unused	\$
JFP61	59				Ball Valve Handles			Unused	\$
JFP62	2	10"	2000 CWP	ABCO	SCH80 BW Hammer Unions	CS		Unused	\$

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	LOT BID
JFP63	5			Peco	Gauges 0-25 PSID	316	120-0032	Unused	\$
	1			Bar	0-1500 PSI	316		Unused	
	1			Noshok	0-15 PSI			Unused	
	1			PR	0-160 PSI		G25-5L160-4CB	Unused	
	1			Wika	0-1500 PSI	316		Unused	
	1			Porter	0-100 PSI		920355	Unused	
	1			Norgren			R07-208-RNKA	Unused	
	1			Ashcroft	1/2" NPT M x 1/2" NPT F Needle Valve		H6341	Unused	
JFP64	7	1/4"	10000 PSI	C and C	Needle Valves	A105/Nace		Unused	\$
	1	1/4"		Tescom/AG	Needle Valves		H7	Unused	
	4			Anderson Greenwood			V6Vks-4	Unused	
	1			Anderson Greenwood	Needle Valves		H1S 2202 1264007	Unused	
JFP65	3	3/4"	150#	Fisher	Regulator	DI	T205	Unused	\$
JFP66	1			Vickers	Hydraulic Pump		JB90-357552	Weathered	\$
JFP67	26	3/8"	2000 WOG	Warren	Thrd. Ball Valve FP	CF8M		Unused	\$
JFP68	2	1-1/2"	600#	Apollo	SW 3 Piece Ball Valve	CF8M		Unused	\$
	8	3/4"	1500#	Apollo	SW 3 Piece Ball Valve	CF8M		Unused	
	1	1/2"	1500#	Apollo	Thrd. 3 Piece Ball Valve	CF8M		Unused	
JFP69	2	2"	1500#	Apollo	SW 3 Piece Ball Valve	WCB/316		Unused	\$
	2	3/4"	600#	Apollo	SW 3 Piece Ball Valve	WCB/316		Unused	
JFP70	1	1" x 1"	150#	Quadrant	RF Ball Valve	CF8M		Unused	\$
	9	3/4"	1500 WOG	Quadrant	SW x Thrd. Ball Valve	CF8M		Unused	
	2	1/4"	2000 WOG	Quadrant	Thrd. Ball Valve	CF8M		Unused	
JFP71	7	1"	6000 WOG	Sharpe	Thrd. Ball Valve	CF8M		Unused	\$
	1	1/2"	6000 WOG	Sharpe	Thrd. Ball Valve	CF8M		Unused	
JFP72	1	3/4"	6000 PSI	KF	F NPT x M NPT Needle Valve	SS		Unused	\$
	4	3/4" x 1/2"	6000 PSI	KF	M NPT x F NPT Needle Valve	SS		Unused	
JFP73	2	2"	600#	Eaton	Thrd. Y Strainer	WCB		Unused	\$
	2	1"	600#	Mueller	Thrd. Y Strainer	WCB		Unused	
JFP74	5		5000 PSIG	Flolok	Tube x Tube Ball Valve	316	358-K-316-NBR3	Unused	\$
JFP75	1	1"	600#	Warren	RF Ball Valve	CF8M		Unused	\$
JFP76	1	1"	150#	Eaton	RF Y Strainer	WCB		Unused	\$
	2	1"	150#	Spirax Sarco	RF Y Strainer	WCB		Unused	
JFP77	1	2"	150#	SCV	RF Ball Valve	WCB/316		No Handle / Unused	\$
	1	2"	150#	Neway	RF Ball Valve	WCB/316		No Handle / Unused	
JFP78	2	2"	150#	Warren	RF Ball Valve	WCB/316		No Handle / Unused	\$

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	LOT BID
JFP79	2	1"	2000 WP	Balon	Thrd. Swing Check	DI/Nace		Unused	\$
	2	1"	2000#	Wheatley	Thrd. Swing Check	CS/CF8M	9D-822-013360-131	Unused	
	1	1"	3000 WP	Balon	Check	A105		Unused	
JFP80	1	2"	3000 MOP	WKM	Thrd. Ball Valve	CS/Nace		No Handle / Unused	\$
	6	1"	3000 CWP	WKM	Thrd. Ball Valve	CS/Nace		Unused	
JFP81	5	1"	1500 WOG	Quadrant	SW Ball Valve FP	WCB/Nace		Unused	\$
	34	1"	1500 WOG	Quadrant	SW Ball Valve RP	WCB/Nace		Unused	
	8	1/2"	1500 WOG	Quadrant	Thrd. Ball Valve	WCB/Nace		Unused	
	1	3/8"	1500 WOG	Quadrant	Thrd. Ball Valve	WCB/Nace		Unused	
JFP82	1	2"	3000 WOG	Nutron	SW Ball Valve	A105		Unused	\$
	3	1"	6000 WOG	Nutron	SW x Thrd. Ball Valve	A105		Unused	
	1	3/4"	3000 WOG	Nutron	SW x Thrd. Ball Valve	A105		Unused	
JFP83	3	30" x 9"			Expansion Joint	CS/SS		Unused	\$
JFP84	1	12.75 - 14.38		PowerSeal	Repair Clamp		3506AS	Unused	\$
	2	6.25 - 7.45		PowerSeal	Repair Clamp		3506AS	Unused	
JFP85	1	8"	150#	WKM	RF Trunnion Ball Valve	WCC/CF8M		Gear Operated / Painted	\$
JFP86	1	2"	600#	Balon	RF Ball Valve	A105		No Handle / Unused	\$
JFP87	2	3"	300#	Warren	RF Ball Valve	WCB/CF8M		Gear Operated / Unused	\$
JFP88	1	2"	600#	Nordstrom Flowserve	RF Plug Dynamic Balance	WCC	K2245	Unused	\$
	1	2"	150#	Nordstrom Flowserve	RF Plug	WCC	D1925	Unused	
JFP89	3	1"	1500#	KF	Thrd. Ball Valve	WCB/Nace		Unused	\$
	2	1-1/2"	1500 WOG	KF	Thrd. Ball Valve	WCB		Unused	
	1	1"	3000#	KF	Thrd. FP Ball Valve	CS		Unused	
JFP90	2	3" x 3"	300#	WKM	RF Trunnion Ball Valve	WCC/A105	370D6	Unused	\$
	1	2" x 2"	600#	WKM	RF Ball Valve	WCC	310F	Unused	
JFP91	4	1/2"	6000#	Balon	Needle Valves	CS		Water Stained	\$
	1	1/2"	6000#	Balon	M NPT x F NPT Needle Valve	SS		Unused	

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	LOT BID
JFP92	7	2"	3000 WP	Balon	Thrd. Ball Valve	CS	2F-S03	Weathered	\$
	2	2"	2000 MOP	Balon	Thrd. Ball Valve	CS	2F-F92	Unused	
	19	1"	3000 MOP	Balon	Thrd. Ball Valve	CS	1F-F03	Unused	
	2	1"	3000 WP	Balon	Thrd. Ball Valve	LF2		Weathered	
	3	2"	3000 WP	Balon	Check	CS/Nace	2R-303	Weathered	
JFP93	7	1"	300#	WKM	RF Ball Valve	A105	310F	Unused	\$
JFP94	7	1"	300#	WKM	RF Ball Valve	A105	310F	Unused	\$
JFP95	7	1"	300#	WKM	RF Ball Valve	A105	310F	Unused	\$
JFP96	8	1" x 1"	600#	WKM	RF Ball Valve	A105	B182	Unused	\$
JFP97	2	2"	3000#	WKM	Thrd. Ball Valve	CS		No Handle / Unused	\$
	4	1-1/2"	3000#	WKM	Thrd. Ball Valve	CS		Unused	
	2	1"	3000#	WKM	Thrd. Ball Valve	CS		Unused	
	9	1/2"	3000#	WKM	Thrd. Ball Valve	CS		Unused	
	4	1/4"	3000#	WKM	Thrd. Ball Valve	CS		Unused	