



**Steven Levy Enterprises, Inc.**  
**1412 Pennsylvania**  
**South Houston, Texas 77587**  
**Phone: (713) 910-4337 Fax: (713) 910-2039**

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

**SLE 24-003**

**Pipeline Valve, Flange & Fitting Sale (and much more!)**

**WKM, KF, Fisher, Taylor, KimRay**

**Regulators, Strainers, Gauges, Swagelok, Anderson Greenwood...**

**Sealed Bid Sale  
 Bidder Information**

Company: \_\_\_\_\_

---

(Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes  No

(Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.  
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

**BID DUE: Wednesday, January 31<sup>st</sup>, @ NOON 12:00 PM**

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337  
 Inspection Time 7:30 - 2:00 M-F  
 Available for inspection Immediately thru Bid Close  
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

**\*\*\*PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS\*\*\***

Please visit our web site [www.slevysurplus.com](http://www.slevysurplus.com) for more available equipment.



## SLE 24-003 Pipeline Valve, Flange & Fitting Sale (And Much More!)

**Company:** \_\_\_\_\_  
**Bidder:** \_\_\_\_\_  
**Phone:** \_\_\_\_\_

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
CPS1	2	1 x 2F		Farris	Pilot Relief Valve	WCB	38FC13-16C/N1/SP	Stamped	Unused	\$
CPS2	1			Kimray	T12 Thermostat		2222690135		Unused	\$
	1			Kimray	T12 Thermostat		2222690127		Unused	
CPS3	1	1 1/2 T-8250-2		Taylor Valve	Relief Valve		825F8561311	Stamped	Unused	\$
	4	1 1/2 T-8250-2		Taylor Valve	Relief Valve		825F6571311	Stamped	Unused	
CPS4	10	3/4" x 1"		Murphy	Dump Valve	CS	55700301/DVU175		Unused	\$
CPS5	1	1" NPT		Murphy	Level Control for Scrubber	Aluminum	LS200NDV0		Unused	\$
CPS6	2			Murphy	Intermittent Duty Coil Switch		M2582-B	Has Pipe Dope	Unused	\$
CPS7	1			Murphy	Shock Vibration Switch		VS2EX		Unused	\$
CPS8	4	1"	2500#	Keckley	Ball Valve w/ Actuator	CF8M/Nace	C-1000SR4		Unused	\$
CPS9	4	2"	300#	Precision Instruments	RF Ball Valve 3/4" NPT	316			Unused	\$
CPS10	4			Fisher	Pressure Regulator		Type 67CFR		Unused	\$
CPS11	3	3"	150#	Crance Duo-Chek II	Wafer Check	CF8M			Unused	\$
CPS12	1	1RP	2500#	JAG	Ball Valve	A105	T3R10T25N	Has Pipe Dope	Unused	\$
	7	1FP	2500#	JAG	Ball Valve	A105	T3R10F25N		Unused	
CPS13	13	1/2"	3000 CWP	WKM	Ball Valve	A105	393154		Unused	\$
	1	1"	3000 CWP	WKM	Ball Valve	A105	372119	Painted Yellow	Unused	
CPS14	7	1"	1500#	Quadrant	Ball Valve	WCB			Unused	\$
	9	1"	2500#	Quadrant	Ball Valve	WCB/Nace			Unused	
	20	1"	2000 WOG	Hale	Thrd. Ball Valve	CS			Unused	
CPS15	3	1/2"	3000 WOG	Quadrant	Ball Valve	WCB			Unused	\$
CPS16	6	2"	1500#	Lonestar	SWG	304			Unused	\$
	4	R26-F		Lonestar	RTJ	316	21F04834-A-6-2023/05		Unused	
	14	R28-316		Lonestar	RTJ	316	4653		Unused	
	8	R35 Oval 316 ©			RTJ	316	23A-28A073	23020301	Unused	
CPS17	8	1/2"	FXM	Penberthy Emerson	Gauge Cocks	Steel	330J	4 Pairs	Unused	\$
CPS18	4	2"			Clamps Pipeline	CS			Unused	\$
CPS19	2		0-60PSI	ReoTemp		Aluminum		ReoTemp Gauge	Unused	\$
	3	1-1/2"		ReoTemp	TBM Series Gauge	SS w/ Back Connection		0-60 PSI	Unused	
	1	3" w/ NPT Back	6000 PSI	Winters					Unused	

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
CPS20	1	1/2"	6000 PSI	Tescom	Needle Valves	Steel Body	H1VDC-24		Unused	\$
	8	3/4"	10000 PSI	Tescom	Needle Valves	Steel	H1RDC-660	Oxidized	Weathered	
	3	1/2"	10000 PSI	KF Industries	Needle Valves	SS			Unused	
	6	1/2"	10000 PSI	Precision Instrument	Needle Valves	CS	A1191500		Unused	
CPS21A	2	1/2"		John Ernst	Sight Glass	CS	021 0.50 HP LF		Unused	\$
	6	2"			NPT Sight Glass	CS			Unused	
CPS21B	2		2500#	JMS	Thermocouple		1080 WM		Unused	\$
	1	3/4" NPT		Kenco	Valve	CS			Unused	
CPS22	9	8"	600#		RF WN	A105		1210 lbs.	Unused	\$
CPS23	19	2" x 1"	1500# XH		RF WN	A105		475 lbs.	Unused	\$
CPS24	4	4 / 4X / 3R / 13			LED		D2xB1LD2LED	2) Green 2) Red	Unused	\$
CPS25	1			Rosemount	Transmitter w/ 2" 600# Flange		2051TGBA2B21		Unused	\$
	1			WE Anderson	Float Switch		L6EPS-S-S-3-C		Unused	
	4			ASCO	Solenoid Valves		EF8320G202	1) No Box	Unused	
CPS26	17	2"	1500# XS		RF WN	A105		425 lbs.	Unused	\$
CPS27	8	1"	2500#	Bonney Forge	Thrd. Globe	A350/LF2			Unused	\$
CPS28	1	8"	300# S140		RF WN	A105		289 lbs.	Unused	\$
	1	10"	600# S140		RF WN	A105			Unused	
CPS29	4	1-1/2"	300#		RF WN	A105		179 lbs.	Unused	\$
	1	2"	300#		RF WN	A105			Unused	
	1	3"	150# STD		RF WN	A105			Unused	
	1	6"	150# STD		FF WN	A105			Unused	
	1	6"	300#		RF WN	A105			Unused	
	1	8"	300# STD		RF WN	A105			Unused	
CPS30	3	2" x 3/4"	900/1500# XXH		SW RTJ	A105		189 lbs.	Unused	\$
	3	3" x 1-1/2"	150#		RF Thrd. Flange	A105			Unused	
	8	3" x 1"	150#		RF Thrd. Flange	A105			Unused	
CPS31	4	3"	600#		RF Blinds	A105		76 lbs	Unused	\$
CPS32	1	1"	600#		RF WN	A105		105 lbs.	Unused	\$
	1	3"	900# S80		RF WN	A105			Unused	
	2	2"	2500# XS		RF WN	A105			Unused	
CPS33	4	2"	600# S160		RF WN	304L		40 lbs.	Unused	\$
CPS34	1	1"	900/1500# XXH		WN RTJ	A105		240 lbs.	Unused	\$
	1	1-1/2"	2500# XXS		WN RTJ	A105			Unused	
	2	2"	2500# XXS		WN RTJ	A105			Unused	
	1	4"	2500# XXS		WN RTJ	A105			Unused	

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
CPS35	2	6"	STD		BW 90	WPB		279 lbs.	Unused	\$
	1	8"	STD		BW 90	WPB			Unused	
	3	12"	STD		BW 45	WPB			Unused	
CPS36	3	1-1/2"	XXS		BW 90	WPB		88 lbs.	Unused	\$
	6	2"	XS		BW 90	WPB			Unused	
	2	4" x 3"	STD		BWEcc. Red.	WPB			Unused	
	2	4"	XS		BW 90	WPB			Unused	
	1	4" x 2"	XXS		BW Red. Tee	WPB			Unused	
	1	4" x 2"	XS		BW Red. Tee	WPB			Unused	
	6	1"	STD		BW 90	WPB			Unused	
CPS37	10	3/4"	XXS		Thrd. Nipples	A106B		146 lbs.	Unused	\$
	3	6" - 3-1/2 x 2"	XS		Olets	A105			Unused	
	6	1-1/2"	3M	Bonney Forge	Thrd. 90	A105			Unused	
	6	1"	6000#	JD France	Thrd. 90	A105			Unused	
	1	3/4"	6000#		Thrd. 90	A105			Unused	
	7	1-1/2"	6M		Unions	A105			Unused	
CPS38	35		1500-2500#		Wafer Orifice Plate		440 lbs.	Unused	\$	
PMRC39	70	2"	300#		RF WN	A105	693 lbs.	Unused	\$	
PMRC40	Lot	1" - 24"	150# -1500#		SWG		Approx 60 pieces	Unused	\$	
PMRC41	17	R24			RTJ	CS		Unused	\$	
PMRC42	22	3" x 2"	STD		BW Ecc. Red.	WPB	49 lbs.	Unused	\$	
PA43	6	3/4" x 1/2"	XS		BW Red. Tee	WPB		86 lbs.	Unused	\$
	1	2"	XS		BW 90	WPB			Unused	
	1	3"	XS		BW 45	WPB			Unused	
	1	4"	XS		BW 45	WPB			Unused	
	1	2" x 3/4"	XS		BW Conc. Red.	WPB/Nace			Unused	
	2	3"	XH	Ladish	BW 90	WPB			Unused	
	1	4"	XS		BW 90	WPB			Unused	
	1	4" x 3"	XS		BW Ecc. Red.	WPB			Unused	
	1	8" x 4"	XH x 40		BW Conc. Red.	WPB			Unused	
	1	6" x 3"	XS		BW Conc. Red.	WPB			Unused	
2	3" x 1"	XS		BW Red. Tee	WPB		Unused			
PA44	14	1/4"	2000 WOG		Safety Lever w/ Ball Valve	CF8M		Unused	\$	
PA45	1	1"	1500 WOG	Kitz	Thrd. Ball Valve	CF8M	Fig# (H)AKU3TFZM-FSO		Unused	\$
	1	2-1/2"	1000 WOG	Sharpe	Thrd. Ball Valve	CF8M			Unused	
	1	1/2"			Thrd. Ball Valve	Hastelloy			Unused	

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
PA46	1	2-1/2"	600 WOG	Milwaukee Valve	Thrd. Ball Valve	Brass			Unused	\$
	1	2-1/2"	400CWP/250PSI	Nibco	Thrd. Ball Valve	Brass			Unused	
	2	2-1/2"	400 WOG	Watts	Thrd. Ball Valve	Brass			Unused	
PA47	4	2"	400 CWP	Nibco.	Thrd. Gate	Brass			Unused	\$
PA48	4	2"	285 PSI	A.R.I.	Flanged Combination Air Valve	DI	D050CHF02		Unused	\$
PA49	5	2"	285 PSI	A.R.I.	Flanged Combination Air Valve	DI	D050CHF02		Unused	\$
PMRC50	1	2"	150#		RF Blind	Galvanized		148 lbs.	Unused	\$
	6	2"	150#		RF Thrd. Flange	Galvanized			Unused	
	6	6"	150#		RF Flange	Galvanized			Unused	
PMRC51	2	8"	XS		RF WN	A105		134 lbs.	Unused	\$
PMRC52	8	4"	600#		RF Blind	A105		320 lbs.	Unused	\$
PMRC53	4	6"	150#	Nibco	Lug Butterfly	DI/316		Gear Operated	Unused	\$
PMRC54	1	6"	150#	C & C	Lug Butterfly	DI		Gear Operated	Unused	\$
	1	6"	200 PSI	Matco	Wafer Butterfly	DI		Gear Operated	Unused	
PMRC55	2	4"	200 PSI	Cameron	Lug Butterfly	DI		Gear Operated	Unused	\$
PMRC56	1	6"	200 PSI	Matco	Wafer Butterfly	DI		Gear Operated	Unused	\$
	1	6"	200 PSI	Pratt	Lug Butterfly			Gear Operated	Unused	
PMRC57	1	8"	200 PSI	Pratt	Lug Butterfly			Gear Operated	Unused	\$
PMRC58	1	8"	200 WOG	KF Industries	Lug Butterfly	DI			Unused	\$
PMRC59	1	8"	200 PSI	Centerline	Lug Butterfly	DI		Gear Operated	Unused	\$
PMRC60	7	1"	2500 CWP	Flowserve	Thrd. Ball Valve	WCB			Unused	\$
PMRC61	7	3/4"	2500 WOG	Quadrant	Thrd. Ball Valve	WCB			Unused	\$
PMRC62	1	3/4"	200 CWP	Nordstrom	Thrd. Plug				Unused	\$
	1	1"	500 WOG	Nordstrom	RF Plug Valve		Fig 625		Unused	
PMRC63	4	1-1/2"	600#	DV	RF Globe	A105			Unused	\$
PMRC64	Lot	3/4" - 1-1/4"			Black Stud Bolts	B7		456 lbs.	Unused	\$
PMRC65	21	2.8705" OD x 6.50"			Tubing		6' Long	EU-D TBE	Unused	\$
PMRC66	11	1/2" LM x 4-1/2"	0-10K PSI	AshCroft	LM Connection Gauges	316			Unused	\$
PMRC67	6	2"	150#	Keystone	Wafer Butterfly	316			Unused	\$
PMRC68	Lot	1/2" - 3"	2M / 3M	Various	Forged Thrd. Steel Fittings	A105		525 lbs.	Unused	\$
PMRC69	4	3/4"	600 SWP	Mueller	SW Y Strainer	WCB			Unused	\$
	4	1-1/2"	600 SWP	Mueller	SW Y Strainer	WCB			Unused	
	1	2"	600 SWP	Mueller	SW Y Strainer	WCB			Unused	
PMRC70	16	1/2"	600 SWP	Mueller	Thrd. Y Strainer	WCB			Unused	\$
	8	3/4"	1000 WOG	Mueller	Thrd. Y Strainer	WCB			Unused	

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
PMRC71	7	1/4"	250#	Mueller	Thrd. Y Strainer	CI			Unused	\$
	1	3/8"	250#	Mueller	Thrd. Y Strainer	CI			Unused	
	4	1-1/2"	250#		Thrd. Y Strainer	CI			Unused	
	2	1/2"	250#	Spirax Sarco	Thrd. Y Strainer	CI			Unused	
	1	1/2"	250#	Keckley	Thrd. Y Strainer	CI			Unused	
	1	1/2"	250#	Fastener	Thrd. Y Strainer	CI			Unused	
PMRC72	29	1/4" - 1"		Dragon	Thrd. Needle Valve	A105		F x F	Unused	\$
	13	1/4" - 3/4"		Various	Thrd. Needle Valve	A105		F x M	Unused	
PA73	36	1/4" - 3/4"		Various	Thrd. Needle Valve	SS		F x F	Unused	\$
	13	1/4" - 3/4"		Various	Thrd. Needle Valve	SS		F x M	Unused	
PA74	1		120 PSI	Keystone	Morin Actuator	316 / Viton	M46SR-60		Unused	\$
PA75	3		160 PSI	Morin	Rotary Actuator	316	B-023-UC-D000		Unused	\$
PA76	2	1-1/2"	300#	Hydroseal	Safety Relief Valve	316	15D6B1M40/N5		Unused	\$
PA77	19	5/8" x 15'		Intertex	UHF Joint Sealant				Unused	\$
PA78	25			Swagelok	SS-400-1-8BT			Tube Fittings	Unused	\$
	20	1/2" x 1/4"		Superlok	1/2" x 1/4" 90 316 SS			Tube Fittings	Unused	
	12	1/4" x 3/8"		Letlok	1/4" x 3/8"			Tube Fittings	Unused	
	1			Swagelok	8S-810-1-16			Tube Fittings	Unused	
	1	1"		Swagelok	1"			Tube Fittings	Unused	
	1			Mako Valve	MRS2M2F 6000 PSI			Tube Fittings	Unused	
	1			Parker Valve	MV608 450 CWP			Tube Fittings	Unused	
	5	1/2"		Hylok	CV3-H8T-3-PE 1/2" Tube 316	316		Tube Fittings	Unused	
	5			Flolok	358-K-316-NBR3 5000 PSI			Tube Fittings	Unused	
	6			Swagelok	SS-24-7			Tube Fittings	Unused	
	20	1/2" x 1/4"			1/2" x 1/4" UPIX			Tube Fittings	Unused	
	20	1/4"			1/4" Parker Tubes			Tube Fittings	Unused	
1			Parker	4Z(A)-C4L-10-SS-GR			Tube Fittings	Unused		
1			Swagelok	ZG7			Tube Fittings	Unused		
PA79	16	8"	150#	Lamons	RTJ	Yellow Zinc Chromate			Unused	\$
	12	6"	150#	Lamons	RTJ	Yellow Zinc Chromate			Unused	
PCPS80	16	3/4"	2000 WOG	KF Industries	Thrd. Ball Valve				Unused	\$
	5	3/4"	2000 WOG	Amako	Thrd. Ball Valve	A105/Nace			Unused	
	1	1-1/2"	2000 WOG	Amako	Thrd. Ball Valve	A105/Nace			Unused	
	4	1-1/2"	2000 WOG	Fusion	Thrd. Ball Valve	Nace			Unused	
PCPS81	4	1/2"	1500 WOG	Amako	Thrd. Ball Valve	WCB			Unused	\$
	1	1"	2500 WOG	Quadrant	SW Ball Valve	WCB / Nace			Unused	
	1	1-1/2"	2500 WOG	Quadrant	Thrd. x SW Ball Valve	WCB / Nace			Unused	

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
PCPS82	9	1/4"	2000 WOG	Quadrant	Thrd. Ball Valve	CF8M / Nace			Unused	\$
PCPS83	1	1/2"	10000 PSI	KF Industries	Thrd. Needle Valve			F x M	Unused	\$
	1	1/2"	10000 PSI	Precision	Thrd. Needle Valve	316		F x M	Unused	
PCPS84	6	1"	800#	DSI	Thrd. Check	A105			Unused	\$
PCPS85	2	2"	150#	KF Industries	RF Check	WCB			Unused	\$
PCPS86	1	2"	150#	Warren	RF 2 pc. Ball Valve	WCB			Unused	\$
PCPS87	1	1-1/2"	300#	KF Industries	RF Ball Valve	WCB			Unused	\$
PCPS88	3	1"	600#	KF Industries	RF Ball Valve	LCC			Unused	\$
PCPS89	2	1"	300#	Precision	Isomation Maniflange	CS			Unused	\$
PCPS90	9	1/4"	250 PSI	Beaumont Mfg.	RG30 Pressure Regulator		RG30-2		Unused	\$
PCPS91	24	1/4"	250 PSI	Belgas	Pressure Regulator		BEL54592		Unused	\$
PCPS92	4	1/2" LM	0-200 PSI	WIKA	4-1/2" Gauges	316		Tube Connection	Unused	\$
	2	1/2" BM	0-800 PSI	ReoTemp	4" Gauges	SS	DR-40S102P24-G-T-NC	Glycerin Filled	Unused	
PCPS93	3	1"	100 PSIG	Taylor Valve	Thrd. Relief Valve		T-8250-1	Stamped	Unused	\$
	2	1"		Mercer	Thrd. Relief Valve		91-28E51V6012	Stamped	Unused	
PA94	3	8"		Enardo	Emergency Relief Vent	WCB	2008-24T-1		Unused	\$
PA95	3	8"		DND	Gas Repair Clamp			Range 13.77 - 14.17	Unused	\$
PA96	1	1"	150#	AG	Pilot Regulator RF	CS/316	04 528 24		Unused	\$
PA97	1	2" NPT		Midland	Filter & Regulator Assembly	SS	2FRMSF082A/9FLMMSN202		Unused	\$
PA98	1	1-1/2" x 2"		Teledyne/Farris	Thrd. Relief Valve		FS-200-PT-BR1"-AD5-EP		Unused	\$
PA99	1	2"	150#	Fisher	FF Regulator	CI	Type 166-36		Unused	\$
PA100	20	1/4" NPT		Versatile	Air Filter Regulator	316			Unused	\$
PA101	3	1"	4000#	Linc	Diaphragm Valve		400 111 111		Unused	\$
PA102	6	1"	700#	Linc	Diaphragm Valve		400 211 131		Unused	\$
PA103	1	4"	150 PSI	Spears	Flanged Gate Valve	CPVC	2033-040C		Unused	\$
	1	4"	151 PSI	Spears	Flanged Gate Valve	PVCI	2033-040		Unused	
PA104	1	2"	45 PSIG	Varec	Relief Valve	CS	350		Unused	\$
	1	4"		Shand & Jurs	Vacuum Vent	316	94103-5503001		Unused	
PA105	1	6"	10 PSI	Protectoseal	Pressure Relief Vent	SS	F9806PF		Unused	\$
PA106	1	3"		Enardo	Breather Vent Valve	WCB	950-3-521		Unused	\$
PA107	1	4"	14.9 PSIG	Protectoseal	Pressure Relief Vent	SS/CS	C9804PG		Unused	\$
PA108	20	1/4"	800#	Warren	Thrd. Y Strainer	CF8M			Unused	\$
PA109	19	1/4"	800#	Warren	Thrd. Y Strainer	CF8M			Unused	\$
PA110	20	1/4"	800#	Warren	Thrd. Y Strainer	CF8M			Unused	\$
PA111	20	1/4"	800#	Warren	Thrd. Y Strainer	CF8M			Unused	\$
PA112	1	12"	300 PSI	Victaulic	Check Valve	DI	Series 716		Unused	\$
PA113	1	3"	285 CWP	Sure Flow Equip.	Elastic Swing Foot Valve	DI	CFX12511		Unused	\$

LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
PA114	4	4"	150#	Sure Flow Equip.	Flanged Basket Strainer	WCB	BF150C		Unused	\$
PA115	2	4"	150#	Mueller	Basket Strainer	WCB	G1821/G1825		Unused	\$
PA116	2	6"	150#	Sure Flow Equip.	Flanged Basket Strainer	WCB	BF150C		Unused	\$
PA117	2	2"	150#/STD		Flanged Swivel Joint	CS			Unused	\$
PA118	1	3"	150#	Sure Flow Equip.	Flanged Basket Strainer	WCB	BF150C		Unused	\$
PA119	1	1" FNPT	300 PSI	Jordan	Sliding Gate Pressure Regulator	VIT/SST	68	Range 3 - 10	Unused	\$
	1	1/4" FNPT	300 PSI	Jordan	Sliding Gate Pressure Regulator	DI/SS	60	Range 4 - 30	Unused	
	2	1" FNPT	300 PSI	Jordan	Sliding Gate Pressure Regulator	CS/303SS	60QC	Range 60 - 160	Unused	
	1	1"	300 PSI	Jordan	Sliding Gate Pressure Regulator	CS/316	60	Range 1 - 5	Unused	
	1	1"	600#	Jordan	Sliding Gate Pressure Regulator	CS	60	Range 2 - 12	Unused	
	1	1"	600#	Jordan	Sliding Gate Pressure Regulator	CS	60	Range 1 - 5	Unused	
	1	1"	300/650 PSI	Jordan	Sliding Gate Pressure Regulator	CS/303SS	60	Range 5 - 20	Unused	
	1	1" FNPT	150 PSI	Jordan	Gas Back Pressure Regulator	CS/SST	608	Range 4 - 10	Unused	
	1	1/2" FNPT	300 PSI	Jordan	Sliding Gate Pressure Regulator	316/SST	51	Range 2 - 10	Unused	
	1	1"	535 PSI	Jordan	Flanged Self Operated Back Pressure Regulator	CS/316/TEF	50HP	Range 100 - 320	Unused	
1	1/2"		Jordan	Back Pressure Regulator	DI	60		Unused		
PA120	1	4"		Smith-Blair	Coupling				Unused	\$
	1	6"		Smith-Blair	Coupling				Unused	
	2	3.25" OD		DMD	Dresser Coupling				Unused	
	3	4-1/2"		DMD	Dresser Coupling				Unused	
	2	2.38"		Smith-Blair	Coupling		S-B20851R		Unused	
PA121	1			Murphy	"Tattletale" Magnetic Failure Relay Switch		M4264-1CD		Unused	\$
	3			Murphy	Oil Level Regulator		LR579	For Lubricators	Unused	
	2	1/2" NPT	5 Amps	Murphy	Shock Vibration Switch		VS2EX		Unused	
PA122	1	8"	300#	DFT Excalibur	Check Valve	WCB/316	46438		Unused	\$
PA123	4	10"		Skinner Seal	Emergency Pipe Clamps				Unused	\$
	2	8"		Skinner Seal	Emergency Pipe Clamps				Unused	
	5	1-1/4"		Skinner Seal	Emergency Pipe Clamps				Unused	
	4	1"		Skinner Seal	Emergency Pipe Clamps				Unused	
TRX124	4	3/4"		Conbraco	Compression Gauge Cock	Teflon Seat	26-507-01		Unused	\$
TRX125	2	1"	200 PSI	Kunkle	Relief Valve		6010FEM01-KM	Stamped	Unused	\$
TRX126	2	1"	1200 PSI	Wellmark	Relief Valve		V9501-RS816000	Stamped	Unused	\$
	1	1 E 1-1/2"	150#	Farris	Relief Valve	WCB	27EA34-F20	Stamped	Unused	
TRX127	1	4"	200#	Milwaukee Valve	Lug Butterfly				Unused	\$
	1	6"	200#	Milwaukee Valve	Lug Butterfly				Unused	
TRX128	1	8"	125 PSI	Techno Corp	Check Valve	CF8M	D6790		Unused	\$



LOT	QTY	SIZE	RATING	MFG	TYPE	MATERIAL	MODEL / PART NUMBER	NOTES	CONDITION	LOT BID
TRX129	2	1-1/2"	60#	Victaulic	Roust-A-Bout Coupling		Style 99	Torque-Bolt	Unused	\$
	2	2"	60#	Victaulic	Roust-A-Bout Coupling			Torque-Bolt	Unused	
	2	4"		Victaulic	Roust-A-Bout Coupling		Style 995N		Unused	
TRX130	60	.774 - .838		Curtiss Wright	Heat Exchanger Tube Plugging System		V-774-C		Unused	\$
TRX131	6	1" x 3/4"	XH	C & C	Thrd.x Thrd. Swage	WPB / Plated		41 lbs.	Unused	\$
	3	1-1/4" x 1"	XH	STD Fittings	Thrd.x Thrd. Swage	WPB / Plated			Unused	
	2	2" x 1-1/4"	XH		Thrd.x Thrd. Swage	WPB / Plated			Unused	
	2	6" x 4"	S40		Thrd.x Thrd. Swage	WPB / Plated			Unused	
TRX132	20	2"	3M		Thrd. 90	316		120 lbs.	Unused	\$
133	Lot Not Available									
TRX134	1	4"	STD		BW 45	WPB		153 lbs.	Unused	\$
	1	3" x 2"	150# XH		WN RF	A105			Unused	
	1	6" x 8"	150# XH		SO RF	A105			Unused	
	1	6" x 2"	150# XH		WN RF	A105			Unused	
	1	6" x 3"	150# XH		SO RF	A105			Unused	
PA135	35			Various	Thermometers			0 - 200/220 ° C/F	Unused	\$
PA136	14			Various	Thermometers			0 - 500/550 ° F	Unused	\$
PA137	4			ReoTemp	Thermometers			0 - 1200 ° F	Unused	\$
PA138	10			Various	Thermometers			0 - 400 ° F	Unused	\$
PA139	5			Tel-Tru	Thermometers			0 - 100 ° F	Unused	\$
PA140	21			Various	Thermometers			0 - 240/300 ° F	Unused	\$
PA141	33			Various	Thermometers			0 - 200 ° C-F	Unused	\$
PA142	26			Various	Thermometers			0 - 250 ° F	Unused	\$