



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 19-043

NEW Electrical Equipment & Components Sale

CROUSE HINDS, GE, SQUARE D, ABB & MORE

Sealed Bid Sale

Attention
 Google chrome or Firefox users.
 Please read special instructions
before entering data.

Bidder Information

Company: _____

(Signature)	(Printed Name)	(Date)	(Phone Number)
Inspected Surplus	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
	(Check One)		

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

Bid Close: Friday, November 1st @ NOON

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 3:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

******PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS******

Please visit our web site www.slevysurplus.com for more available equipment.

SLE 19-043 NEW Electrical Equipment & Components Sale

Company: _____

Bidder: _____

Phone: _____

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP1	232	1	293B254A20	RELAY,DISCRETE,CONTROL,SG TYPE, 125 VOLTS DC, 2 FORM C CONTACTS, SOLID COVER AND BASE, FRONT CONNECTED	IIP1 (Pallet 232) Conti. Next Page
		20	HBL7484	RECEPTACLE,HAZARDOUS,INDOOR,120A/250V 2W TWIST-LOCK	
		10	40794P01	ELECTRICAL COMPONENT,OTHER,,SEC. DISCONNECT FEMALE.	
		29	27E893	P&B Socket for KU Series Panel Plug-in Relay, DIN Rail Mounted.	
		4	60900P15	CONTROL PANEL	
		5	800H-AR6A	ALLEN BRADLEY FLUSH HEAD PUSH BUTTON RED CAP	
		36	27E891	8-PIN SOCKET, DIN RAIL MTD POTTER AND BRUMFIELD	
		11	49492P00000532	TOP COVER	
		6	49492P00000689	FRONT COVER W HOLE	
		2	800T-A6D2	PB/A-B MOMENTARY CONTACT	
		7	CR104PBG10B1	PUSHBUTTON.GE	
		2	60900P04	VT MOUNTING BRACKET	
		80	3003020	PHOENIX END COVER	
		2	1C742	DAYTON SINGLE PANEL	
		2	C273A-015	CABLE,COMMUN/DATA/VOICE,COPPER,FOR SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMM PROCESSORS (DATA AND IRIG-B). 15FT LONG.	
		13	1039-U6	SUBASSEMBLY,MECHANICAL,,HINGE EMKA BOLT-ON	
		10	CGB295	CROUSE-HINDS/COOPER CABLE CONNECTOR, 3/4	
		1	C273A-045	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 45FT LONG.	
		3	49492P00000685	BACK COVER W HOLE	
		8	10658	SWITCHGEAR,LV SWITCHGEAR,KIT,COMPRESSION SPRING, OD-1.343, ID-1.219, FREE LENGTH-3.310, RATE 1.8, SOLID HEIGHT .540	
		55	N0N30	BUSSMANN/COOPER FUSE 30A 250V	
		2	60900P14	VI TESTER MOUNTING BRACKET	
		1	EB27B06S	GE 6 PT TB SHORTING-TYPE	
		4	1000-U546	SUBASSEMBLY,MECHANICAL,,EMKA T-HANDLE, NO LOCK,	
		4	1313P01	DOOR HINGE CONCEALED	
		3	44439P02PRESS NUT	
		1	26262P00004302	GRAB HANDLE EBERHARD PART# 4302	
		4	1310P01	HINGE BARREL ROLLED	
		4	S14810	SUBASSEMBLY,MECHANICAL,,CORBIN HANDLE, SCREEN	
		8	97510A501	HARDWARE,FASTENER,STANDARD,PIN DRIVE ANCHOR	
		1	BE1-25AA2F5V3D1	Automatic Synchornizeing	
		1	M-3425A-13552	Relay Protection Generator	
1	985.78	Leeson 3HP 40RPM 120V Frame 30 Motor			
3	C906-010 C960-010	Cable, Commun/Data/Voice, Copper, SEL			
2	C960-30FT	Cable, Commun/Data/Voice, Copper, Electrica			
32	97-60-28P	Amphenol Caps			
20	1502STD	Terminal Block, Power, 2PT, 1500 Series			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP1	232	1	EHD2015	Eaton Terminal Breaker	\$
		18	CGB194	Cooper Crouse Hinds Fittings	
		3	PRNO	CE Controls C Powered Reed	
		6	PRNC	CE Controls C Powered Reed	
		1	800H-AR2A	AB Push Button	
		2	60900P01	Panel	
		3	51038810	Hoffman Plastic Enxlosure 5x4	
IIP2	322	27	80157-983-53	KEY INTERLOCK ASSEMBLY	\$
		17	9L12PPM015S	SURGE ARRESTOR INTERMEDIATE CLASS, POLYMER, 12.7KV MCOV, STUD MOUNTED	
		30	PII20A28-D6D6	INSULATOR, STANDOFF, POLYCAST INTERNATIONAL, CAST EC-A EPOXY, 28KV, 150KV BIL, 10-1/2" T X 4" D , (2)3/8-16" 2-1/4" BCD TOP & BOT, STYLE# 105-228-Q17207	
		40	27E893	P&B Socket for KU Series Panel Plug-in Relay, DIN Rail Mounted.	
		28	6350-S104X2	MAR-BAL 3 1/2" HEIGHT, STANDOFF INSULATOR	
		21	26262P00004302	GRAB HANDLE EBERHARD PART# 4302	
		18	BLB00001	LIGHT BULB, OPERATING VOLTAGE 120AC, MEDIUM BASE, A19, COLOR TEMP APPROX. 5000K, APPROX. 450LUMENS	
		10	1087-U1	SUBASSEMBLY,MECHANICAL,,DOOR WINDSTOP 3 PIECE	
		6	TA-250	LUG, 1 CONDUCTOR AL/CU, 250 KCMIL-6 AWG, 5/16 BOLT UL File E6207 Listed to UL 486A/B & UL467	
IIP3	400	2	M-4272-6AB1EH0	RELAY,PROTECTION,DISTRIBUTION,BECKWITH DIGITAL MOTOR BUS TRANSFER SYSTEM M-4272, 6 - OPERATING FREQ - 60HZ, A - CT SECONDARY INPUT - 5A,	\$
		3	751001A3A2A0X860200	RELAY,PROTECTION,MULTIFUNCTION,SEL-751 FEEDER PROTECTION RELAY, STD FIRMWARE,	
		11	7804D 7803D	AUX RLY H-RST 120VDC/	
		6	54487	CU COMP LUG 750MCM,9/16	
		4	837A665G01	FLEXITEST SW, ABB, 10P C-C P P P P P P P P	
		8	24204d	SWITCH.ELECTROSWITCH	
		2	CR104PBG10R1	PB ASSY/GE-STD-1NO-RED	
IIP4	401	1	TLM20412CCU	GE Indoor AC Load Center	IIP4 (Pallet 401) Conti. Next Page
		1	GE100MBDC4010T	Panelboard	
		2	CCH-CS24-A8-P00KE	CASSETTE,CCH PIGTAILED SPLICE, 24 F,LC UPC DUPLEX,MULTIMODE (OM1)	
		1	MC4001	BARD DUAL UNIT LEAD/LAG CONTROLLER.	
		1	GE200MB1P3W4222T	PANEL BOARD,AC SINGLE PHASE,CIRCUIT BREAKER,GE TYPE AQ, SURFACE MOUNTED, 225A BARE COPPER MAIN BUS, 200A MAIN BREAKER, 120/240V, 1P, 3W, 42CKT SPACES, 22KAIC, TOP FEED, BOLT ON BRANCH	
		2	7620-T-95	3M/5KV COLD SHRINK	
		1	MST01DN1P	EATON, MANUAL MOTOR STARTER SWITCH, MST01DN1P, MS SERIES TOGGLE OPERATED	
		1	N1C242412LP	ENCLOSURE,INDOOR,WALL MOUNT,N1C SERIES, NEMA 1, HINGED, 14 GAUGE STEEL, 24"W X 24"H X 12.75"D, ANSI 61, WEIGMANN	
		4	C962-020	CABLE,COMMUN/DATA/VOICE,COPPER,COMM CABLE TYPE C962, 20FT LENGTH, RG-58 COAXIAL WITH 1-BNC AT ONE END AND TIN, LEADS (2) AT THE OTHER END; FOR GPS CLOCK	
		2	C273a-032	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 32FT LONG.	
		6	C953-008	CABLE,COMMUN/DATA/VOICE,COPPER,RG-58 CABLE WITH BNC MALE CONNECTORS ON EACH END, 8FT LONG.	
		2	F2HDJ62.5STST-050	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS ST CONNECTORS BOTH ENDS, 50 FEET LONG	
1	C273A-040	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 40FT LONG.			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP4	401	1	C273a-026	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 26FT LONG.	\$
		1	C273a-028	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 28FT LONG.	
		1	C273A-023	CABLE,COMMUN/DATA/VOICE,COPPER,FOR CONNECTING SEL-300/400/500/700 SERIES PRODUCTS (EXCEPT SEL-321) TO SEL COMMUNICATIONS PROCESSORS (DATA AND IRIG-B). 23FT LONG.	
		2	C953-015	CABLE,CONTROL,SHIELDED,RG-58 15FT CABLE WITH BNC CONNECTORS AT BOTH ENDS	
		2	CR104PEG11	PB STATION/GE 1-HOLE	
		1	C953-025	CABLE,COMMUN/DATA/VOICE,COPPER,RG-58 CABLE WITH BNC MALE CONNECTORS ON EACH END, 25FT LONG.	
		1	C962-001	CABLE,COMMUN/DATA/VOICE,COPPER,RG-58 1FT BNC CONNECTOR TO TINNED WIRES.	
		11	NON-100	FUSE, 100 AMP CLASS H	
		1	56SFT-601	CT/ ITI 600:5A Metering	
		2	56SFT-401	CT/ ITI 400:5A Metering	
1	56SFT-801	CT/ ITI 800:5A Metering			
IIP5	402	1	GE125MB3P4W4210T	PANELBOARD, GE, TYPE AQ,	\$
		1	GE225MB3P4W4210T	PANELBOARD, GE, TYPE AQ,	
IIP6	403	28	700-HA32Z24	CONTROL RELAY, A-B,	\$
		5	IW2000	ELECTRICAL COMPONENT,IR INSPECTION WINDOW,,2" CRYSTAL WINDOW, HYDROGARD COATED CRYSTAL LENS, 0.07± THICKNESS, 96% I.R. TRANSMISSION,	
		28	700-HN125	ALLEN BRADLEY 8 PIN	
		3	MET005	Post Glover, Portable Clamp-On Detector	
		1	WLLFT	BREAKER LIFTING DEVICE/	
		3	610-BOX	LIGHT,BULB,LED,LAMPHOLDER EAGLE 250V 660W MEDIUM BASE SCREW TERMINALS	
		3	21-101	Transformer, Current, Single Phase, GE/ITI Model 21, Single Ratio, Ratio 100:5A, Frequency 50-400HZ, Insulation Level 0.6KV, BIL 10KV, Relay Class C10,	
		6	A4J6	SHAWMUT CLASS J CLF 6A	
		1	KUEP-11A15-120	P&B General Purpose Relay, Coil Voltage 120VAC, Operating Time @ nominal voltage Pick-up 15ms, Drop-out 10ms, Contacts 2 Form-C, Contacts Rating Resistive Load 5A-120VAC, 3A/150VDC,	
		4	26262P00004302	GRAB HANDLE EBERHARD PART# 4302	
		6	113084.01	#N/A	
		6	206351.16	Terminal Block	
		11	219DXBP-125VDC	Struthers-Dunn Relay	
6	BNE30W	#N/A			
430	BNH30W	DEC Terminal Block			
6	BNL-5	#N/A			
IIP7	404	1	N1C364809	ENCLOSURE,INDOOR,WALL MOUNT,WIEGMANN N1C SERIES - N1 HINGED 48X36X9	\$
IIP8	405	33	PDRSS232UNVEL4EB81U	LIGHT,NON HAZARDOUS,INDOOR,INTERIOR FLUOR LIGHT WITH BATTERY BACK-UP, COOPER LIGHTING- METALUX, 1 20-277 VAC	\$
IIP9	406	1	P015KBKB	15KVA TRANSFORMER, HAMMOND, ENCASULATED, 80 DEGREE C RISE,	\$
IIP10	407	1	P015KBKB	15KVA TRANSFORMER, HAMMOND, ENCASULATED, 80 DEGREE C RISE,	\$
IIP11	408	36	69076X195GR13	FLEX BRAID 8 X 16" TIN PLATED	\$
IIP12	409	2	751a51aca6x74851231	RELAY,PROTECTION,MULTIFUNCTION,FEEDER PROTECTION RELAY,	IIP12 (Pallet 409) Conti. Next Page
		2	efsc275-2023gfi	GFI FACTORY SEALED EXPLOSION PROOF, DUST-IGNITIONPROOF GROUND FAULT CIRCUIT INTERRUPTER, APPLETON,	
		2	751a01a3a1a73851220	SEL 751A PROTECTION RELAY	
		1	751A01ACA6X73851320	RELAY,PROTECTION,DISTRIBUTION,SEL-751A FEEDER PROTECTION RELAY	
		6	7012nb	AGASTAT/TIMING RELAY	
		6	USAA021017A105BB21	ARRESTOR,STATION CLASS,,SURGE ARRESTOR/COOPER	

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP12	409	18	012-75aa-lamt-c7-b3	2.5" SAXON PANEL AC AMMETER, 0-1 AMP AC INPUT, 0-10 AMP AC SCALE, 3 MOUNTING STUDS, ANSI C39.1 UL	\$
		2	hfd2030	CB-MC/W SERIES C 2P 30A	
		1	lc1d65008g7	CONTACTOR, SQUARE D	
		5	CT377-162	TRANSFORMER, CURRENT, AMRAN, 600V, 1600:5A RATIO, 10KV BIL, CLASS C50	
		2	012-75aa-lsnd-c6-b3	METER,SINGLE FUNCTION,ANALOG,AMMETER,CROMPTON 0-15A TRANSFORMER RATED 5A,	
		1	ev2ih20	CROUSE-HINDS PHOTOCELL IN EIH ENCLOSURE FOR USE IN CLASS 1, DIV 1, GROUPS B,C&D; CLASS II, DIV 1, GROUPS E,F,&G; AND CLASS III LOCATIONS. 120V, 50/60HZ	
		18	TCF15RN	BUSSMANN CUBEFUSE, 15A, NON-INDICATING, DUAL-ELEMENT TIME DELAY, 600VAC/300VDC RATED FOR 300KAIC, UL/CSA LISTED, CLASS J FUSE	
		2	ct377-202	TRANSFORMER,CURRENT, AMRAN, 600V, 2000:5A RATIO, 10KV BIL, CLASS C100	
		2	012-75aa-ndnd-c7-b3	METER,SINGLE FUNCTION,ANALOG,0-15A SCALE, SELF-CONTAINED, 2-1/2 CASE SIZE, SAXON PANEL TYPE, 50/60 HZ, +/-2% ACCURACY, TRUE RMS READING, 3 STUD CONFIG.	
		15	NON-100	FUSE, 100 AMP CLASS H	
		1	27E893	P&B Socket for KU Series Panel Plug-in Relay, DIN Rail Mounted.	
		3	27755	XFMR, Current, 1600:5 Split-Cor Rcct	
		48	02-002-022E07	11J Family Insulator	
		4	PN-D12659	AB Battery Unit	
		1	SEPA36AT0100	GE Circuit Breaker	
		1	FT-083	GE Connector	
1	CT377-102 CT377-162	Transformer			
6	012-71AA-LSLC-C7-63	Meter Single Function Analog			
IIP13	410	1	MIB-3-0-HI-C-E-000-00	RELAY,PROTECTION,DIFFERENTIAL,RELAY, DIFFERENTIAL	\$
		1	751A51A1A3A73851231	RELAY,PROTECTION,DISTRIBUTION,SEL-751A FEEDER PROTECTION RELAY	
		29	102108LP	BREAKER AUXILIARY SWITCH 5NO/4NC	
		11	M-25028	TERMINAL BLOCK,CONTROL CABLE,,STATES TYPE NT TERMINAL BLOCK, M - WHITE MARKER STRIP WITH BLACK CENTER FOR ENGRAVING, 250 - SLIDING LINK/WITH STAINLESS STEEL SCREW, 28 - 28-POLE, FRONT-CONNECTED POTENTIAL, 50A/600V RATINGS FOR 250 SERIES.	
		1	HFD3080	CB-MC/W SERIES C 3P 80A	
		3	HFD3100	CB-MC/W SERIES C 3P	
		2	HFD2030	CB-MC/W SERIES C 2P 30A	
		2	HFD2060	CB-MC/W SERIES C 2P 60A	
		1	HFD3040	CB-MC/W SERIES C 3P 40A	
		2	HFD3030	CB-MC/W SERIES C 3P 30A	
		2	HFD3015	CB-MC/W SERIES C 3P 15A	
		4	HFD1015	CB-MC/W SERIES C 1P 15A	
		6	CT377-162	TRANSFORMER, CURRENT, AMRAN, 600V, 1600:5A RATIO, 10KV BIL, CLASS C50	
		6	PT104-480	TRANSFORMER, POTENTIAL, 600V RATED, RATIO 4:1, 480V PRIMARY, 120V SECONDARY, 150VA@30C (UNFUSED)	
		1	HFD3050	C/B-MC/W SERIES C 3P	
		1	HFD3020	CB-MC/W SERIES C 3P 20A	
		1	HFD3060	CB-MC/W SERIES C 3P 60A	
		15	10250T51	C-H CONTACT BLOCK 1-NC	
		1	24203B	ELECTROSWITCH DOUBLE THROW SWITCH, 3 DECKS	
		1	C272A-005	CABLE,COMMUN/DATA/VOICE,COPPER,CABLE KIT, SCHWEITZER ENG, 5 FT	
		1	869E-P5-P5-B5-HRN-AAN-	GE Digital Energy Multilin	
		1	NE-FWMB01	Eaton Modbus TCP Firewall	
		1	SG110-16-NA	16 Port Gigabit Switch	
1	FT-178	GE Contactor			
1	HFD3045	45A Cirtui Breaker			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP14	413	1	PTW5-2-110-123FF	PT/ITI 12000/120V, 60HZ	\$
IIP15	414	1	PTW5-2-110-123FF	PT/ITI 12000/120V, 60HZ	\$
IIP16	418	404	C627-10FT	SEL TYPE C627, CAT 5E ETHERNET CABLE	IIP16 (PALLET 418) Conti. Next Page
		21	700-CF400D	CONTROL RELAY (4N.O.) AB, REYNOLDS	
		1	7022PD	TIMING REL/AGASTAT	
		3	8903L060V02	SQUARE D LIGHTING CONTACTOR	
		3	UIAA045036A205BB21	ARRESTOR,INTERMEDIATE CLASS,,SURGE ARRESTOR/COOPER	
		2	700DC-P400-Z24	ALLEN-BRADLEY TYPE P RLY	
		744	0477.500MXP	500VAC/400VDC,SLO-BLO,5X200MM,0.500A	
		1	8903LG60V02-C	SQ-D LIGHTING CONTACTOR	
		1	RR2BA-US-DC110V	RELAY, IDEC 110VDC	
		49	1000-U189	SUBASSEMBLY,MECHANICAL,,HANDLE-L EMKA W/PADLOCK	
		16	671TR	RECEPTACLE,NON HAZARDOUS,INDOOR,INTERIOR RECEPTACLE, PASS & SEYMOUR,	
		6	28283P00004039	GUIDE BUSHING	
		9	116B6708G43R73R4	LIGHT,NON HAZARDOUS,INDOOR,GE INDICATING LIGHT, ET-16 SERIES,	
		2	9001KA1G	SQ-D PUSHBUTTON CONTACT	
		14	51887P09	SPACER	
		4	VAKP120A	MACROMATIC UNDER/OVER VOLTAGE RELAY, ADJUSTABLE TIME DELAY ON DROP OUT, ADJUSTABLE PICK-UP AND DROP-OFF POINTS, SUP: 120 VAC	
		6	2C20DL	ALTECH MINIATURE MOLDED CASE CIRCUIT BREAKERS, DIN RAIL MOUNTED, IP20 PROTECTION, RATED VOLTAGE: 250VDC, C-TRIP CHARACTERISTIC, UL LISTED E329510	
		89	20316	FUSE BLOCK MERSEN 30A, 250V, 1P, SCREW, CLASS H	
		3	28289P11193401	MOLDED RING INTO EPOXY BUSHING FOR 38KV PT/CPT ROLLOUT CELLS	
		3	77610P01	COPPER ADAPTOR BLOCK	
		5	MS25043-28D	RECEPTACLE,NON HAZARDOUS,INDOOR,FEMALE CONNECTOR CAP, SIZE 28	
		3	30312R	FUSE BLOCK 2-POLE,	
		18	250-240-MTMT-UL	METER,SINGLE FUNCTION,ANALOG,0-10A SELF CONTAINED 25-400HZ, IRON VANE, PIVOT AND JEWEL, UL	
		17	HXJ60W	CAT6 JACK / HUBBELL	
		10	35351P00000054	MOVING CONTACT SPACER	
		4	50703P40	COMPRESSION SPRING	
		1	PS5R-VF24	IDEC POWER SUPPLY 24VDC/120w OUTPUT, 85-264VAC,100-370VDC INPUT	
		44	IFP14W	COMPUTER,ACCESSORY,MISC,HUBBELL, FACE PLATE, ONE-GANG, FOUR-PORT, WHITE.	
		3	840D612G04	BRACKET/W USED FOR MTG	
		12	0282A3506P002	SPRING CLIP P/N 9F61AWW630	
		36	1608570000	TERMINAL BLOCK,WEIDMULLER, ZDU2.5/4AN	
		1	2C20DL	ALTECH MINIATURE MOLDED CASE CIRCUIT BREAKERS, DIN RAIL MOUNTED, IP20 PROTECTION, RATED VOLTAGE:	
		1	2C20DL	ALTECH MINIATURE MOLDED CASE CIRCUIT BREAKERS, DIN RAIL MOUNTED, IP20 PROTECTION, RATED VOLTAGE:	
		2	H2014B-3	C-H C306 CLASS 20 O/L	
		123	CBCT343231	CONNECTOR, BNC, T, FEMALE-MALE-FEMALE	
		10	1492-CA3	A-B TERMINAL BLOCK 600V	
		42	1608800000	WEIDMULLER END PLATE, ZAP/TWP3	
		8	50267P01	SLIDING CONTACT SPACER	
		3	20318	FUSE BLOCK MERSEN 30A, 250V, 3P, SCREW, CLASS H	
		2	FS124	24 PIN ELECT.CONNECTOR	
		4	B5J100	RESISTOR/OHMITE 100 OHM,	
99	90130A033	WASHER,FLAT,1/2",1 1/16 O.D. X 3/32" THICK, EPDM RUBBER			
52	12301011	HEATER CABLE CLAMP, .025" AL			
4	1492-N8	MARKING STRIP/A-B			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP16	418	1	1000-U189	SUBASSEMBLY,MECHANICAL,,HANDLE-L EMKA W/PADLOCK	\$
		11pks	1723A1	HARDWARE,SPRING,,SPRING CLIP HOLDER	
		1	PS9Z-5R1G	MOUNTING BRACKET FOR IDEC PS5R-SF, PS5R-SG POWER SUPPLIES.	
		2	B12J1K5	RESISTOR,OHMITE 1500 OHM	
		4	0282A7207P004	BEARING TORRINGTON P/N B-78	
		56	IN5406	AXIAL LEAD RECTIFIER	
		4	0282A7025P001	PIN	
		2	50135P02	SLIDING CONTACT SPRING CONTAINER	
		2	0282A7022P001	CRANK *KANBAN*	
		1	F8T5-CW	FLOURESCENT LIGHT/GE	
7	1-480699	OBS (USE PART#1-480699-0)			
IIP17	419	2	24XST-024R-MOD	FSS EXPLO-PROOF STROBE LIGHT, 24VDC RED, 0.71A (2A INRUSH), 60 FLASHES/MIN.	\$
		10	9F61BNW751	GE LIVE PARTS-SIZE DD	
		167	2015-3A	1-1/2" HEIGHT, STANDOFF INSULATOR	
		128	2015-4C	2" HEIGHT, STANDOFF INSULATOR	
		1	80157-983-53	KEY INTERLOCK ASSEMBLY	
		2	PMXC-SB	FSS PENDANT MOUNT, 3/4" PIPE MOUNT	
		22	213-0401	SUBASSEMBLY,MECHANICAL,,TUBE - PULL HANDLE	
		4	MB-6350-S10	5KV RED STAND-OFF	
		5	YA282N	LUG, 4/0 AWG, DOUBLE HOLE, 1/2" STUD, 1.75 SPACING, LONG BARREL (BURNDY YA282N)	
		6	213-0101	SUBASSEMBLY,MECHANICAL,,ENDPIECE - PULL HANDLE	
1	276-17	Heater Strip			
IIP18	422	2	CPT3-60-15242A	Electrical System	\$
IIP19	423	20	HFD3015	CB-MC/W SERIES C 3P 15A	IIP19 (Pallet 423) Conti. Next Page
		6	HMCP5007COC	MCP/W/SERIES C 3P 7A	
		5	343L686G1	SWITCHGEAR,LV SWITCHGEAR,KIT,AKR 7-CIRC SEC DISC BLOCK	
		7	HMCP5003A0C	MCP/W SERIES C 3P 100A	
		4	CSF0000320035	CF 32 ROXTEC FRAME , 2 OPENING, 9.055" H X 5.118" W , ALUMINIUM PACKING SPACE 1.575" X6.299"	
		2	HFD3050	C/B-MC/W SERIES C 3P	
		6	AJT10	600V,10A CL.FUSE, TIME	
		1	HFD3020	CB-MC/W SERIES C 3P 20A	
		2	9F60CED025	CLF/EJ1 5500V/100KAIC 25E	
		4	9F61BWW457	FUSE CLIP - SIZE C	
		1	MLT-E03	MAGNET DOOR SW/MAGNELINK, SPDT	
		2	TSD3411S	Timing Module, SSAC, Model TSD3 Digi-Timer,	
		2	364-02AA-LSMT-C7	4.5" CHALLENGER AC AMMETER, 0-5 AMPS AC INPUT, 0-10 AMPS AC SCALE, 50/60 HZ, ANSI C39.1 UL	
		2	RLU120LG-PLLGN	LIGHT,NON HAZARDOUS,INDOOR,C3 CONTROLS INDICATING LIGHT, RESISTOR TYPE, 120V AC/DC, GREEN LED, BLACK POLYESTER CLAMP RING, LENS COLOR GREEN.	
		2	RLU120LR-PLLRD	LIGHT,NON HAZARDOUS,INDOOR,C3 CONTROLS INDICATING LIGHT, RESISTOR TYPE, 120V AC/DC, RED LED, BLACK POLYESTER CLAMP RING, LENS COLOR RED.	
		100	A4J30	SHAWMUT CLASS J CLF 30A	
		2	2X894	DOOR SW/CARLING SPST	
		2	USM2	Fuse Holder, Mersen UltraSafe Fuse Holder, 2P Midget Type, 30A Rating, 800VAC/1000VDC, No Visual Indicator,	
		2	P1023-20	DIN MOUNT ADAPTOR/SSAC,	
		2	F30A3S	MARATHON 3P/30A 250V FUSE	
2	CR104PXN1B-POW2	LEGEND PLATE-GE PART NO.			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP19	423	2	CR104PXN1B-POW1	LEGEND PLATE-GE PART NO.	\$
		2	CR104PXN1B-POW3	LEGEND PLATE- GE PART NO.	
		2	1000-U546	SUBASSEMBLY,MECHANICAL,,EMKA T-HANDLE, NO LOCK,	
		2	30054P03	CABLE SUPPORT CPT/ FUSE	
		2	30054P01	CABLE SUPPORT FUSE	
		8	FNM-20	FUSE, SUPPLEMENTAL, 250VAC, TIME-DELAY, 20AMP, 10KA IR RMS SYM, 13/32" X 1-1/2"	
		2	CR104PXN1BP030	NP/GE-RESET/BLACK	
		6	NON6	BUSSMANN/COOPER FUSE 6A 250V	
		2	1000-28	CAM EMKA TILT-OUT (B-4-2-50)	
		2	OTM10	FUSE,LOW VOLTAGE,,MERSEN FAST-ACTING MIDGET FUSE, 250VAC, 10A RATINGS, 10KA IR, UL LISTED FILE E33925, CSA NO. 248.14	
		4	6350-5104X2	Insulator	
		2	CR104PXN1B-P043	Plate Cover	
		1	PCTW3-60-T50-100	GE Transformer	
		1	JD63T225	Siemens Trip Unit	
		1	214538-08-00-3	Siemens Plug In Unit	
		1	HFDE30835	Eaton Breaker	
		12	AN16DNO	Eaton Connectors	
		1	AN16NNO	Eaton Connectors	
		3	AN16KNO	Eaton Connectors	
		1000	TFDL2104	CABLE,COMMUN/DATA/VOICE,COPPER,CATEGORY 5E SHIELDED, 4-PR. SOLID LSZH 24 AWG	
5	HFDE308035	Eaton Breaker			
1	FDB2125	Eaton Breaker			
385	T HANDLE	Handles			
IIP20	424	41	C320KGS32	BASE CONT/CH,NONC,SD,SZ.3	IIP20 (Pallet 424) Conti. Next Page
		1	90293A293	T-Handle Push Button Pin 3/8" Dia. 3-1/4" Usable Length	
		9	OTDC32F2	SWITCH/PUSHBUTTON,ISOLATION,,DOOR MOUNTING SWITCH-DISCONNECTORS	
		3	292B319G22	W/FT-1 TEST PLUG	
		113	CR151B20AF	TERMINAL BLOCK, 12 POLE	
		48	TBAT3	TERM. BLOCK C-H 3-CKT	
		1500	0282A3501P001	MICRO NO. 0437516HN NUT	
		4	TR600R	GOULD/SHAWMUT 600A FUSE, 250VAC 200KAIR CLASS RK5 250VDC 20KAIR	
		4	BI7-M18-AD4X-H1141	ELECTRICAL COMPONENT,OTHER,,SENSOR, INDUCTIVE, 18MM EMBEDDABLE EUROFAST CONN, 7MM SENSING	
		100	90579P01	SUPPORT, R/O MOUNT	
		6	OPM-1038	BUSSMANN/COOPER FUSE HOLDER	
		8	OT25FT3	SWITCH/PUSHBUTTON,ISOLATION,,DOOR MOUNTING SWITCH-DISCONNECTORS	
		75	50706P07	TORSION SPRING	
		60	CR151B60AF	TERMINAL BLOCK, 6 POLE	
		3	C953-009	CABLE,COMMUN/DATA/VOICE,COPPER,RG-58 CABLE WITH BNC MALE CONNECTORS ON EACH END, 9FT LONG.	
		61	206070-1	SHIELD AND STRAIN RELIEF	
		160	2051500000	WEIDMULLER PUSH IN TERMINAL BLOCK, 4 CLAMPING POINTS	
		12	50F2857	POWER INLET/FUSE/SWITCH	
		2	3C10UL	ALTECH MINIATURE MOLDED CASE CIRCUIT BREAKERS, DIN RAIL MOUNTED, IP20 PROTECTION, RATED VOLTAGE: 277VAC 50/60HZ, SHORT CIRCUIT:10KA, C-TRIP CHARACTERISTIC, LINE/LOAD REVERSABLE, UL LISTED E329510	
		40	CR151B40AF	TERMINAL BLOCK,POWER,,4 POLE, 30A HEAD SCREW BOTH SIDES WITH WHITE MARKING STRIP AND PLASTIC COVER	
14	804073	MARKER CARD/PHOENIX,			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP20	424	171	3004362	TERMINAL BLOCK, PHOENIX	IIP20 (Pallet 424) Conti. Next Page
		9	OHYS3RH	SWITCH/PUSHBUTTON,ISOLATION,,RED HANDLES, DOOR MOUNTED SWITCHES.	
		6	YA38-2NFXB	BURNDY LUG 535.3 KCMIL	
		50	OXS6X85	SWITCH/PUSHBUTTON,DC SWITCH,,85MM SHAFT FOR OT SWITCHES	
		40	1905060000	TERMINAL BLOCK,CONTROL CABLE,,W-SERIES, SCREW CONNECTIONS, 2-PER SIDE, 2-LEVEL, 10AWG MAX WIRE SIZE, DARK BEIGE COLOR	
		150	50213P02	PUSH TO CLOSE INTERLOCK BEAM SUPPORT	
		3	PH121	FUSE HOLDER, BOLTSWITCH	
		34	27-9101	BNC CONNECTOR, AIM, MALE,	
		4	SROLRC-SHWE-NO/NC	SWITCH/PUSHBUTTON,AC SWITCH,,30MM, 3 POS-1NO/1NC, SPRING RETURN L & R TO C, BLACK KNOB, WHITE INSERT	
		14	11809016	CUAL AID NO. 11C PENN UNION 4 OZ.	
		564	9431T12	SUBASSEMBLY,MECHANICAL,,SPACE HTR MTG. CLAMPS	
		3	LPS-RK-80SP	BUSSMANN/COOPER FUSE 80A 600V, 300VDC, AC: 300,000A RMS SYM., DC: 100,000A RMS SYM. DUAL-ELEMENT, TIME-DELAY PERMITS 130% FLA SIZING FOR BACK-UP MOTOR PROTECTION.	
		30	VR10	CAPACITOR MOUNTING BRACKET	
		5	27E867	P&B SCREW TERMINAL SOCKET FOR 4 POLE KU RELAY	
		5	0177C2268P008	PIN	
		20	90579P01	SUPPORT, R/O MOUNT	
		38	3046388	TERMINAL BLOCK, PHOENIX	
		3	KUMP-14A48-120	P&B RELAY.	
		19	206151-2	RECEPTACLE HOUSING, SHELL SIZE 23, 37 PIN, STANDARD SEX, SERIES 1, CPC, WIRE-TO-WIRE, THREAD SIZE 1-3/8-18 UNEF-2A	
		6	0346A9338P001	SOLID WHEEL	
		18	1772715	CIRCUIT BOARD CONNECTOR, PHOENIX, - TFMC 1,5/ 3-STF-3,5	
		2	F2HDJ62.5STST-010	62.5/125 MICRON MULTIMODE FIBER-OPTIC CABLE HEAVY DUTY JACKET 2 FIBERS ST CONNECTORS BOTH ENDS, 10 FEET LONG	
		15	206512-5	CABLE CLAMP KIT, SHELL SIZE 23, STANDARD SEX, BODY STYLE - STRAIGHT, SERIES 1, CPC, CABLE DIAMETER MAX 1.125" OD, THREAD SIZE 1-3/8-18 UNEF-2B	
		200	66602-8	CONNECTOR, TYP III+, PIN, CONTACT SIZE 16, WIRE SIZE 18-14 AWG, CRIMP TERMINATION TYPE, BRASS, TIN PLATED	
		4	OHYS3AH	SWITCH/PUSHBUTTON,ISOLATION,,RED HANDLES, PADLOCKABLE.	
		10	CR151B60AF	TERMINAL BLOCK, 6 POLE	
		1	21706	GROUND,STUD,,HASTINGS GROUND STUD	
		1	PL16-R120-CR	INDICATING LIGHT POWERLINE LEDS	
		6	LC-063J-10-M	COMPRESSION SPRING	
		8	103A3104P001	SUPPORT - B-SIZE FUSE CLIP	
		3	OHYS3AH	SWITCH/PUSHBUTTON,ISOLATION,,RED HANDLES, PADLOCKABLE.	
		6	YA322N	BURNDY CRIMP TERM FOR	
		8	99142A560	HARDWARE,FASTENER,STANDARD,INTERNAL RETAINING RING - PV38 3000A	
		50	495160000	EWK 1 ALT - END BRACKET	
		6	673D051542234	FUSE CLIP	
		26	90128A720	HARDWARE,FASTENER,STANDARD,1/2-13 X 2 SCKT HEAD CAP	
		8	CC1504	TERMINAL BLOCK,POWER. MARATHON, CLEAR COVER FOR TB 1504STD AND 1504SC.	
		9	207055-1	BACKSHELL EXTENDER, SHELL SIZE 23, STANDARD SEX, SERIES 1, CPC, THREAD SIZE 1-3/8-18 UNEF-2B	
		19	800307	PHOENIX	
		3	101420	WEIDMULLER TYPE 6/2 WSI RAIL MOUNTED INDICATOR FUSED TERMINAL BLOCKS	
		2	0346A9338P001	SOLID WHEEL	
		4	CL-3-SS	SHOULDER SCREW 1/2 DIA. SHOULDER, 3/8 IN. SHOULDER LENGTH, 3/8-16 THREADS 3/4 IN. LONG	
25	2051900000	WEIDMULLER PUSH IN TERMINAL BLOCK END PLATE, 4 CLAMPING POINTS (AEP 4C 4)			
2	FRN-R600	BUSSMANN/COOPER FUSE 600A 250V			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP20	424	2	PBO-FCBE	SWITCH/PUSHBUTTON,AC SWITCH,,PUSH BUTTON, 30MM, FLUSH, BLUE CAP, OPERATOR ONLY	\$
		1	H2007B-3	C-H C306 CLASS 20 O/L	
		3	YA322N	BURNDY CRIMP TERM FOR	
		2	FRN-R200	BUSSMANN/COOPER FUSE 200A,250VAC/	
		7	2303132	PHOENIX INSERTION BRIDGE	
		2	TR200R	GOULD/SHAWMUT 200A FUSE	
		29	105000	END PLATE,TERM BLK,WAP 2.5-10, 1.5MMW	
		40	0282A3887P001	TEFLON WASH (CORKY)#5	
		1	OHYS3AH	SWITCH/PUSHBUTTON,ISOLATION,,RED HANDLES, PADLOCKABLE.	
		100	85985K26	Rigid Plastic Locking Plug, Fits 1-3/16" ID, 1-5/16" Head Diameter	
		2	1772731	CONNECTOR/PHOENIX,	
		21	9311K35	NON METALLIC PART,PLASTIC / RUBBER,GROMMET,RIBBED GROMMET	
		3	2X464	TOGGLE SW/CARLING SPST	
		3	4PA58	HARDWARE,FASTENER,STANDARD,HINGE, SIZE 2 X 2 IN, FINISH BRIGHT ZINC, STEEL MATERIAL, 2 HOLES PER LEAF,	
		1	LPS-RK-25SP	BUSSMANN/COOPER FUSE, 25A,	
		10	50841045	PLUG HOUSING, MOLEX	
		4	30311	FUSE,HOLDER,,MIDGET, 1-1/2 X 13/32, 1-POLE BLOCK, SCREW WITH DOULBE QUICK CONNECTS AT BOTH ENDS FOR #10-14 WIRE.	
		2	AMS-8C	PCR,FIRE,DETECTOR HEAT,COVER, AMSECO, FOR MAG-	
		17	83F1768	RESISTOR/NEWARK INONE, 1MEGA-OHM,	
		5	FNQ-R-10	600V, 10A, CLASS CC FUSE	
		6	50842042	RECEPTACLE HOUSING, MOLEX	
		4	FRS-R-3	BUSSMANN/COOPER FUSE, 3 AMP, 600VAC, 300VDC, 200ka VAC RMS SYM., 20KA VDC.	
		6	FRN-R-3	CONTROL FUSE, 250V, 3A	
		3	AMS-8C	PCR,FIRE,DETECTOR HEAT,COVER, AMSECO, FOR MAG-	
		2	1492-N16	TERM BLCK END PIECE/A-B	
		8	BAF-2-1/2A	BUSSMANN/COOPER FUSE 2-1/2A	
		2	KTK-10	FAST ACTING MIDGET FUSE 10A, 600VAC 100ka USE WITH OPM-1038 FUSEHOLDER	
		21	2081002	TERMINAL, FEMALE SOCKET, MOLEX	
2	0282A3520P001	.37 SPRING *VMI*			
1	2082004	TERMINAL, SPLIT PIN MALE, MOLEX			
1	AGC-5	FUSE 5A CUSTOM POWER			
3	FNM-1-410	Bussmann / Cooper Fuse 1-4/10A 250V			
4	U2209-1	Turck wk 4.2T-4			
IIP21	425	2	CTQ2340-101DR	AMRAN CURRENT TRANSFORMER 600V, 100/50:5A RATIO, 10KV BIL, CLASS C20 @ 100:5A, CLASS C10 @50:5A, 12.8" X 13.58" WINDOW.	\$
IIP22	426	18	24204B	SWITCH.ELECTROSWITCH	\$
		2	CT510PA7-24	TRANSDUCER,AMP,,XDRC CURRENT, SINGLE UNIT, 5A INPUT, 4-20MADC 40VDC/2000OHM OUTPUT, 24VDC LOOP POWERED	
		14	MS3102A-28-20S	RECEPTACLE,NON HAZARDOUS,INDOOR,FEMALE CONNECTOR, BOX MOUNTING RECEPTACLE, SHELL SIZE 28, CONTACT ARRANGMENT 20, CONTACT TYPE P	
		8	78PB10D-005	RELAY, ELECTROSWITCH LOR	
		1	D64RP18	RELAY,PROTECTION,DISTRIBUTION,RELAY/EATON CUTLER-HAMMER,	
		6	800T-A6D2	PB/A-B MOMENTARY CONTACT	
		4	10250T102-2	PUSH BUTTON/C-H,	
		3	BA-2RV2-A2	MICRO SWITCH, HONEYWELL,	
		1	P19RPP2UB	BLANK PANEL,PNL,19",3.50"H 12GA STEEL, PAINTED RAL9005, BLACK, POLYESTER POWER	
		9	TRM8	FUSE, 8AMP 250V,FERRAZ	
16	24204d	SWITCH.ELECTROSWITCH			

Lot	Pallet ID	QTY	Part Number	Description	BID
IIP23	427	31	2A96124G03	LOAD STAB, C-H, FOR	\$
IIP24	428	4	1A96056G11	A-GRD 400A 7200/5000V	\$
IIP25	429	2	230775-04-00-4	BATTERY DISCONNECT CIRCUIT BREAKER, 500A.	\$
IIP26	430	1	235040-07-00-1	EATON AUTOMATIC TRANSFER SWITCH.	\$
IIP27	431	15	A/C Disconnect	#N/A - (8) SS 30A 600VAC MHP 30, (5) SS 100A 600VAC MHP 100, (2) CS 60A 600AC MHP 60	\$
IIP28	432	7	A/C Disconnect	#N/A - (2) SS 30A 600VAC MHP 30, (3) SS 100A 600VAC MHP 100, (2) CS 60A 600AC MHP 60	\$
IIP29	433	13	2A96124G02	LINE STAB, C-H, FOR	\$
IIP30	434	20	2A96124G02	LINE STAB, C-H, FOR	\$