



**Steven Levy Enterprises, Inc.**  
**1412 Pennsylvania**  
**South Houston, Texas 77587**  
**Phone: (713) 910-4337 Fax: (713) 910-2039**

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

**SLE 20-006**  
**Pipeline Valve & Equipment Sale**  
**Flanges, Fittings, Valves & More!**

**Sealed Bid Sale**

**Bidder Information**

Company: \_\_\_\_\_

---

(Signature)	(Printed Name)	(Date)	(Phone Number)
Inspected Surplus    Yes <input type="checkbox"/> No <input type="checkbox"/>			
(Check One)			

Subject material to be sold on "AS IS / WHERE IS" basis.  
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

**Bid Close: Tuesday, March 24<sup>th</sup> @ NOON**

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337  
 Inspection Time 7:30 - 3:00 M-F  
 Available for inspection Immediately thru Bid Close  
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

**\*\*\*\*PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS\*\*\*\***

Please visit our web site [www.slevysurplus.com](http://www.slevysurplus.com) for more available equipment.

## SLE 20-006 Pipeline Valve & Equipment Sale

**Company:** \_\_\_\_\_  
**Bidder:** \_\_\_\_\_  
**Phone:** \_\_\_\_\_

LOT	Qty.	Size (in.)	Rating	Mfg.	Model / PN	Description	Material	Notes/Cond.	Lot Bid
EX1	7	2"	NPT	Fisher	99H	Regulator		(6) Unused / Weath., Used / Weath. (1)	\$
EX2	1	4"	900	Fusion	Series 432	RF Trunnion Ball Valve w/ Actuator	A105 / NACE	Unused	\$
EX3	1	2"	2500	KF	M611	RTJ Ball Valve w/ Actuator	A105 / NACE	Unused	\$
EX4	1	2"	2500	KF	M611	RTJ Ball Valve w/ Actuator	A105 / NACE	Unused	\$
EX5A	1	6"	150	SFI CROWN		RF Piston Check Valve	WCC / NACE	Unused	\$
EX5B	1	6" x 6"	900	KF	M417	Full Port Ball Valve	A105 / Firesafe	Unused / has been bolted	\$
EX6	1	2" x 3"	600 x 150	Mercer	91-53H11P88C1	RF Relief Valve	WCB	Unused	\$
	1	1 1/2" x 3"	900 x 150	Mercer	91-36F11P25C1	RF Relief Valve	WCB	Unused	
	1	1" x 1"	NPT	Mercer	91-17D61T14E1	MNPT x FNPT Relief Valve	WCB	Unused	
	3	1 1/2" x 2"	900 x 300	Mercer	91-36F11P25C1	Relief Valve	WCB	Unused	
EX7	1	4" x 4"	600	KF	E2606-1929G91	RF Full Port Ball Valve	WCB	Unused	\$
	1	3" x 3"	150	KF	E2154-1922G91	RF Full Port Ball Valve	WCB	Unused	
	1	2" x 2"	150	KF	E2151-1922G91	RF Full Port Ball Valve	WCB	Unused	
	5	1 1/2" x 1 1/2"	150	KF	G2149-1922E91	RF Full Port Ball Valve	WCB	Unused	
EX8	25	1/2"	250#			Thermowells	316SS	Unused	\$
	3	1 1/2"	NPT			Y-Strainers	CI	Unused	
EX9A	2	6"		ABZ		Lug Butterfly Valve	DI / 316SS Disc / EPDM Seats	No Handles, Unused	\$
EX9B	10	1 1/2"	800	Quadrant		Full Port Thrd. 3 pc. Ball Valve	A105	Unused	\$
	1	1/2"	800	Quadrant		Full Port Thrd. 3 pc. Ball Valve	A105	Unused	
EX10	4	1 1/2"	3000mop	WKM	Dynaseal	NPT Ball Valve	CS	Unused	\$
EX11	7	2"	2000 wog	KF	STD	Ball Valve	WCB / NACE	Unused	\$
	19	1/2"	2000 wog	KF	STD	Ball Valve	WCB / NACE	Unused	
EX12	4	6"			Boxes	Pipe Clamps		Unused	\$
	4				Pcs.	Superbolts		Unused	
EX13A	6			Fisher	67CF	Regulator		Unused	\$
EX13B	7	1/2"	4000 psi	Tescom	Anderson-Greenwood	M x F Needle Valve	A105	Unused	\$
	2	1/2"	6000 psi	Precision		M x F Needle Valve	316SS	Unused	

LOT	Qty.	Size (in.)	Rating	Mfg.	Model / PN	Description	Material	Notes/Cond.	Lot Bid
EX14	2			Penberthy	330J	Gagecock Sets	Steel	Unused	\$
	1	1/2"	NPT	Penberthy	330J	Sightglass 12"	Steel	Unused	
EX15	10 Sets	1/2" x 3/4"	NPT	Penberthy	320J	Gagecock Sets	Steel	Unused	\$
EX16	2	1"	300	Norriseal	RFN07T6KN9AA	Control Valve w/ Actuator	CS	Unused	\$
EX17	2	1"	NPT	JATCO	J-5000CX	Tank		Unused	\$
EX18	6	2"	150	Norriseal	1001A	Liquid Level Controller		Unused	\$
EX19	6	2"	150	Norriseal	1001A	Liquid Level Controller		Unused	\$
SF20	1	4" x 4"	900	SCV		RF Full Port Ball Valve w/ Gear Op.	A105	Recon.	\$
SF21	1	4" x 4"	600	Vintrol	46608-1261419999	RF Ball Valve	WCB	Unused	\$
SF22	4	3" x 2"	600	KF		Ball Valve	WCB	Recon., No Handles	\$
SF23	14	2"	1500 wog	KF	Hale	NPT Ball Valve	WCB	Unused	\$
	3	1"	200 wog	KF	Hale	NPT Ball Valve	WCB	Unused	
SF24	4	3/4"		Watts	41XED	MNPT Relief Valve	Brass	Unused	\$
SF25	3	2"	1500 wog	KF		NPT Ball Valve	DI	Unused	\$
	2	2"	1500 wog	Apollo		NPT Ball Valve	WCB	Unused	
	1	3/4"	6000 wog	Nutron		NPT Full Port Ball Valve	316SS	Unused	
SF26	2	2 1/2"		ISO	5421-08	Thrd. Ball Check Valve	CF8M	Unused	\$
SF27A	9	1 1/2" x 2"		Hydroseal	6CRV00	MNPT x FNPT Safety Relief Valve	WCB	Unused	\$
SF27B	3	1 1/2" x 2"		Teledyne Farris	1875	MNPT x FNPT Safety Relief Valve	CS	Unused	\$
	1	1 1/2" x 2"		Teledyne Farris	1855	MNPT x FNPT Safety Relief Valve	CS	Unused	
BBG28	1	1 1/2" x 2"		Mercer	91-34H74V7661	MNPT x FNPT Safety Relief Valve	CF3M	Recon.	\$
	1	1 1/2" x 2"		Mercer	91-34H51T6L1	MNPT x FNPT Safety Relief Valve	WCB	Recon.	
SF29	1	2"		FW Murphy	M5081FS-B2	FNPT Fuel Gas Shut-off Valve		Unused	\$
	1	2"		FW Murphy	M5081C	FNPT Fuel Gas Shut-off Valve		Unused	
SF30	1	1F	150	WKM	B2901-T20	Ball Valve	Steel	Unused	\$
SF31	1	1/8"	NPT	Fisher	i2P-100	Electro-Pneumatic Transducer		Unused	\$
SF32	3	1"		NuFlo	MC-II	Flow Analyzer		Unused	\$
SF33	2	1 1/2"	NPT	AMOT	4418F5A8C0	Thrd. High Pressure Control Valve	CF8M	Unused	\$
SF34	Lot					Nipples & Forged Fittings	Malleable	324 Lbs.	\$
SF35	19	3"	S40		Buttweld	180° Return Bend	WPB	220 Lbs.	\$
SF36	16	1"	125	Milwaukee		Thrd. Gate Valve	Brass	148 Lbs.	\$
SF37	20	1"	125	Milwaukee		Thrd. Gate Valve	Brass	148 Lbs.	\$
SF38	20	1"	125	Milwaukee		Thrd. Gate Valve	Brass	148 Lbs.	\$
SF39	17	1 1/4"	125	Crane	1701	Thrd. Gate Valve	Brass	Unused	\$

LOT	Qty.	Size (in.)	Rating	Mfg.	Model / PN	Description	Material	Notes/Cond.	Lot Bid
SF40	9	1"	200	Parker	M08781830	Schrader Bellows Valve	Brass	Unused	\$
SF41	5	1 1/4"		Sinclair-Collins	C264-4010	Control Valve	Brass	Unused	\$
	1	1"		Sinclair-Collins	60-082-10	Control Valve	Brass	Unused	
POD42	61	3/4" - 2"		Misc.	Balon, PBV, WKM, Quadrant	Thrd. & RF Pipeline Valves	CS	Unused	\$
VTC43	1	2"	300	Fisher	ET Control Valve	w/ Type 667 Actuator Size 40	WCB	Unused	\$
VTC44	1	2"	150	Fisher	ED Control Valve	w/ Type 667 Actuator Size 40i	WCB	Unused	\$
CSF45	1	1 1/2"	600	Orbit	1223SH8	RF Valve	WCC	Unused	\$
CSF46	3	3/4" & 1/2"		Penberthy	220	Gagecocks	Steel	Unused, Weathered	\$
CSF47	2	1/2"		Mercer	91-06D51T05L96	Relief Valve	WCB	Unused, Weathered	\$
	1	3/4"		Mercer	91-12D51T05L9C6	Relief Valve	WCB	Unused	
EX48	Lot		6000			Thrd. HDG & Plated Forged Steel Fittings		654 Lbs.	\$
EX49	Lot	1" - 2"				Plated Swages		180 Lbs.	\$
EX50	Lot	1/2" - 1 1/2"	6000			Thrd. Forged Steel Fittings		277 Lbs.	\$
EX51	Lot	1/2" - 1 1/2"	3000			Thrd. Forged Steel Fittings		575 Lbs.	\$
EX52	Lot	2" - 8"	STD, XH			Buttweld Fittings	WPB	171 Lbs.	\$
EX53	Lot	1" - 6"	150, 300			RF & FF Flanges	A105	291 Lbs.	\$
EX54	40	3"	900 XH			RF Weldneck Flanges	A105	1225 Lbs.	\$
EX55	Lot	2" - 6"	300, 600, 900			RF & RTJ Weldneck Flanges	A105	568 Lbs.	\$
EX56	12	6"	900 S160			RTJ Weldneck Flanges	A105	1340 Lbs.	\$
EX57	Lot	3/4" - 1 1/2"	6000			Sockweld & Thrd. Forged Fittings	316SS	372 Lbs.	\$
EX58	Lot	1/2" - 3"	150, 300, 600			Reducing Flanges	316SS	372 Lbs.	\$
VTC59	Lot	1/2" x 6"			Approx. 1000 pcs.	Hex Bolts	304SS	337 Lbs.	\$
PA60	3	3 HP	TEFC	182T Frame	Electric Motor	1755 RPM, 208-230/460 Volts		New	\$
	2	2 HP	TEFC	145T Frame	Electric Motor	1740 RPM, 208-230/460 Volts		New	
POD61	5	2	300	PBV		RF Ball Valve	316SS	No Handle	\$
POD62	2	1 1/2	600	PBV		RF Full Port Ball Valve	316SS	No Handle	\$
POD63	14	1 1/2	150	PBV		RF Full Port Ball Valve	316SS	No Handle	\$