



Steven Levy Enterprises, Inc.
1412 Pennsylvania
South Houston, Texas, 77587
Phone: (713) 910-4337 Fax: (713) 910-2039

Steven Levy Enterprises, Inc. is accepting bids on behalf of our clients for the following material:

SLE 21-009
Pipeline Valve & Equipment Sale
KF, KimRay, Fisher, Mercer, Norriseal, WKM & More...
Over 1000 items!

Sealed Bid Sale

Bidder Information

Company: _____

(Signature) (Printed Name) (Date) (Phone Number)

Inspected Surplus Yes No

(Check One)

Subject material to be sold on "AS IS / WHERE IS" basis.
 Material is sold FOB Steven Levy Enterprises, Inc. located at 1412 Pennsylvania, South Houston, Texas.

Bid Close: Thursday, February 18th, 2021 @12:00PM

To inspect material or for additional information contact:

Steven Levy Enterprises, Inc. (713) 910-4337
 Inspection Time 7:30 - 3:00 M-F
 Available for inspection Immediately thru Bid Close
 We are happy to pick up out-of-town buyers at Hobby Airport (HOU)

Seller reserves the right to reject any and all bids. Only the successful bidder will be notified of awards. Payment is due upon notification of award. All sales will be charged sales tax unless resale tax exemption certificate accompanies payment or is on file with Steven Levy Enterprises, Inc. Equipment is to be removed from property within ten (10) days at buyer's expense. Seller description of material is best available information, seller provides no express warranties and/or guarantees as to the quantity, quality, and/or fitness for any use or purpose. Steven Levy Enterprises, Inc. encourages all bidders to inspect material prior to placing bids.

******PLEASE SUBMIT THIS COVER PAGE WITH ALL BIDS******

Please visit our web site www.slevysurplus.com for more available equipment.

SLE 21-009 Pipeline Valve Sale

Company: _____

Bidder: _____

Phone: _____

LOT	Qty.	Size (in.)	Rating/Class	Description	Mfg	Material	Model/Part No. /Notes	Condition/Notes	Lot Bid
JWMW 1	1	10 x 10	600	RF Trunnion Ball Valve	KF	WCB/Nace	GO	Unused	\$
JWMW 2	1	10 x 10	600	RF Trunnion Ball Valve	KF	WCB/Nace	GO	Unused	\$
JWMW 3	1	8	600	RF Trunnion Ball Valve	C&C Sume	A105N	GO	New	\$
JWMW 4	1	6	600	RF x BW sch 40 Trunnion Ball Valve	Force	WCB	GO	New	\$
JWMW 5	26	4	750 PSI	Thrd. Ball Valve	KF	DI/316/Nace	No Handles	Unused	\$
JWMW 6	26	4	750 PSI	Thrd. Ball Valve	KF	DI/316/Nace	No Handles	Unused	\$
JWMW 7	1	4	1500 PSI	Thrd. Ball Valve	KF	CS	No Handles	Unused	\$
	1	4	1000 PSI	Thrd. Ball Valve	KF	CS	No Handles	Unused	
	1	4	3000	Thrd. Ball Valve	KF	CS	No Handles	Unused	
	2	3	3000	Thrd. Ball Valve	KF	CS	No Handles	Unused	
	3	3	1000	Thrd. Ball Valve	KF	DI	No Handles	Unused	
	4	3	1500	Thrd. Ball Valve	KF	WCB	No Handles	Unused	
	4	3	750	Weldend Ball Valve	KF	DI	2 w/ Handles	Unused	
JWMW 8	22	3	3000	Thrd. Ball Valve	KF	WCB	No Handles	Unused	\$
JWMW 9	28	3	2000	Thrd. Ball Valve	KF	WCB	1 WO/ Handle	Unused	\$
JWMW 10	1	1		Thrd. Regulator	Mallard	DI	Fig# 5646B-IDC-P65	Unused	\$
	1	1		Thrd. Regulator	Mallard	DI	Fig# 5646B-1DB-B16	Unused	
	2	1		Thrd. Regulator	Mallard	DI	Fig# 5646B-1DB-B6S	Unused	
	4	1		Thrd. Regulator	Mallard	DI	Fig# 5646B-1DE-B6S	Unused	
	2	1		Thrd. Regulator	Mallard	DI	Fig# 5646B-1DD-B6S	Unused	
JWMW 11	10	2		Thrd. Regulator	Mallard	WCB	Model# 5600	Unused	\$
JWMW 12	10	2		Thrd. Regulator	Mallard	WCB	Part# 5600-2HDG-T	New	\$
	2	2		Thrd. Regulator	Mallard	WCB	Part# 5600-2HDK-T3S	New	
JWMW 13	11	2		Thrd. Regulator	Mallard	WCB	Part# 5600-2HDJ-T4S	New	\$
	1	2		Thrd. Regulator	Mallard	WCB	Part# 5600-2HDK-T4S	New	
	1	2		Thrd. Regulator	Mallard	WCB	Part# 5600-211DG-T4S	New	
JWMW 14	18	2		Thrd. Regulator	Mallard	WCB	Part# 5600-1HDK-T3S	New	\$
JWMW 15	9	2		Thrd. Regulator	Mallard	WCB	Part# 5600-1HDG-T3S	New	\$
	3	2		Thrd. Regulator	Mallard	WCB	Part# 5600-1HDG-T4S	New	
JWMW 16	5	1		Thrd. Regulator	Mallard	DI	Part# 5646B-1DE-B6S	New	\$
	1	1		Thrd. Regulator	Mallard	DI	Part# 5646B-1DB-B4S	New	
	1	1		Thrd. Regulator	Mallard	DI	Part# 5646B-1DE-B4S	New	
	3	1		Thrd. Regulator	Mallard	DI	Part# 5646B-1DD-B6S	New	
JWMW 17	6	1		Thrd. Regulator	Mallard	DI	Part# 5646B	Unused	\$
JWMW 18	8	1		Thrd. Regulator	Mallard	DI	Part# 5646B	Unused	\$
	7	1		Thrd. Regulator	Mallard	DI	Part# 5646B	Have Wrench Mark	
JWMW 19	1	2		Big Joe Thrd. Regulator	Fisher		Type 630	Unused	\$
	13	1		Big Joe Thrd. Regulator	Fisher		Type 630	Unused	

LOT	Qty.	Size (in.)	Rating/Class	Description	Mfg	Material	Model/Part No. /Notes	Condition/Notes	Lot Bid
JWMW 20	13	3/4		Regulator	Fisher	Aluminum	W7CFR-225	Unused	\$
	4	3/4		Thrd. Regulator	Fisher	DI	119	Unused	
JWMW 21	16	3/4		Regulator	Fisher	Brass	1301	Unused	\$
JWMW 22	2	3		Flanged Gas Regulator	KimRay	Steel	327	Unused	\$
	1	3		Thrd. Gas Regulator	KimRay	DI	330	Unused	
	2	2		Thrd. Gas Regulator	KimRay	CI	212. SGT	Unused	
	1	2		Thrd. Mechanical Oil Valve	KimRay	DI	SOT-PB-D	Unused	
	2	2		Thrd. Angle Valve	KimRay	DI	212 SOA	Unused	
JWMW 23	7	1		Thrd. Regulator w/pilot	KimRay	DI	1400SMT PO	Unused	\$
JWMW 24	16	1		Bodies	KimRay	DI		Unused	\$
	31	2		Bodies	KimRay	DI		Unused	
JWMW 25	9			Pilots	KimRay	DI/CS		Unused	\$
JWMW 26	9	3/4		Regulator	KimRay	DI		Unused	\$
	1	1		Check Valve	KimRay	DI		Unused	
	3	3/4		80 PR	KimRay	DI		Unused	
JWMW 27	10	2	1000	Thrd. Hammer Union	C&C	CS	Fig# 100	Unused	\$
	10	3	1000	Thrd. Hammer Union	C&C	CS	Fig# 100	Unused	
	10	4	1000	Thrd. Hammer Union	C&C	CS	Fig# 100	Unused	
JWMW 28	10	2	2000	Thrd. Hammer Union	C&C	CS	Fig# 300	Unused	\$
	10	2	4000	Thrd. Hammer Union	C&C	CS	Fig# 400	Unused	
	10	3	4000	Thrd. Hammer Union	C&C	CS	Fig# 400	Unused	
JWMW 29	10	1	2000	Thrd. Hammer Union	C&C	CS	Fig# 200	Unused	\$
	10	3	2000	Thrd. Hammer Union	C&C	CS	Fig# 200	Unused	
	10	4	2000	Thrd. Hammer Union	C&C	CS	Fig# 200	Unused	
JWMW 30	10	2	6000	BW Hammer Union	C&C	CS	Fig# 602	Unused	\$
	10	2	15000	BW Hammer Union	C&C	CS	Fig# 1502	Unused	
JWMW 31	1	2	150	Flapper Check	KF	CS/SS		Unused	\$
	2	4	150	Flapper Check	KF	CS/SS		Unused	
	2	2	600	Flapper Check	KF	CS/SS		Unused	
	5	2	900	Flapper Check	KF	CS/SS		Unused	
	4	3	600	Flapper Check	KF	CS/SS		Unused	
	2	4	600	Flapper Check	KF	CS/SS		Unused	
	1	6	600	Flapper Check	KF	CS/CS		Unused	
JWMW 32	16	1		Relief Valve	Mercer	WCB	91-23E51T1311	Unused	\$
JWMW 33	12	1		Relief Valve	Mercer	WCB	91-23E51V1311	Unused	\$
JWMW 34	23	1		Relief Valve	Mercer	WCB	941-22F51T14U1	Unused	\$
JWMW 35	14	1		Relief Valve	Mercer	WCB	91-23E51T1711	Unused	\$
JWMW 36	14	1		Relief Valve	Mercer	WCB	91-17...MISC	Unused	\$
	4	2		Relief Valve	Mercer	WCB	91-43H51V80U1	Unused	
JWMW 37	16	1		Relief Valve	Mercer	WCB	91-23E51T1711	Unused	\$
JWMW 38	16	1		Relief Valve	Mercer	WCB	9123E51T1711	Unused	\$
JWMW 39	16	1		Relief Valve	Mercer	WCB	9123E51T1711	Unused	\$
JWMW 40	35	1/2		Thrd. Ball Valve	KF	WCB		Unused	\$

LOT	Qty.	Size (in.)	Rating/Class	Description	Mfg	Material	Model/Part No. /Notes	Condition/Notes	Lot Bid
JWMW 41	33	1/2		Thrd. Ball Valve	KF	WCB		Unused	\$
JWMW 42	16	2	150	Wafer Check	KF	WCB/CF8M		Unused	\$
	7	3	150	Wafer Check	KF	WCB/CF8M		Unused	
JWMW 43	3	4	300	Wafer Check	KF	WCB/CF8M		Unused	\$
	5	2	600	Wafer Check	KF	WCB/CF8M		Unused	
	6	3	600	Wafer Check	KF	WCB/CF8M		Unused	
	2	4	600	Wafer Check	KF	WCB/CF8M		Unused	
	1	3	300	Wafer Check	KF	WCB/CF8M		Unused	
PCPS 44	36	1/2	2250	Dynaseal Thrd. Ball Valve	WKM	WCB		Unused	\$
PCPS 45	5	1	2500	Thrd. 2pc Ball Valve	Balon		IF - 593	Unused	\$
	3	1	1440	Thrd. Check Valve	Cam Wheatley	CS/CF8M/Nace		Unused	
	1	1	1500	Thrd. Ball Valve	KF	A105N		Unused	
	5	1	3000	SW 3pc Union Bonnet Ball Valve	Apollo 73	C/S	UC Listed	Unused	
PCPS 46	28	1/2 M x F NPT	10000	Thrd. Needle Valve	Anderson Greenwood	SS		New	\$
	9	1/2 M x F NPT	10000	Thrd. Needle Valve	Lonestart	SS		New	
PCPS 47	34	1/2 NPT	6000	Isolation Valve	Precision	CS		New	\$
	4	1/2 NPT	10000	Isolation Valve	Precision	CS		New	
PCPS 48	17			Misc. Manifold Valves		SS		New	\$
PCPS 49	26	1/4 - 3/4		Misc. Needle Valves and Manifolds		SS & CS		New	\$
PCPS 50	24	1/2 - 2		Misc. Ball Valves	WKM/Quadrant & others			Unused	\$
PCPS 51	1	8		Emissions Kit	Murphy		48700099	Unused	\$
PCPS 52	OVER 100 Pcs.	1.25 - 6		Weather Caps		CS		Unused	\$
PCPS 53	8	1		Relief Valve	AG Crosby	CS	81PS1NM88-8	New	\$
	1	1		Relief Valve	AG Crosby	CS	81PS1F88-8	New	
PCPS 54A	23	1/2		Kiene V-44		CS		Unused	\$
PCPS 54B	3	1		Thrd. Ball Valve	KF	WCB/Nace		Unused	\$
	8	1 1/2	2000	Thrd. Ball Valve	KF	WCB	SS LH M3	Unused	
PCPS 55	8	1		Relief Valve	Mercer	CS	91-17...MISC		\$
	13	1 1/2		Relief Valve	Mercer	CS	91-34...MISC		
	3	1 1/2		Relief Valve	Mercer		91-34H51V76U1		
	1	1/2		Relief Valve	Mercer		91-M6C6P1541		
PCPS 56	2	2 NPT		Dump Valve	Murphy	SS	DV2109SS		\$
	2	2 NPT	2000	Float Chamber	Murphy	WCB	Series 100		
	2	2 NPT			Murphy	SS	DVU2120		
PCPS 57	4			Level Controller	Murphy		15700177		\$
	2			Level Controller	Murphy		15700172		
PCPS 58	28			Regulators/Filters/Lubricators	Marsh / Bellofram				\$

LOT	Qty.	Size (in.)	Rating/Class	Description	Mfg	Material	Model/Part No. /Notes	Condition/Notes	Lot Bid
PCPS 59	7	1/2 NPT X 8" Long		Level Gauges	Penberthy	CS	1RL5		\$
	3 Sets			Gauge Cocks	Penberthy		N7A		
PCPS 60	5			Regulators	BelGas		KLCE-9FS-81039		\$
PCPS 61	1			Level Controller	Kenco		1400 SMT/101BSSPG		\$
PCPS 62	4	1 NPT	4000	Control Valve	KimRay	CS	130SMTADAB		\$
	3	1/2 NPT		Control Valve	KimRay	DI	T12		
	5	1 NPT		Thermostat	KimRay	CS			
	2	12" Long		Float	KimRay	SS			
PCPS 63	OVER 100 Pcs.	2 & 2 1/2	60-200	Misc. Gauges	Wika/March/Ashcroft	SS & Brass			\$
PCPS 64	OVER 25 Pcs.	2 1/2 - 4 1/2	200-2000	Misc. Gauges / Thermometers	Wika/Ashcroft/Orange				\$
CPP 65A	2	2 x 2	600	RF Ball Valve w/ Bettis Acuator	WKM	WCC/CF8M/Nace	320 F	New	\$
CPP 65B	2	2 x 2	600	RF Ball Valve	WKM	WCC/CF8M	Barestem	Unused	\$
PCPS 65C	1	3	300	Reduces Port Ball Valve	Force	WCC/CF8M	No Handle	New	\$
PCPS 65D	2	3/4 x 1		Relief Valve	AG Crosby	WCB	951101MFA	New	\$
POL 66	1	2	300	RF Ball Valve	Orbit	CS/Nickel	Fig# 12133	Reconditioned	\$
POL 67	1			Bettis Acuator			CBL 725	Used	\$
	1			Bettis Acuator			CBL 520	Used	
	1			Bettis Acuator			CBL 520 No Tag	Used	
	1			Bettis Acuator			No Tag	Used	
SF 68	1	2		Thermostat Valve	Fluid Power	DI	A2010-150	New	\$
SF 69	1	1		Thrd. Relief Valve	Mercer	WCB	91-17D51T13E	New	\$
	1	1 1/2		Thrd. Relief Valve	Mercer	WCB	9134H51V80U1	New	
	1	2		Thrd. Relief Valve	Mercer	WCB	81-43251V11G11	New	
	1	2		Thrd. Relief Valve	Mercer	WCB	91-53H11T85U1	New	
SF 70	2	2		RF Relief Valve	Mercer	WCB	91-53H11T85U1	New	\$
SF 71	29	1 x 1		Thrd. Relief Valve	Taylor 8200	CS	82E5351311	New	\$
SF 72	3	1 1/2 x 2		Thrd. Relief Valve	Taylor 8200	CS		New	\$
	2	2 x 2		Thrd. Relief Valve	Taylor 8200	CS	82G5651311	New	\$
SF 73	5	3 x 3		Thrd. Relief Valve	Taylor 8200	CS	83J7711311	New	\$
PCPS 74	14	2		Thrd. Ball Valve	Apollo	A108	72-108-19 w/ Locking Handle	New	\$
PCPS 75	14	2		Thrd. Ball Valve	Apollo	A108	72-108-19 w/ Locking Handle	New	\$
ICB 76	1		200 PSI	10 Gallon Receiver Tank		CS	-2017	Unused	\$
ICB 77	1			LP Gas Cylinder		CS		New (Empty)	\$
PCPS 78	4	1	2000	Regulator	WellMark	WCB	1PR-1538S	New	\$
PCPS 79	1			Level Switch	Norriseal	CS/316	Part# 1042753 w/ Steel Float	New	\$
PCPS 80	1	2 NPT		Liquid Level	Norriseal 1001A	CS		New	\$
PCPS 81	1	1 x 2	2250	Control Valve	Norriseal	CS	S-22TAV-9AA	New	\$
PCPS 82	3	2 NPT		Liquid Level	Norriseal 1001	CS		New	\$
PCPS 83	1 Lot	12 pcs		Parts	Norriseal			New	\$

LOT	Qty.	Size (in.)	Rating/Class	Description	Mfg	Material	Model/Part No. /Notes	Condition/Notes	Lot Bid
PCPS 84	1	1		Regulator Series 2001 PR	WellMark	WCB	Series 2001 PR	Unused	\$
	2	2 x 2		Relief Valve	Norriseal WellMark	CS	W2602-GV1-711-1500	New	
	1	1 x 1		Relief Valve	WellMark	CS	W2601-EV1-311-G300	Unused	